AUTHOR INDEX

Achterberg, A. Shock acceleration in disordered magnetic fields, **232**, 323
Adamson, A.J., Hill, G., Fisher, W., Hilditch, R.W., Sinclair, C.D. Kinematics and properties of F stars near the North Galactic Pole – II. The isothermal disc, **230**, 273
Adamson, A.J. *see* Whittet, D.C.B.
Adelman, C.J. *see* Adelman, S.J.
Adelman, S.J. Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms – III. The superficially normal standard stars Theta Leonis, Tau Herculis and Omicron Pegasi, **230**, 671
Adelman, S.J. Elemental abundance analyses with coadded DAO spectrograms – IV. Revision of previous analyses, **235**, 791
Adelman, S.J. Elemental abundance analyses with coadded DAO spectrograms – V. The mercury-manganese stars Phi Herculis, 28 Herculis and HR 7664, **235**, 749
Adelman, S.J., Adelman, C.J. The peculiar A star HD 110066: a photographic region line identification study, **235**, 1361
Adelson, L.M., Leung, C.M. On the effects of rotation on interstellar molecular line profiles, **235**, 349
Agrawal, P.C., Vaidya, J. Binary phase correlated X-ray intensity variations and flaring activity in the RS CVn binary HR 1099, **235**, 239
Aiad, A. *see* El-Nawawy, M.S.
Aitken, D.K., Roche, P.F., Smith, C.H., James, S.D., Hough, J.H. Infrared spectropolarimetry of AFGL 2591: evidence for an annealed grain component, **230**, 629
Aitken, D.K., Smith, C.H., James, S.D., Roche, P.F., Hyland, A.R., McGregor, P.J. 10 μm spectral observations of SN 1987A: interpretation of the infrared excess, **231**, 7P
Aitken, D.K., Smith, C.H., James, S.D., Roche, P.F., Hyland, A.R., McGregor, P.J. 10μ spectral observations of SN 1987A: the first year, **235**, 19P
Aitken, D.K. *see* Barlow, M.J.
Aitken, D.K. *see* Whittet, D.C.B.
Albats, P. *see* Sood, R.K.
Albinson, J., Evans, A., Allen, D.A., Winkler, H., Fairall, A.. Corbally, C., Davies, J.K., Parker, Q.A. Spectroscopic and photometric observations of SN 1987 – III. Days 135 to 260, **231**, 75P
Albinson, J. *see* Catchpole, R.M.
Albinson, J.S. *see* Evans, A.
Alexander, M.E. Tidal resonances in binary star systems – II. Slowly rotating stars, **235**, 1367
Alexander, P. *see* Cox, M.J.
Alighieri, S. di S. *see* Tadhunter, C.N.
Allan, R.J., Clegg, R.E.S., Dickinson, A.S., Flower, D.R. Mg–H^+ charge transfer and Mg line intensities in gaseous nebulae, **235**, 1245
Allen, D.A., Wright, A.E. A model of the symbiotic star RX Puppis, **232**, 683
Allen, D.A. *see* Catchpole, R.M.
Allen, D.A. *see* Morgan, D.H.
Allen, D.A. *see* Norris, R.P.
Allington-Smith, J.R., Spinrad, H., Djorgovski, S., Liebert, J. Further redshifts of 1-Jy radio sources, **234**, 1091
Allington-Smith, J.R. *see* Fabian, A.C.
Alpar, M.A., Cheng, K.S., Pines, D., Shaham, J. The large glitch from PSR 0355+54 and its post-glitch relaxation, **233**, 25
Anandarao, B.G., Banerjee, D.P.K., Desai, J.N., Jain, S.K., Mallik, D.C.V. Morphology of the bipolar planetary nebula NGC 2346 from emission line profile studies, **235**, 221
Anantharamaiah, K.R., Payne, H.E., Erickson, W.C. Detection of carbon recombination lines below 100 MHz towards the Galactic Centre and M16, **235**, 151
Anderson, M.R., Lemos, J.P.S. Viscous shear in the Kerr metric, **233**, 489
Anderson, M. *see* Dent, W.R.F.
Apostolakis, J. *see* Kochanek, C.S.
Appleton, P.N., van der Hulst, J.M. The structure and kinematics of the intergalactic south-west cloud in the M81 group, **234**, 957
Ashman, K.M., Carr, B.J. Pre-galactic cooling flows and baryonic dark matter, **234**, 219
Ashworth, M. A relation between subpulse widths and the polarization properties of pulsars, **230**, 87
Athanassoula, E. *see* Sygnet, J.F.
Atherton, P.D. *see* Reay, N.K.
Axon, D.J., Staveley-Smith, L., Fosbury, R.A.E., Danziger, J., Boksenberg, A., Davies, R.D. Spectrophotometric and neutral hydrogen observations of Michigan 160, **231**, 1077
Axon, D.J. *see* Bailey, J.
Axon, D.J. *see* Burton, M.G.
Axon, D.J. *see* Unger, S.W.

Baart, E.E. *see* Cohen, R.J.
Bailey, J., Axon, D.J., Hough, J.H., Ward, M.J., McLean, I., Heathcote, S.R. The polarization of NGC 1068, **234**, 899
Bailey, J., Hough, J.H., Wickramasinghe, D.T. Photometry and polarimetry of AM Herculis in its faint state, **233**, 395
Bailey, J., Wickramasinghe, D.T., Hough, J.H., Cropper, M. EXO 023432−5232.3 – An eclipsing AM Herculis binary, **234**, 19P
Bailey, J. *see* Cropper, M.
Bailey, J. *see* Hough, J.H.
Bailey, J.A. *see* Mead, A.R.G.
Bailey, M.E., Stagg, C.R. Cratering constraints on the inner Oort cloud: steady-state models, **235**, 1
Baldwin, J.E. *see* Hales, S.E.G.
Balona, L.A. *see* Catchpole, R.M.

Balona, L.A. *see* van Vuren, G.W.
Balona, L.A. *see* Whitelock, P.A.
Banerjee, D.P.K. *see* Anandarao, B.G.
Barcons, X., Fabian, A.C. Fluctuations in the X-ray background and the large-scale structure of the Universe, **230**, 189
Baring, M.G. Gamma-ray burst sources in strong magnetic fields, **235**, 79
Baring, M.G. Synchrotron emission, pair production and annihilation in strongly magnetized relativistic plasmas, **235**, 51
Barlow, M.J., Roche, P.F., Aitken, D.K. The determination of wind terminal velocities and ionic abundances from infrared fine-structure lines: the WC8 component of Γ Velorum, **232**, 821
Barlow, M.J. *see* Monk, D.J.
Barnett, E.W., McKeith, C.D. Fine structure splitting of the $2s^2\,2p^3 2P$ and ^2D levels of O II from CCD/echelle observations of the planetary nebula IC 418, **234**, 241
Barnett, E.W., McKeith, C.D. Carbon abundances in B-type stars from an LTE analysis of CCD/echelle observations of the C II λλ 6558, 6583 Å lines, **234**, 325
Barrett, P. Multicolour 'Stokes' polarimetry of SN 1987A in the LMC, **234**, 937
Barrett, P., O'Donoghue, D., Warner, B. Photometry of the intermediate polar TV Columbae, **233**, 759
Barrett, P.E. *see* Honey, W.B.
Barstow, M.A., Stanger, V.J. Serendipitous discovery of an AGN showing rapid X-ray variability, **230**, 207
Bath, G.T. *see* Naylor, T.
Bazzano, A. *see* Sood, R.K.
Bedford, D.K., Vilhu, O., Petrov, P. Rapid soft X-ray variability in a newly discovered active galaxy: EXO 1128+691, **234**, 319
Bedford, D.K. *see* Cameron, A.C.
Benn, C.R., Grueff, G., Vigotti, M., Wall, J.V. A deep radio and optical survey near the North Galactic Pole – IV. VLA observations and optical identifications of 5C 12 sources, **230**, 1
Benn, C.R., Wall, J.V., Vigotti, M., Grueff, G. A deep radio and optical survey near the North Galactic Pole – V. *JHK* observations of a sample of 5C 12 optical identifications, **235**, 465
Berman, N.M., Stollman, G.M. Bimodal accretion in GX5– and a possible constraint on its rotation period, **232**, 487
Bertola, F., Galletta, G., Kotanyi, C., Zeilinger, W.W. A study of major-axis dust-lane ellipticals, **234**, 733
Bessell, M.S. *see* Hawkins, M.R.S.
Bhatia, R.K., Hatzidimitriou, D. Binary star clusters in the Large Magellanic Cloud, **230**, 215
Bhatt, H.C. Segregation of dust and abundance inhomogeneities in globular clusters, **233**, 867
Bicknell, G.V. *see* Coleman, C.S.
Biggs, J.D., Lyne, A.G., Hamilton, P.A., McCulloch, P.M., Manchester, R.N. A search for interpulses from southern pulsars, **235**, 255
Binney, J., Lacey, C. The diffusion of stars through phase space, **230**, 597
Birkett, C.M. The application of Finson–Probstein dynamical theory to the dust tail of P/Halley, **235**, 497
Blades, J.C. *see* Monk, A.S.
Bland, J. *see* Tadhunter, C.N.
Blandford, R.D., Romani, R.W. On the interpretation of pulsar braking indices, **234**, 57P
Bocksenburge, A. *see* Axon, D.J.
Bode, M.F. *see* Whittet, D.C.B.
Bodo, G. *see* Trussoni, E.
Bohme, D.K. *see* Wlodek, S.
Boisson, C. *see* Sansom, A.E.
Bond, I.A., Freeth, R.V. Spin-up and accretion in EX Hydrae during its quiescent state, **232**, 753
Boss, A.P. Non-axisymmetric instability in three-dimensional accretion toroids, **231**, 739
Boutron, C.F. Comment on the paper 'The cometary breakup hypothesis re-examined', **233**, 215
Bower, R.G., Ellis, R.S., Efstathiou, G. A study of satellite galaxies in the rich cluster A2029, **234**, 725
Boyle, B.J., Fong, R., Shanks, T. On the correlation of UVX QSOs with galaxies, **231**, 897
Boyle, B.J., Shanks, T., Peterson, B.A. The evolution of optically selected QSOs – II, **235**, 935
Božić, H. *see* Stagg, C.R.
Bracewell, R.N. Three-halves law in sunspot cycle shape, **230**, 535
Brand, P.W.J.L. *see* Burton, M.G.
Brand, P.W.J.L. *see* Mead, A.R.G.
Breitschwerdt, D., Kahn, F.D. Stellar winds in H II regions – I. Unstable waves in ionized shells, **235**, 1011
Bridges, F.G. *see* Hatzes, A.P.
Brinks, E., Klein, U. Dark matter in the dwarf galaxy II Zwicky 40, **231**, 63P
Brinks, E. *see* Dickey, J.M.
Brissenden, R.J.V. *see* D'Amico, N.
Broadhurst, T.J., Ellis, R.S., Shanks, T. The Durham/Anglo–Australian Telescope faint galaxy redshift survey, **235**, 827
Bromage, G.E. *see* George, I.M.
Bromage, G.E. *see* Phillips, K.J.H.
Brown, P.D., Charnley, S.B., Millar, T.J. A model of the chemistry in hot molecular cores, **231**, 409
Brown, P.J.F., Dufton, P.L., Lennon, D.J. Non-LTE calculations of O II line strengths in early-type stars, **230**, 443
Bunton, J.D. *see* McAdam, W.B.
Burton, M.G., Geballe, T.R., Brand, P.W.J.L., Webster, A.S. Shocked molecular hydrogen in the supernova remnant IC 443, **231**, 617
Burton, M.G., Hough, J.H., Axon, D.J., Hasegawa, T., Tamura, M., McCaughrean,

M.J., McLean, I.S. Spectropolarimetry of the molecular hydrogen line emission from OMC-1, **235**, 161
Buscher, D. Optimizing a ground-based optical interferometer for sensitivity at low light levels, **235**, 1203
Busko, I.C., Steiner, J.E. Profiles of emission lines in AGN – I. Observations of [O III] lines, **232**, 525
Busso, M., Scaltriti, F., Persi, P., Ferrari-Toniolo, M., Origlia, L. *IRAS* observations and IR excesses of RS CVn-type binaries, **234**, 445

Caldwell, S.P., Dickens, R.J. Chemical abundances in the globular clusters NGC 288, NGC 362, NGC 6397 and M55, **234**, 87
Caldwell, S.P., Dickens, R.J. A spectroscopic study of chemical abundances in the globular cluster Omega Centauri, **233**, 367
Caldwell, S.P. *see* Dickens, R.J.
Callus, C.M. *see* Evans, A.
Cameron, A.C. Equilibrium models for large stellar coronal loops, **233**, 235
Cameron, A.C., Bedford, D.K., Rucinski, S.M., Vilhu, O., White, N.E. *EXOSAT* observations of variable coronal X-ray emission from the young K dwarf AB Doradus (=HD 36705), **231**, 131
Cameron, A.C. *see* Sparks, W.B.
Cannon, R.D. *see* Cropper, M.
Cannon, R.D. *see* Sagar, R.
Cantó, J. *see* Rawlings, J.M.C.
Capaccioli, M., Vietri, M., Held, E.V. The z-structure of the disc of NGC 3115, **234**, 335
Carballo, R., Eiroa, C., Mampaso, A. Erratum: Near infrared observations of GGD objects, **235**, 288
Carballo, C., Eirao, C., Mampaso, A. Erratum: Near infrared observations of GGD objects, **235**, 543
Carballo, R., Eiroa, C., Mampaso, A. Near-infrared observations of GGD objects, **232**, 497
Carnochan, D.J. The interstellar 2200 Å feature and charge transfer absorption, **231**, 455
Carr, B.J. *see* Ashman, K.M.
Carswell, R.F., Ferland, G.J. Implications of Lyman continuum observations of quasars, **235**, 1121
Carswell, R.F. *see* Parnell, H.C.
Carter, B. *see* Evans, A.
Carter, B.D., O'Mara, B.J., Ross, J.E. Flare stars of the Orion Nebula – spectra of an outburst, **231**, 49
Carter, B.S. *see* Catchpole, R.M.
Carter, B.S. *see* Whitelock, P.A.
Carter, D., Prieur, J.L., Wilkinson, A., Sparks, W.B., Malin, D.F. Spectra of shell ellipticals: redshifts, velocity dispersions and evidence for recent nuclear star formation, **235**, 813
Carter, D. *see* Lucey, J.R.
Casertano, S. *see* Sparke, L.S.
Caswell, J.L. *see* Whiteoak, J.B.
Catchpole, R.M., Whitelock, P.A., Feast, M.W., Menzies, J.W., Glass, I.S., Marang, F., Laing, J.D., Spencer Jones, J.H., Roberts, G., Balona, L.A., Carter, B.S., Laney, C.D., Lloyd Evans, T., Sekiguchi, K., Hutchinson, M.G., Maddison, R. Spectroscopic and photometric observation of SN1987A – III. Days 135 to 260, **231**, 75P
Catchpole, R.M. *see* Evans, T.L.
Catchpole, R.M. *see* Reid, N.
Catchpole, R.M. *see* Whitelock, P.A.
Cawson, M.G.M. *see* Davies, J.I.
Chakrabarti, S.K. On the dynamics of fluid in the working surface of a supersonic jet, **235**, 33
Chandler, C.J. *see* Gear, W.K.
Chapman, J.M. The circumstellar envelope of an unusual OH/IR star, OH 19.2–1.0, **230**, 415
Charles, P.A. *see* Honey, W.B.
Charles, P.A. *see* Naylor, T.
Charles, P.A. *see* Smale, A.P.
Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A. Chemical limit cycles for models of a region of low-mass star formation, **235**, 1257
Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A. Mass loaded astronomical flows – II. The chemistry in T-Tauri wind-blown bubbles in dense molecular clouds, **231**, 269
Charnley, S.B. *see* Brown, P.D.
Cheng, K.S. *see* Alpar, M.A.
Christensen-Dalsgaard, J., Gough, D.O., Pérez Hernández, F. Stellar disharmony, **235**, 875
Clariá, J.J., Lapasset, E. A *UBV* and *DDO* astrophysical study of the open cluster NGC 3532, **235**, 1129
Clarke, C.J. Theoretical constraints on thin models for active galactic nuclei, **235**, 881
Clarke, C.J., Pringle, J.E. The diffusion of contaminant through an accretion disc, **235**, 365
Clayton, C.A. A Herbig–Haro object in NGC 3603?, **231**, 33P
Clayton, C.A. Echelle observations of gas motions in NGC 604, **231**, 191
Clayton, C.A. *see* Meaburn, J.
Clayton, D.D. Nuclear cosmochronology within analytic models of the chemical evolution of the solar neighbourhood, **234**, 1
Clegg, P. *see* Harris, S.
Clegg, R.E.S. *see* Allan, R.J.
Clegg, R.E.S. *see* Harrington, J.P.
Clegg, R.E.S. *see* Hoare, M.G.
Clegg, R.E.S. *see* Monk, D.J.
Clement, R., Sembay, S., Hanson, C.G., Coe, M.J. A mid- to far-infrared variability study of the intermediate Seyfert galaxy, Mk 6, **230**, 117
Coates, D.W. *see* Innis, J.L.
Coe, M.J., Longmore, A., Payne, B.J., Hanson, C.G. The optical/IR counterpart to

the newly-discovered X-ray source EXO 2030+375, **232**, 865
Coe, M.J. *see* Clement, R.
Cohn, H.N. *see* Murphy, B.W.
Cohen, R.J., Baart, E.E., Jonas, J.L. OH masers associated with *IRAS* far-infrared sources, **231**, 205
Cohen, R.J. *see* Moore, T.J.T.
Collier, A. *see* Sparks, W.B.
Collin-Souffrin, S., Dyson, J.E., McDowell, J.C., Perry, J.J. The environment of active galactic nuclei – I. A two-component broad emission line model, **232**, 539
Collins, C.A., Joseph, R.D. An infrared search for primeval galaxies, **235**, 209
Cole, S., Kaiser, N. Sunyaev–Zel'dovich fluctuations in the cold dark matter scenario, **233**, 637
Coles, P. The hottest hotspot on the microwave sky, **231**, 125
Coles, P. Statistical geometry and the microwave background, **234**, 509
Coleman, C.S., Bicknell, G.V. Jets with entrained clouds – II. The synchrotron spectrum and emission structure, **230**, 497
Collins II, G.W. Thomson scattering in the presence of a weak magnetic field, **234**, 417
Cooke, B.A. *see* Ponamn, T.J.
Corbally, C. *see* Catchpole, R.M.
Corbet, R.H.D. *see* Mukai, K.
Corbet, R.H.D. *see* Smale, A.P.
Córdova, F.A. *see* Mason, K.O.
Córdova, F.A. *see* Rosen, S.R.
Cottrell, P.L. *see* Lawson, W.A.
Cottrell, P.L. *see* Reynolds, S.E.
Couch, W.J. *see* Cropper, M.
Couch, W.J. *see* MacLaren, I.
Cowley, C.R., Greenberg, M. Third spectra of rare earth elements in chemically peculiar stars: *IUE* spectra, **232**, 763
Cox, M.J., Eales, S.A.E., Alexander, P., Fitt, A.J. The correlation between far-infrared and non-thermal radio emission at 151 MHz for galaxies: observations and modelling, **235**, 1227
Cox, A. *see* Fitt, A.J.
Cox, M.J. *see* Fitt, A.J.
Crawford, C.S., Fabian, A.C., Johnstone, R.M. Cooling flows around radio-loud QSO, **235**, 183
Crawford, I.A. High-resolution observations of interstellar Na I towards HD, 174632, **233**, 923
Crawford, C.S. *see* Fabian, A.C.
Crawford, J. *see* Lawrence, A.
Cropper, M. The orientations of the magnetic pole in AM Her systems: implications for synchronous rotation and selection effects, **231**, 597
Cropper, M., Bailey, J., McCowage, J., Cannon, R.D., Couch, W.J., Walsh, J.R., Strade, J.O., Freeman, F. Spectropolarimetry of SN 1978A: observations up to 1987 July 8, **231**, 695
Cropper, M. *see* Bailey, J.
Cropper, M. *see* Wickramasinghe, D.T.
Cropper, M. *see* Wright, A.E.
Cropper, M.S. *see* Kurtz, D.W.
Cunningham, C.T. *see* Gear, W.K.
Czerny, M., King, A.R. The orbital evolution of the eclipsing pulsar PSR 1957 + 20, **235**, 33P

Dachs, J. *see* Hanuschik, R.W.
Dalgarno, A. *see* Pineau des Forêts, G.
Daly, R.A. Predictions in the condensate model of evolution of structures in the Universe, **232**, 853
D'Amico, N., Manchester, R.N., Durdin, J.M., Stokes, G.H., Stinebring, D.R., Taylor, J.H., Brissenden, R.J.V. A survey for millisecond pulsars at Molonglo, **234**, 437
Danby, G., Flower, D.R., Valiron, P., Schilke, P., Walmsley, C.M. A recalibration of the interstellar ammonia thermometer, **235**, 229
Danese, L. *see* Franceschini, A.
Danziger, I.J. *see* Tadhunter, C.N.
Danziger, J. *see* Axon, D.J.
Davidge, T.J., Forbes, D. Light curve analysis of the O-type eclipsing binary HD 167971, **235**, 783
Davies, J.I., Phillipps, S., Disney, M.J. The lowest surface brightness disc galaxy known, **231**, 69P
Davies, J.I., Phillipps, S. The evolution of dwarf galaxies, **233**, 553
Davies, J.I., Phillipps, S., Disney, M.J. Erratum: The lowest surface brightness disc galaxy known, **235**, 287
Davies, J.I., Phillipps, S., Cawson, M.G.M., Disney, M.J., Kibblewhite, E.J. Low surface brightness galaxies in the Fornax Cluster: automated galaxy surface photometry – III, **232**, 239
Davies, J.I. *see* Phillipps, S.
Davies, J.K. *see* Catchpole, R.M.
Davies, R.D. *see* Axon, D.J.
Davies, R.D. *see* Staveley-Smith, L.
Davis, M. *see* Efstathiou, G.
Day, C.S.R., Tennant, A.F., Fabian, A.C. Observations of three high-state eclipse egresses of Hercules X-1, **231**, 69
de Araujo, J.C.N., Opher, R. Collapse of Population III objects, **231**, 923
Deasy, H.P. Observational evidence for mass loss from classical cepheids, **231**, 673
Dent, W.R.F., Macdonald, G.H., Andersson, M. Observations of the young stellar association ON2, **235**, 1397
de Oliveira, A.K.G., Kolassis, C.A., Santos, N.O. Collapse of a radiating star revisited, **231**, 1011
Desai, J.N. *see* Anandarao, B.G.
de Zeeuw, P.T., Lynden-Bell, D. Derivation of the density distribution in a prolate galaxy from the rotation curve, **232**, 419
de Zeeuw, T., Pfenniger, D. Potential-density pairs for galaxies, **235**, 949
De Zotti, G. *see* Franceschini, A.
Dhurandhar, S.V., Tinto, M. Astronomical

observations with a network of detectors of gravitational waves – I. Mathematical framework and solution of the five detector problem, **234**, 663
Diamond, P.J. *see* Kemball, A.J.
Díaz, A.I. Hydrogen absorption line profiles of ionizing star clusters, **231**, 57
Díaz, A.I. *see* Vilchez, J.M.
Dick, J.S.B. *see* Smith, F.G.
Dickens, R.J., Caldwell, S.P. On the intrinsic width of the giant branch in the globular cluster Omega Centauri, **233**, 677
Dickens, R.J. *see* Caldwell, S.P.
Dickey, J.M., Brinks, E. An HI absorption line survey of Messier, 31, **233**, 781
Dickinson, A.S. *see* Allan, R.J.
Disney, M. *see* Phillipps, S.
Disney, M.J., *see* Davies, J.I.
Djorgovski, S. *see* Allington-Smith, J.R.
Dluzhnevskaya, O.B. *see* Sagar, R.
Donnison, J.R. The effects of eccentricity on the hierarchical stability of low-mass binaries in three-body systems, **231**, 85
Dopita, M.A. *see* Webster, B.L.
Doroshkevich, A.G., Klypin, A.A. Perturbations and streaming motions on large scales, **235**, 865
Drake, J.J. *see* Smith, G.
Drew, J.E., Verbunt, F. Regular orbital variations in the ultraviolet resonance lines of YZ Cnc, **234**, 341
Drew, J.E. *see* Naylor, T.
Drinkwater, M. Quasar clustering on large scales, **235**, 1111
Drinkwater, M.J. Objective prism measurements of quasar redshifts, **231**, 391
Drury, L.O'C *see* Heavens, A.F.
Duffy, A.G., Hawkes, R.L., Jones, J. Television observations of the 1984 Orionid shower, **234**, 643
Dufton, P.L. *see* Brown, P.J.F.
Dufton, P.L. *see* Phillips, K.J.H.
Duley, W.W. Amorphous carbon and interstellar emission excesses, **234**, 61P
Duley, W.W., Williams, D.A. Excess infrared emission from large interstellar carbon grains, **231**, 969
Duley, W.W., Williams, D.A. Luminescence from interstellar carbons: evidence for diamond-like dust from extended red and near-infrared emission, **230**, 1P
Duncan, W.D. *see* Gear, W.K.
Dunlop, C.N., Major, J.V. A Polaris seeing monitor, **235**, 585
Dunlop, C.N., Major, J.V. A shear interferometer for the measurement of atmospheric seeing, **234**, 993
Durdin, J.M. *see* D'Amico, N.
Dyer, C.C., Ip, P.S.S. The anisotropy of the cosmic background radiation from local dynamic density perturbations, **235**, 895
Dyson, J.E. *see* Charnley, S.B.
Dyson, J.E. *see* Collin-Souffrin, S.
Dyson, J.E. *see* Meaburn, J.
Dyson, J.E. *see* Smith, L.J.
Dyson, J.E. *see* Unger, S.W.

Eales, S.A.E. *see* Cox, M.J.
Edmunds, M.G., Taylor, K., Turtle, A.J. Kinematic mapping of the high-excitation gas in NGC, 1365, **234**, 155
Edmunds, M.G. *see* Vilchez, J.M.
Edwards, D.A. Instability in the red star of semi-detached binary systems – III, **231**, 25
Echevarría, J. A statistical analysis of the emission line ratios in cataclysmic variables, **233**, 513
Efstathiou, G., Ellis, R.S., Peterson, B. A.Analysis of a complete galaxy redshift survey – II. The field-galaxy luminosity function, **232**, 431
Efstathiou, G., Frenk, C.S., White, S.D.M., Davis, M. Gravitational clustering from scale-free initial conditions, **235**, 715
Efstathiou, G., Rees, M.J. High-redshift quasars in the Cold Dark Matter cosmogony, **230**, 5P
Efstathiou, G. *see* Bower, R.G.
Efstathiou, G. *see* Lawrence, A.
Efstathiou, G. *see* Lilje, P.B.
Egan, J. *see* Whitelock, P.A.
Eggleton, P.P. *see* Tout, C.A.
Einasto, M. Structure and formation of superclusters – VII. Distribution of bright and faint galaxies in the Virgo supercluster, **234**, 37
Eiroa, C. *see* Carballo, C.
Eiroa, C. *see* Carballo, R.
Ellis, G.F.R. *see* Madsen, M.S.
Ellis, R.S. *see* Bower, R.G.
Ellis, R.S. *see* Broadhurst, T.J.
Ellis, R.S. *see* Efstathiou, G.
Ellis, R.S. *see* Lawrence, A.
Ellis, R.S. *see* MacLaren, I.
Ellis, R.S. *see* Sharples, R.M.
El-Nawawy, M.S., Aiad, A., El-Shalaby, M.A. Magnetic flux dissipation in a collapsing protostar, **232**, 809
El-Shalaby, M.A. *see* El-Nawawy, M.S.
Erickson, W.C. *see* Anantharamaiah, K.R.
Evans, A., Callus, C.M., Albinson, J.S., Whitelock, P.A., Glass, I.S., Carter, B., Roberts, G. Infrared observations of the 1985 outburst of RS Ophiuchi, **234**, 755
Evans, A. *see* Catchpole, R.M.
Evans, L. *see* Whitelock, P.A.
Evans, T.L., Glass, I.S., Catchpole, R.M. Long-period variables in the Small Magellanic Cloud, **231**, 773
Evrard, A.E. Beyond *N*-body: 3D cosmological gas dynamics, **235** 911

Fabian, A.C., Crawford, C.S., Johnstone, R.M., Allington-Smith, J.R., Hewett, P.C. WHT spectroscopy of emission-line gas around two separate quasars at z=0.87, **235**, 13P
Fabian, A.C. *see* Barcons, X.

Fabian, A.C. *see* Crawford, C.S.
Fabian, A.C. *see* Day, C.S.R.
Fabian, A.C. *see* Johnstone, R.M.
Fadeyev, Yu., A. Carbon dust formation in R Coronae Borealis stars, **233**, 65
Fairall, A.P. A redshift map of the Triangulum Australe–Ara region: further indication that Centaurus and Pavo are one and the same supercluster, **230**, 69
Fairall, A.P. Spectroscopic survey of southern compact and bright-nucleus galaxies – VII, **233**, 691
Fairall, A.P. *see* Catchpole, R.M.
Fairall, A.P. *see* Whitelock, P.A.
Feast, M.W. *see* Catchpole, R.M.
Feast, M.W. *see* Sekiguchi, K.
Feast, M.W. *see* Whitelock, P.A.
Feitzinger, J.V. *see* Neukirch, T.
Ferland, G.J. *see* Carswell, R.F.
Fernández-Figueroa, M.J. *see* Montesinos, B.
Fernley, J. *see* Whitelock, P.A.
Ferrari, A. *see* Trussoni, E.
Ferrari-Toniolo, M. *see* Busso, M.
Field, D., Gray, M.D. The amplification of celestial maser radiation in the general many-level case, **234**, 353
Finn, L.S. Relativistic stellar pulsations in the Cowling approximation, **232**, 259
Fisher, W. *see* Adamson, A.J.
Fitchett, M. The statistical determination of substructure in clusters of galaxies, **230**, 161
Fitt, A.J., Cox, A., Cox, M.J. A two-temperature model for the infrared and radio emission from late-type galaxies, **233**, 907
Fitt, A.J. *see* Cox, M.J.
FitzGerald, M.P. *see* Peterson, C.J.
Fitzpatrick, R., Mestel, L. Pulsar electrodynamics – I, **232**, 277
Fitzpatrick, R., Mestel, L. Pulsar electrodynamics – II, **232**, 303
Flin, P. The search for galaxy alignment in the Perseus supercluster, **235**, 857
Flower, D.R. *see* Allan, R.J.
Flower, D.R. *see* Danby, G.
Flower, D.R. *see* Monteiro, T.S.
Flower, D.R. *see* Pineau des Forêts, G.
Flynn, C., Sommer-Larsen, S. Strömgren and BV photometry of potential halo blue horizontal branch field stars, **235**, 175
Fong, R. *see* Boyle, B.J.
Fong, R. *see* Stevenson, P.R.F.
Forbes, D. *see* Davidge, T.J.
Fosbury, R.A.E. *see* Axon, D.J.
Fosbury, R.A.E. *see* Tadhunter, C.N.
Franceschini, A., Danese, L., De Zotti, G., Toffolatti, L. Analysis of a complete sample of galaxies at $m_z \leq 14.5$: the optical, radio and far-infrared luminosity functions, **233**, 157
Franceschini, A., Danese, L., De Zotti, G., Xu, C. *IRAS* source counts and cosmological evolution of actively star-forming galaxies, **233**, 175
Frank, J., Robertson, J.A. Numerical studies of the dynamical stability of differentially rotating tori, **232**, 1
Franx, M. The projection of galaxy models with a Stäckel potential, **231**, 285
Freeman, F. *see* Cropper, M.
Freeth, R.V. *see* Bond, I.A.
Frenk, C.S. *see* Efstathiou, G.
Frenk, C.S. *see* Lawrence, A.
Friend, M.T., Martin, J.S., Smith, R.C., Jones, D.H.P. The 8190 Å sodium doublet in cataclysmic variables – I. The Quest, **233**, 451
Frye, G. *see* Sood, R.K.
Fullerton, A.W. *see* Stagg, C.R.

Galletta, G. *see* Bertola, F.
Gao, W.S. *see* Stagg, C.R.
Garden, R.P. *see* Sato, S.
Gardner, F.F. *see* Whiteoak, J.B.
Gatley, I. *see* Hough, J.H.,
Gatley, I. *see* Sato, S.
Gatley, I. *see* Tamura, M.
Gatley, I. *see* Yamashita, T.
Gaylard, M.J., Whitelock, P.A. Infrared absorption at 9.7μm as an OH/IR star predictor, **235**, 123
Gear, W.K., Chandler, C.J., Moore, T.J.T., Cunningham, C.T., Duncan, W.D. Submillimetre observations reveal that DR21 (OH) is a double source, **231**, 47P
Gear, W.K., Robson, E.I., Griffin, M.J. Millimetre and submillimetre observations of the emission from dust in compact H II regions, **231**, 55P
Geballe, T.R. Infrared spectroscopy of the ultraluminous *IRAS* Galaxy 14348−1447: a distant detection of H_2 line emission, **234**, 1P
Geballe, T.R. *see* Burton, M.G.
George, I.M., Warwick, R.S., Bromage, G.E. X-ray and ultraviolet observations of Markarian 421, **232**, 793
George, I.M., Warwick, R.S., McHardy, I.M. The ultraviolet to X-ray continua of BL Lac objects, **235**, 773
Gerhard, O.E. *see* Louis, P.D.
Gilmore, G. *see* Harmon, R.
Giménez, A. *see* Montesinos, B.
Glass, I.S. *IRAS* sources near the Galactic Centre, **234**, 115
Glass, I.S. *see* Catchpole, R.M.
Glass, I.S. *see* Evans, A.
Glass, I.S. *see* Evans, T.L.
Glass, I.S. *see* Reid, N.
Glass, I.S. *see* Whitelock, P.A.
Glatzel, W. Sonic instabilities in supersonic shear flows, **231**, 795
Godwin, J.G. *see* Green, M.R.
Gondhalekar, P.M. *see* O'Brien, P.T.
Goodman, J. Narayan, R. The stability of accretion tori – III. The effect of self-gravity, **231**, 96
Goss, W.M. *see* Tadhunter, C.N.
Gottwald, M. *see* Smale, A.P.
Gough, D.O. *see* Christensen-Dalsgaard, J.
Graham, D.A. *see* Unger, S.W.
Gramann, M. Structure and formation of

superclusters – VIII. Evolution of structure in a model with cold dark matter and cosmological constant, **234**, 569
Gray, M.D. *see* Field, D.
Gray, P.M. *see* Sharples, R.M.
Green, D.A., Gull, S.F., Tan, S.M., Simon, A.J.B. G11.2 – 0.3, an evolved Cassiopeia A, **231**, 735
Green, M.R., Godwin, J.G., Peach, J.V. Redshifts of galaxies in some southern groups and clusters, **234**, 1051
Greenberg, M. *see* Cowley, C.R.
Griffin, M.J. *see* Gear, W.K.
Grueff, G. *see* Benn, C.R.
Guilbert, P.W., Rees, M.J. 'Cold' material in non-thermal sources, **233**, 475
Guillen, M.A., Liboff, R.L. Errata: Kinetic theory of galaxy correlations, **234**, 1119
Guillen, M.A., Liboff, R.L. Kinetic theory of galaxy correlations, **231**, 957
Gull, S.F. *see* Green, D.A.
Guo, Z.H. *see* Stagg, C.R.

Hales, S.E.G., Baldwin, J.E., Warner, P.J. The 6C survey of radio sources – II. The zone $30° < \delta < 51°$, $08^h30^m < \alpha < 17^h30^m$, **234**, 919
Hameury, J.M., King, A.R. The X-ray light curves of AM Herculis systems, **235**, 433
Hameury, J.M., King, A.R., Lasota, J.P., Ritter, H. Magnetic braking and the evolution of cataclysmic binaries, **231**, 535
Hamilton, P.A. *see* Biggs, J.D.
Hanami, H. Non-linear oscillations of the magnetosphere around neutron stars, **233**, 423
Hanson, C.G. *see* Clement, R.
Hanson, C.G. *see* Coe, M.J.
Hanuschik, R.W., Thimm, G., Dachs, J. Hα fine-structure in SN 1987A within the first 111 days, **234**, 41P
Harmanec, P. *see* Stagg, C.R.
Harmon, R., Gilmore, G. The nature of the Galactic Bulge, **235**, 1025
Harris, S., Clegg, P., Hughes, J. T Tauri stars in Taurus – the *IRAS* view, **235**, 441
Harrison, B. *see* Wrobel, J.M.
Harrison, B.A. *see* Unger, S.W.
Harrington, J.P., Monk, D.J., Clegg, R.E.S. Thermal infrared emission by dust in the planetary nebula NGC 3918: a model analysis of *IRAS* observations, **231**, 577
Hartquist, T.W. *see* Charnley, S.B.
Hartquist, T.W. *see* Meaburn, J.
Hartquist, T.W. *see* Smith, L.J.
Hartquist, T.W. *see* Wagenblast, R.
Hasegawa, T. *see* Burton, M.G.
Hasinger, G. *see* van Paradijs, J.
Hassall, B.J.M. *see* Naylor, T.
Hatzes, A.P., Bridges, F.G., Lin, D.N.C. Collisional properties of ice spheres at low impact velocities, **231**, 1091
Hatzidimitriou, D. *see* Bhatia, R.K.
Haug, K. Infrared photometry of the nova-like system IX Velorum (=CPD – 48°1577), **235**, 1385
Hawarden, T.G. *see* Puxley, P.J.
Hawkes, R.L. *see* Duffy, A.G.
Hawkins, M.R.S. The scale height of low mass stars in the galactic disc: evidence for a young population, **234**, 533
Hawkins, M.R.S., Bessell, M.S. The luminosity function for low mass stars, **234**, 177
Hawkins, M.R.S. *see* Leggett, S.K.
Hawkins, M.R.S. *see* Sagar, R.
Hearnshaw, J.B. *see* Reynolds, S.E.
Heathcote, S.R. *see* Bailey, J.
Heavens, A. Tidal torques and local density maxima, **232**, 339
Heavens, A.F., Drury, L. O'C Relativistic shocks and particle acceleration, **235**, 997
Heber, U. *see* Jeffery, C.S.
Heggie, D.C., Stevenson, D. Two homological models for the evolution of star clusters, **230**, 223
Held, E.V. *see* Capaccioli, M.
Henriksen, R.N. *see* Lattanzio, J.c.
Hewett, P.C. *see* Fabian, A.C.
Hilditch, R.W., King, D.J. Contact and near-contact binary systems – VIII. CX Virginis, **231**, 397
Hilditch, R.W., King, D.J. Contact and near-contact binary systems – IX. EE Aquarii and RS Indi, **232**, 147
Hilditch, R.W., King, D.J., McFarlane, T.M. The evolutionary state of contact and near-contact binary stars, **231**, 341
Hilditch, R.W. *see* Adamson, A.J.
Hill, G. *see* Adamson, A.J.
Hill, P.W. *see* Jeffery, C.S.
Hills, R.E. *see* Parker, N.D.
Ho, C. Angular momentum transfer in non-axisymmetric accretion, **232**, 91
Hoare, M.G., Clegg, R.E.S. A silicate dust model for the halo planetary DDDM-1, **235**, 1049
Hobbs, L.M. *see* Millar, T.J.
Hobbs, R.W. *see* Salter, C.J.
Honey, W.B., Charles, P.A., Whitehurst, R., Barrett, P.E., Smale, A.P. Z Cha in superoutburst: periodic variation in the systemic velocity, **231**, 1
Honma, F. *see* Kato, S.
Horn, J. *see* Stagg, C.R.
Horne, K. *see* Marsh, T.R.
Hougerat, A.A. *see* Regev, O.
Hough, J.H., Sato, S., Tamura, M., Yamashita, T., McFadzean, A.D., Rouse, M.F., Whittet, D.C.B., Kaifu, N., Suzuki, H., Nagata, T., Gatley, I., Bailey, J. Spectropolarimetry of the 3-mm ice band in Elias 16 (Taurus Dark Cloud), **230**, 107
Hough, J.H. *see* Aitken, D.K.
Hough, J.H. *see* Bailey, J.
Hough, J.H. *see* Burton, M.G.
Hough, J.H. *see* Mead, A.R.G.
Hough, J.H. *see* Sato, S.
Hough, J.H. *see* Yamashita, T.
Houziaux, L. *see* Thompson, G.I.

Howarth, I.D. *see* Prinja, R.K.
Howell, S.B., Mason, K.O., Reichert, G.A., Warnock, A., Kreidl, T.J. US943: a 19th mag eclipsing cataclysmic variable with a period of $2^h3^m.8$, **233**, 79
Huang, L. *see* Stagg, C.R.
Hughes, D.W. The brightness of P/Halley and the surface activity of the nucleus at previous apparitions, **234**, 173
Huges, J. *see* Harris, S.
Hummer, D.G. *see* Smith, L.F.
Hummer, D.G. *see* Storey, P.J.
Hutchinson, M.G. *see* Catchpole, R.M.
Hyland, A.R. *see* Aitken, D.K.

Iliev, L.H. *see* Stagg, C.R.
Ilovaisky, S.A. *see* Smale, A.P.
Innis, J.L., Coates, D.W., Thompson, K. Observations of active-chromosphere stars – I, **233**, 887
Innis, J.L., Thompson, K., Coates, D.W., Lloyd Evans, T. Observations of active-chromosphere stars – II. Photometry of AB Dor 1978–1987, **235**, 1411
Ip, P.S.S. *see* Dyer, C.C.
Irwin, M.J. *see* Moss, C.

Jackson, A.A., Killen, R.M. Planet X and the stability of resonances in the Neptune–Pluto system, **235**, 593
Jain, S.K. *see* Anandarao, B.G.
James, P. *see* Whitelock, P.A.
James, P.A. *see* Joseph, R.D.
James, P.A. *see* Wright, G.S.
James, S.D. *see* Aitken, D.K.
Jansen, F. *see* van Paradijs, J.
Jeffery, C.S. On the core-mass–shell-luminosity relation for shell-burning stars, **235**, 1287
Jeffery, C.S., Heber, U., Hill, P.W., Pollacco, D. High-resolution spectroscopy of the hot RCrB star MV Sgr, **231**, 175
Jenkins, T. *see* Sood, R.K.
Jerzykiewicz, M. *see* Sterken, C.
Johnstone, R.M., Fabian, A.C. Extended emission-line gas in NGC 1275 and the central galaxy in evidence for a distributed rather than a central source of ionization, **233**, 581
Johnstone, R.M. *see* Crawford, C.S.
Johnstone, R.M. *see* Fabian, A.C.
Jonas, J.L. *see* Cohen, R.J.
Jonas, J.L. *see* Woermann, B.
Jones, A.P. Modelling interstellar extinction – I. Porous grains, **234**, 209
Jones, A.W., Lyne, A.G. Timing observations of the binary pulsar PSR 0655+64, **232**, 473
Jones, B.J.T. *see* Liu, X.D.
Jones, D.H.P. *see* Friend, M.T.
Jones, D.H.P. *see* Smith, F.G.
Jones, I.G. *see* White, C.L.
Jones, J., Mitchell, J.B.A., McIntosh, B.A. Cluster ions and the meteor head echo, **232**, 771
Jones, J. *see* Duffy, A.G.
Jones, J. *see* McIntosh, B.A.
Jones, P.B. Excitation of small-amplitude free precession in the Crab pulsar, **235**, 545
Jones, P.B. Neutron star magnetic field decay: Hall drift and Ohmic diffusion, **233**, 875
Jones, S. *see* Whitelock, P.A.
Joseph, R.D., Wright, G.S., James, P.A., McLean, I.S. Do Markarian 'double nucleus' galaxies have two nuclei? The case of Mkn 788, **232**, 7P
Joseph, R.D. *see* Collins, C.A.
Joseph, R.D. *see* Wright, G.S.
Judge, P.G. The excitation of S I emission lines in chromospheres of late-type giant stars, **231**, 419

Kahn, F.D. *see* Breitschwerdt, D.
Kandrup, H.E. 'Discreteness fluctuations' and relaxation in stellar dynamical systems, **235**, 1157
Kaifu, N. *see* Hough, J.H.
Kaifu, N. *see* Sato, S.
Kaiser, N. Theoretical implications of deviations from Hubble flow, **231**, 149
Kaiser, N. *see* Cole, S.
Kaiser, N. *see* Lawrence, A.
Kato, S., Honma, F., Matsumoto, R. Viscous pulsational instability of the transonic region of isothermal geometrically thin accretion discs – I. Analytical results, **231**, 37
Keenan, F.P. *see* Phillips, K.J.H.
Kemball, A.J., Diamond, P.J., Mantovani, F. A search for very compact structure in 16 OH masers, **234**, 713
Kendziorra, E. *see* Sood, R.K.
Kerr, F.J. *see* Salter, C.J.
Kesteven, M.J. *see* Norris, R.P.
Khanna, M. *see* Sharma, S.D.
Kibblewhite, E.J. *see* Davies, J.I.
Kiboff, R.L. *see* Guillen, M.A.
Kilkenny, D. Maxima of V652 Her (BD+13°3224) and a revised cubic ephemeris, **232**, 377
Kilkenny, D., Marang, F., Menzies, J.W. Discovery of variability in the 'non-variable' hydrogendeficient carbon stars, **233**, 209
Kilkenny, D., Stone, L.E. Analysis of high-latitude blue stars – II, **234**, 1011
Killen, R.M. *see* Jackson, A.A.
Kimura, T., Tosa, M. Formation of a gas condensation in a perturbed shock, **234**, 51
King, A.R. *see* Czerny, M.
King, A.R. *see* Hameury, J.M.
King, A.R. *see* Mason, K.O.
King, A.R. *see* Norton, A.J.
King, D.J. *see* Hilditch, R.W.
Kingston, A.E. *see* Phillips, K.J.H.
Klein, U. *see* Brinks, E.
Klein, U. *see* Sukumar, S.
Klypin, A.A. *see* Doroshkevich, A.G.
Knutsen, H. On the stability and physical properties of an exact relativistic model for a superdense star, **232**, 163

Kochanek, C.S., Apostolakis, J. The two-screen gravitational lens, **235**, 1073
Kochhar, R.K., Trehan, S.K. The helical wave structure in a comet plasma tail, **234**, 123
Koga, R. *see* Sood, R.K.
Kolassis, C.A. *see* de Oliveira, A.K.G.
Kotanyi, C. *see* Bertola, F.
Koubský, P. *see* Stagg, C.R.
Kovachev, B.Z. *see* Stagg, C.R.
Krishan, V. Scattering of quasar radiation in intercloud plasma, **234**, 79
Kreidl, T.J. *see* Howell, S.B.
Krishan, V. Is 21-cm absorption associated with the emission-line regions of quasars?, **231**, 353
Krishan, V. Raman scattering of the synchrotron self-absorbed radiation in accretion discs, **230**, 183
Krishna Swamy, K.S., Shah, G.A. Nature of dust grains in comets, **233**, 573
Kumar, S. Twisted accretion discs – IV. Alignment in polytropic discs and low α limit, **233**, 33
Kurtz, D.W. A frequency analysis of new observations of the very low amplitude rapidly oscillating Ap star HD, 203932, **233**, 565
Kurtz, D.W., Cropper, M.S. Erratum: A frequency solution to the light variations in the rapidly oscillating Ap star HD 6532: evidence for an $l = 1$ oblique dipole oscillation, **231**, 575
Kurtz, D.W., Marang, F. The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations – III. HR 3831 (HD 83368), **231**, 1039

Lacey, C. *see* Binney, J.
Lahav, O., Rowan-Robinson, M., Lynden-Bell, D. The peculiar acceleration of the Local Group as deduced from the optical and *IRAS* flux dipoles, **234**, 677
Lahav, O. *see* Partridge, R.B.
La Padula, C. *see* Sood, R.K.
Laing, J.D. *see* Catchpole, R.M.
Laing, J.D. *see* Menzies, J.W.
Laing, J.D. *see* Whitelock, P.A.
Lambert, D.L. *see* McWilliam, A.
Lambert, D.L. *see* Malaney, R.A.
Landaberry, S.J.C. *see* Pacheco, J.A. de F.
Laney, C.D. *see* Catchpole, R.M.
Laney, C.D. *see* Whitelock, P.A.
Lapasset, E. *see* Clariá, J.J.
Lasota, J.P. *see* Hameury, J.M.
Lattanzio, J.C., Henriksen, R.N. Collisions between rotating interstellar clouds, **232**, 565
LaViolette, P.A. Regarding the validity of polar trace metal data: a response, **233**, 221
Lawrence, A., Saunders, W., Rowan-Robinson, M., Crawford, J., Ellis, R.S., Frenk, C.S., Efstathiou, G., Kaiser, N. Extreme Fe II emission from an *IRAS* quasar, **235**, 261
Lawrence, A. *see* Leech, K.J.
Lawson, W.A., Cottrell, P.L. RY Sgr: pulsation period variations reinterpreted, **231**, 609
Leahy, D.A., Marshall, C.R. *IRAS* observations of the supernova remnant OA 184, **235**, 805
Lee, U. Overstable convective modes of differentially rotating massive main-sequence stars, **232**, 711
Leech, K.J., Lawrence, A., Rowan-Robinson, M., Walker, D., Penston, M.V. Studies of *IRAS* sources at high galactic latitudes – IV. New redshifts and the spectroscopic properties of *IRAS* galaxies, **231**, 977
Leggett, S.K., Hawkins, M.R.S. The infrared luminosity function for low-mass stars, **234**, 1065
Lemos, J.P.S. Remarkable properties of the limiting counter-rotating disc, **230**, 451
Lemos, J.P.S. *see* Anderson, M.R.
Lemos, J.P.S. *see* Lynden-Bell, D.
Lennon, D.J. *see* Brown, P.J.F.
Leung, C.M. *see* Adelson, L.M.
Lewin, W.H.G. *see* van Paradijs, J.
Liboff, R.L. *see* Guillen, A.
Liboff, R.L. *see* Guillen, M.A.
Liebert, J. *see* Allington-Smith, J.R.
Lilje, P.B., Efstathiou, G. The cross-correlation of Abell clusters with the Lick galaxy counts, **231**, 635
Lin, D.N.C. *see* Hatzes, A.P.
Liu, X.D., Jones, B.J.T. Evolution of Lya clouds: observational biases due to line crowding, **230**, 481
Livio, M., Verbunt, F. The response of the accretion disc radius to a temporary enhancement of mass transfer, **232**, 1P
Lloyd Evans, T. *see* Catchpole, R.M.
Lloyd Evans, T. *see* Innis, J.L.
Longmore, A. *see* Coe, M.J.
Longmore, A.J. *see* Whittet, D.C.B.
Loomis, C., Schmidt, E.G., Simon, N.R. Photometry of variable stars with periods near 1 day, **235**, 1059
Louis, P.D., Gerhard, O.E. Can galaxies oscillate? A self-consistent model of a non-stationary stellar system, **233**, 337
Lucey, J.R., Carter, D. Distances to five nearby southern galaxy clusters and the absolute motion of the Local Group, **235**, 1177
Lucey, J.R., Carter, D. Streaming motions and first-ranked cluster galaxies, **231**, 15P
Lynden-Bell, D., Lemos, J.P.S. On Penston's self-similar solution for cold collapse, **233**, 197
Lynden-Bell, D. *see* de Zeeuw, P.T.
Lynden-Bell, D. *see* Lahav, O.
Lyne, A.G., Manchester, R.N. The shape of pulsar radio beams, **234**, 477
Lyne, A.G., Pritchard, R.S., Smith, F.G. Crab Pulsar timing 1982–87, **233**, 667
Lyne, A.G. *see* Biggs, J.D.
Lyne, A.G. *see* Jones, A.W.

McAdam, W.B., White, G.L., Bunton, J.D. Interaction of the radio source PKS 0427–53 with IC 2082 and the cluster medium, **235**, 425
McAdam, W.B. *see* Tadhunter, C.N.
McAdam, W.B. *see* White, C.L.
McCaughrean, M.J. *see* Burton, M.G.
McCowage, J. *see* Cropper, M.
McCulloch, P.M. *see* Biggs, J.D.
Macdonald, G.H. *see* Dent, W.R.F.
McDowell, J.C. *see* Collin-Souffrin, S.
McFadzean, A.D. *see* Hough, J.H.
McFadzean, A.D. *see* Whittet, D.C.B.
McFarlane, T.M. *see* Hilditch, R.W.
McGregor, P.J. *see* Aitken, D.K.
Machalski, J., Wiśniewski, W.Z. *UBVRI* photometry of bright GB/GB2 radio galaxies and quasars, **231**, 1065
McHardy, I.M. *see* George, I.M.
McIntosh, B.A., Jones, J. The Halley comet meteor stream: numerical modelling of its dynamic evolution, **235**, 673
McIntosh, B.A. *see* Jones, J.
McKeith, C.D. *see* Barnett, E.W.
MacLaren, I., Ellis, R.S., Couch, W.J. Spectral energy distributions of galaxies in high-redshift clusters – III. Abell 370 at z–0.37, **230**, 249
McLean, I. *see* Bailey, J.
McLean, I.S. *see* Burton, M.G.
McLean, I.S. *see* Joseph, R.D.
McLean, I.S. *see* Sato, S.
McWilliam, A., Lambert, D.L. Isotopic magnesium abundances in stars, **230**, 573
Maddison, R. *see* Catchpole, R.M.
Madsen, M.S., Ellis, G.F.R. The evolution of Ω in inflationary universes, **234**, 67
Major, J.V. *see* Dunlop, C.N.
Malaney, R.A. Neutron thermalization in stellar interiors, **231**, 657
Malaney, R.A., Lambert, D.L. Neutron source, neutron density and the origin of barium stars, **235**, 695
Malin, D.F. *see* Carter, D.
Mallik, D.C.V. *see* Anandarao, B.G.
Mallik, D.C.V. *see* Mallik, S.V.
Mallik, S.V., Mallik, D.C.V. Consequences of a chromospheric temperature rise on the formation of the Hα line in late-type supergiants, **233**, 649
Mampaso, A. *see* Carballo, C.
Mampaso, A. *see* Carballo, R.
Manchanda, R.K. *see* Sood, R.K.
Major, J.V. *see* Dunlop, C.N.
Manchester, R.N. *see* Biggs, J.D.
Manchester, R.N. *see* D'Amico, N.
Manchester, R.N. *see* Lyne, A.G.
Mantovani, F. *see* Kemball, A.J.
Marang, F. *see* Catchpole, R.M.
Marang, F. *see* Kilkenny, D.
Marang, F. *see* Kurtz, D.W.
Marang, F. *see* van Vuren, G.W.
Marang, F. *see* Whitelock, P.A.
Marano, B., Zamorani, G., Zitelli, V. A new sample of quasars to B=22.0, **232**, 111
Marraco, H. *see* Tapia, M.
Marsh, T.R. A spectroscopic study of the deeply eclipsing dwarf nova IP Peg, **231**, 1117
Marsh, T.R., Horne, K. Images of accretion discs – II. Doppler tomography, **235**, 269
Marshall, C.R. *see* Leahy, D.A.
Marston, A.P. Digital plate coaddition: results on a field centred on IC 4296, **230**, 97
Marston, A.P. *IRAS* and radio results for two samples of early-type galaxies, **231**, 333
Marston, A.P., Meaburn, J. The Wolf–Rayet nebula NGC 6888 as a pressure driven bubble, **235**, 391
Martin, J.S. *see* Friend, M.T.
Mason, K.O., Córdova, F.A., Watson, M.G., King, A.R. The discovery of orbital dips in the soft X-ray emission of U Gem during an outburst, **232**, 779
Mason, K.O. *see* Howell, S.B.
Mason, K.O. *see* Rosen, S.R.
Mason, K.O. *see* Smale, A.P.
Massaglia, S. *see* Trussoni, E.
Mathur, S.D. Irreversibility due to mixing in collisionless systems, **231**, 367
Matthews, J.M. A possible mechanism for exciting pulsation in cool Ap stars, **235**, 7P
Matsumoto, R. *see* Kato, S.
Meaburn, J. An extended high-speed flow from a compact, ionized knot in the Orion Nebula (M42), **233**, 791
Meaburn, J. Supernovae in the halo of the 30 Doradus nebula?, **235**, 375
Meaburn, J., Clayton, C.A., Whitehead, M.J. The dynamics of a complex of interlocking giant shells in the Local Group dwarf galaxy IC 1613, **235**, 479
Meaburn, J., Hartquist, T.W., Dyson, J.E. The sealing of fragmenting shells – evidence from optical studies of the Vela remnant, **230**, 243
Meaburn, J. *see* Marston, A.P.
Mead, A.R.G., Brand, P.W.J.L., Hough, J.H., Bailey, J.A. Polarimetric observations of the quasar, 3C 345, **233**, 503
Mediavilla, E. *see* Pérez, E.
Meikle, W.P.S. *see* Wright, G.S.
Melnick, J., Terlevich, R., Moles, M. Giant H II regions as distance indicators – II. Application to H II galaxies and the value of the Hubble constant, **235**, 297
Melott, A.L. Erratum: Voids and velocities in initially Gaussian models for large-scale structure, **230**, 479
Menzies, J.W., Laing, J.D. *UBV(RI)*c photometry of some standard sequences in the Harvard F regions and in the Magellanic Clouds, **231**, 1047
Menzies, J.W., Whitelock, P.A. *IRAS* 20056+1834: A G star reflects on its past, **233**, 697
Menzies, J.W. *see* Catchpole, R.M.
Menzies, J.W. *see* Kilkenny, D.
Menzies, J.W. *see* Whitelock, P.A.
Mestel, L., Moss, D.L., Tayler, R.J. The mutual interaction of magnetism, rotation

and meridian circulation in stellar radiative zones, **231**, 873
Mestel, L. *see* Fitzpatrick, R.
Meurs, E.J.A. *see* Unger, S.W.
Michelson, P.F. *see* Wood, K.S.
Middlemass, D. Magnesium abundances in planetary nebulae and interstellar absorption of Mg II λ 2800 Å, **231**, 1025
Millar, T.J., Hobbs, L.M. A search for SH^+ toward Zeta Ophiuchi, **231**, 953
Millar, T.J. *see* Brown, P.D.
Millar, T.J. *see* Nejad, L.A.M.
Mitchell, J.B.A. *see* Jones, J.
Miyama, M.S. *see* Sekiya, M.
Moles, M. *see* Melnick, J.
Moles, M. *see* Pérez, E.
Monaghan, J.J., Varnas, S.R. The dynamics of interstellar cloud complexes, **231**, 515
Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C. A search for QSOs in the fields of nearby galaxies – III. NGC 1291, Fornax, A1008–04, NGC 3109, NGC 3115, NGC 4038/9, NGC 5170, NGC 5236, NGC 5364, NGC 5426/7 and Grus, **234**, 193
Monk, A.S. *see* Whitelock, P.A.
Monk, D.J., Barlow, M.J., Clegg, R.E.S. An optical spectrophotometric survey of abundances in Magellanic Cloud planetary nebulae, **234**, 583
Monk, D.J. *see* Harrington, J.P.
Monteiro, T.S., Flower, D.R., Pineau des Forêts, Roueff, E. Theoretical studies of interstellar molecular shocks – VII. The photodissociation of molecular hydrogen, **234**, 863
Montesinos, B., Giménez, A., Fernández-Figueroa, M.J. General properties of RS CVn systems, **232**, 361
Moore, T.J.T., Cohen, R.J., Mountain, C.M. Mainline OH masers near young H II regions: a correlation with iIRASn far-infrared flux density, **231**, 887
Moore, T.J.T., Mountain, C.M., Yamashita, T., Selby, M.J. New near-infrared sources and reflection nebulosity in W75N, **234**, 95
Moore, T.J.T. *see* Gear, W.K.
Moore, T.J.T. *see* Yamashita, T.
Moreno, E., Pişmiş, P. Ellipticity and twisting of isophotes in a dissimilar system, **232**, 705
Morgan, D.H., Allen, D.A. S147: A K-type symbiotic star in the LMC, **234**, 1005
Morgan, D.H. *see* Thompson, G.I.
Morris, S.L., Ward, M.J. Spectrophotometry of active galaxies – I. The observations, **230**, 639
Morrison, K. Photometric observations and interpretation of the extremely hydrogen-deficient binary Upsilon Sagittarii, **233**, 621
Moss, C., Whittle, M., Irwin, M.J. An objective prism Hα survey of nearby clusters of galaxies – I. Abell 347 and Abell 1367 , **232**, 381
Moss, D.L. *see* Mestel, L.
Motch, C. *see* Smale, A.P.
Mountain, C.M. *see* Moore, T.J.T.
Mountain, C.M. *see* Puxley, P.J.
Mountain, C.M. *see* Yamashita, T.
Mukai, K. Accretion streams in AM Her type systems, **232**, 175
Mukai, K., Corbet, R.H.D., Smale, A.P. Spectroscopy of the eclipsing cataclysmic variable NSV 12615, **234**, 291
Mukai, K. *see* Smale, A.P.
Murphy, B.W., Cohn, H.N. Realistic models for evolving globular clusters: core collapse with a mass spectrum, **232**, 835
Myakutin, V.I. *see* Sagar, R.

Nagata, T. *see* Hough, J.H.
Nagata, T. *see* Sato, S.
Nagata, T. *see* Tamura, M.
Nakano, T. Formation of planets around stars of various masses – II. Stars of two and three solar masses and the origin and evolution of circumstellar dust clouds, **230**, 551
Nakano, T. Formation of planets around stars of various masses – III. Massive and small-mass stars and the regions of planet formation, **235**, 193
Nandy, K. *see* Thompson, G.I.
Narayan, R., White, S.D.M. Gravitational lensing in a cold dark matter universe, **231**, 97P
Narayan, R. *see* Goodman, J.
Naylor, T., Bath, G.T., Charles, P.A., Hassall, B.J.M., Sonneborn, G., van der Woerd, H., van Paradijs, J. The 1985 May superoutburst of the dwarf nova OY Carinae – II. *IUE* and *EXOSAT* observations, **231**, 237
Naylor, T., Charles, P.A., Drew, J.E., Hassall, B.J.M. Spectroscopy of the M15 X-ray source: discovery of binary motion and an unusual systemic velocity, **233**, 285
Needham, B.G., Rowan-Robinson, M. *IRAS* galaxies: evidence for a cosmological anisotropy?, **233**, 1P
Nejad, L.A.M., Millar, T.J. Chemical modelling of molecular sources – VI. Carbon-bearing molecules in oxygen-rich circumstellar envelopes, **230**, 79
Nelson, A.H. On the influence of galaxy magnetic fields on the rotation curves in the outer discs of galaxies, **233**, 115
Nelson, G.J. *see* Wright, A.E.
Nelson, R.F., Spencer, R.E. A search for radio emission from X-ray binaries and related objects, **234**, 1105
Neukirch, T., Feitzinger, J.V. An analytic theory of self-propagating star formation, **235**, 1343
Nobili, L. *see* Turolla, R.
Norris, R.P. The double radio nucleus of Arp 220, **230**, 345
Norris, R.P., Allen, D.A., Roche, P.F. The radio emission from far-infrared galaxies: Seyfert or starburst?, **234**, 773
Norris, R.P., Kesteven, M.J., Allen, D.A., Troupe, E. Compact radio cores in infrared galaxies, **234**, 51P

Norris, R.P. *see* Whiteoak, J.B.
Norton, A.J., Watson, M.G., King, A.R. GK Per: X-ray observations in quiescence, **231**, 783
Norton, A.J. *see* Warwick, R.S.

O'Brien, P.T., Gondhalekar, P.M., Wilson, R. The ultraviolet continuum of quasars – I. The shape of the continuum, continuum reddening and intervening absorption, **233**, 801
O'Brien, P.T., Gondhalekar, P.M., Wilson, R. The ultraviolet continuum of quasars – II. Continuum variability, **233**, 845
O'Donoghue, D. *see* Warner, B.
O'Donoghue, D *see* Barrett, P.
Olsson-Steel, D. The inner Oort cloud and the source of comet Halley, **234**, 389
O'Mara, B.J. *see* Carter, B.D.
Opher, R. *see* de Araujo, J.C.N.
Ori, A., Piran, T. A simple stability criterion for isothermal spherical self-similar flow, **234**, 821
Origlia, L. *see* Busso, M.
Ostrowski, M. Acceleration of relativistic particles in shocks with oblique magnetic fields, **233**, 257
Overbeek, M.D. *see* Sekiguchi, K.

Pacheco, J.A. de F., Landaberry, S.J.C., Singh, P.D. Spectrophotometric observations of the comet Halley during the 1985–86 apparition, **235**, 457
Padman, R. *see* Parker, N.D.
Padmanabhan, T., Subramanian, K. The focusing equation, caustics and the condition for multiple imaging by thick gravitational lenses, **233**, 265
Pagel, B.E.J. *see* Vilchez, J.M.
Palmer, P.L., Papaloizou, J. The stability of spherical stellar systems with a compact central mass, **231**, 935
Panek, M., Rudak, B. Fluctuations of the cosmic background radiation at different wavelengths, **235**, 1169
Papaloizou, J. *see* Palmer, P.L.
Parker, N.D. *IRAS* associations with dark clouds of opacity class 6, **235**, 139
Parker, N.D., Padman, R., Scott, P.F., Hills, R.E. New bipolar outflows in dark molecular clouds, **234**, 67P
Parker, Q.A. *see* Catchpole, R.M.
Parmai, A.N. *see* Smale, A.P.
Parnell, H.C., Carswell, R.F. Effects of blending on estimates of the redshift evolution of QSO Lya absorbers, **230**, 491
Partridge, R.B., Lahav, O. Contributions to the microwave background dipole from galaxies, and constraints on the anisotropy of far-infrared background, **235**, 1P
Patnaik, A.R., Singh, K.P. A very long head–tail radio galaxy in the X-ray cluster 2A0335+096, **234**, 847
Pavlovski, K. *see* Stagg, C.R.
Payne, B.J. *see* Coe, M.J.
Payne, H.E. *see* Anantharamaiah, K.R.
Payne, P.W. *see* Webster, B.L.
Peach, J.V. *see* Green, M.R.
Peacock, J. *see* Heavens, A.
Peacock, J.A. *see* Prestage, R.M.
Pedlar, A. *see* Unger, S.W.
Pedlar, A. *see* Wrobel, J.M.
Pellat, R. *see* Sygnet, J.F.
Peng, R.-S. *see* Whiteoak, J.B.
Penninx, W. *see* van Paradijs, J.
Penston, M.V. On the nature of the Broad Line Region clouds, **233**, 601
Penston, M.V. *see* Leech, K.J.
Penston, M.V. *see* Monk, A.S.
Penston, M.V. *see* Pérez, E.
Penston, M.V. *see* Smith, L.J.
Percy, J.R. *see* Stagg, C.R.
Pérez, E., Penston, M.V., Tadhunter, C., Mediavilla, E., Moles, M. An accretion disc in the broad-line radio galaxy 3C390.3?, **230**, 353
Pérez Hernández, F. *see* Christensen-Dalsgaard, J.
Persic, M., Salucci, P. Dark and visible matter in spiral galaxies, **234**, 131
Persi, P. *see* Busso, M.
Peterson, B.A. *see* Boyle, B.J.
Peterson, C.J., FitzGerald, M.P. *UBV* photometry in four southern open clusters with suspected supernova remnants, **235**, 1439
Peterson, B.A. *see* Efstathiou, G.
Petrov, P. *see* Bedford, D.K.
Pettini, M. *see* Monk, A.S.
Pettini, M. *see* Smith, L.J.
Pfenniger, D. *see* de Zeeuw, T.
Phillips, K.J.H., Bromage, G.E., Dufton, P.L., Keenan, F.P., Kingston, A.E. Flare activity on UV Ceti: visible and *IUE* observations, **235**, 573
Phillips, S. *see* Davies, J.I.
Phillipps, S. On the D_n– σ relation for elliptical galaxies, **233**, 561
Phillipps, S., Disney, M.J. The surface brightness of spiral galaxies – IV. Correlations with far-infrared emission, **231**, 359
Phillipps, S., Davies, J.I., Disney, M.J. Is there really a luminosity–surface brightness relation for dwarf galaxies?, **233**, 485
Phillipps, S. *see* Davies, J.I.
Pike, C.D. *see* Smith, F.G.
Pineau des Forêts, G., Flower, D.R., Dalgarno, A. Theoretical studies of interstellar molecular shocks – VIII. Polycyclic aromatic hydrocarbons in dark clouds, **235**, 621
Pineau des Forêts, G. *see* Monteiro, T.S.
Pines, D. *see* Alpar, M.A.
Piran, T. *see* Ori, A.
Piskunov, A.E. *see* Sagar, R.
Pişmiş, P. *see* Monreno, E.
Plionis, M. Large-scale optical dipole anisotropy, **234**, 401

Pollacco, D. *see* Jeffery, C.S.
Ponman, T.J., Cooke, B.A., Stella, L. The quasi-periodic oscillations of GX349+2, **231**, 999
Pounds, K.A.*see* Turner, T.J.
Pounds, K.A. *see* Warwick, R.S.
Prestage, R.M., Peacock, J.A. The cluster environments of powerful radio galaxies, **230**, 131
Prieur, J.L. *see* Carter, D.
Prinja, R.K. Evidence for rotationally modulated variability in O star winds, **231**, 21P
Prinja, R.K., Howarth, I.D. Opacity enhancemnents in the stellar wind of 68 Cygni – not 'shells' or 'puffs', **233**, 123
Pringle, J.E. White dwarf heating and the ultraviolet flux in dwarf novae, **230**, 587
Pringle, J.E. *see* Clarke, C.J.
Pritchard, R.S. *see* Lyne, A.G.
Puxley, P.J., Hawarden, T.G., Mountain, C.M. Enhanced star formation in barred spiral galaxies – II. Radio continumm emission, **231**, 465
Puxley, P.J., Hawarden, T.G., Mountain, C.M. Fluorescent molecular hydrogen in galaxies, **234**, 29P

Raine, D.J. *see* Smith, M.D.
Rana, N.C., Wilkinson, D.A. An empirical law of star formation in spiral galaxies, **231**, 509
Rao, A.P., Slee, O.B. Improved estimates of interstellar scattering through the inner galaxy, **234**, 853
Rao, A.P., Subrahmanyan, R. 1803 − 211 – a flat-spectrum radio source with double structure, **231**, 229
Rawlings, J.M.C. Chemistry in the ejecta of novae, **232**, 507
Rawlings, J.M.C., Williams, D.A., Cantó, J. Chemistry in T Tauri winds, **230**, 695
Reay, N.K., Walton, N.A., Atherton, P.D. Molecular hydrogen emission from cold condensations in NGC 2440, **232**, 615
Redmount, I.H. Dynamics of a void-dominated universe: cell-lattice models, **235**, 1301
Rees, M.J. Quasers as probes of gas in extended protogalaxies, **231**, 91P
Rees, M.J. *see* Efstathiou, G.
Rees, M.J. *see* Guilbert, P.W.
Regev, O., Hougerat, A.A. Accretion disc boundary layers – geometrically and optically thin case, **232**, 81
Reichert, G.A. *see* Howell, S.B.
Reid, N., Glass, I.S., Catchpole, R.M. A survey for red variables in the LMC – II, **232**, 35
Reid, I.N. *see* Sansom, A.E.
Reynolds, S.E., Hearnshaw, J.B., Cottrell, P.L. The spectrum of Canopus – III. Abundances of r- and s-process elements, **235**, 1423
Riley, J.M. The 408-MHz flux density scale on the Cambridge One-Mile Telescope, **233**, 225
Ritter, H. *see* Hameury, J,M.
Roberts, G. *see* Catchpole, R.M.
Roberts, G. *see* Evans, A.
Roberts, G. *see* Whitelock, P.A.
Robertson, J.A. *see* Frank, M.J.
Robertson, N.A. *see* Wright, G.S.
Robson, E.I. *see* Gear, W.K.
Roche, P.F. *see* Aitken, D.K.
Roche, P.F. *see* Barlow, M.J.
Roche, P.F. *see* Norris, R.P.
Roche, P.F. *see* Whittet, D.C.B.
Rochester, G.K. *see* Sood, R.K.
Rolph, C.D., Scarrott, S.M. The illuminating source of the nebulosity near the IR source GL, 2591, **234**, 719
Romani, R.W. *see* Blandford, R.D.
Rosen, S.R., Mason, K.O., Córdova, F.A. *EXOSAT* X-ray observations of the eclipsing magnetic cataclysmic variable EX Hya, **231**, 549
Ross, J.E. *see* Carter, B.D.
Roth, M. The interstellar extinction law towards the open cluster TR-37, **233**, 773
Roth, M. *see* Tapia, M.
Roueff, E. *see* Monteiro, T.S.
Rowan-Robinson, M. *see* Lahav, O.
Rowan-Robinson, M. *see* Lawrence, A.
Rowan-Robinson, M. *see* Leech, K.J.
Rowan-Robinson, M. *see* Needham, B.G.
Rouse, M.F. *see* Hough, J.H.
Roy, J.-R., Walsh, J.R. Imaging spectroscopy of H II regions in the barred spiral galaxy NGC, 1365, **234**, 977
Rucinski, S.M. *see* Cameron, A.C.
Rudak, B. *see* Panek, M.
Ruiz, M.T. *see* Tapia, M.

Sagar, R., Cannon, R.D., Hawkins, M.R.S. Photoelectric and electronographic photometry of the globular cluster NGC 1851, **232**, 131
Sagar, R., Myakutin, V.I., Piskunov, A.E., Dluzhnevskaya, O.B. A study of the spatial stellar mass distribution in some young open clusters, **234**, 831
Saikia, D.J. *see* Unger, S.W.
Saio, H. Equilibrium models for luminous helium stars, **235**, 203
Salter, C.J., Sinha, R.P., Stobie, E.B., Kerr, F.J., Hobbs, R.W. Millimetre-wave continuum observations of the Galactic Centre, **232**, 407
Salucci, P. *see* Persic, M.
Sanders, R.H. Phase coupling gravity and astronomical mass discrepancies, **235**, 105
Sanders, R.H. *see* Sellwood, J.A.
Sansom, A.E., Reid, I.N., Boisson, C. NGC 6776 'The Pentagon' – an old merger?, **234**, 247
Santos, N.O. *see* de Oliveira, A.K.G.
Sato, S., Tamura, M., Nagata, T., Kaifu, N., Hough, J., McLean, I.S., Garden, R.P., Gatley, I. Infrared polarimetry of dark clouds – II. Magnetic field structure in the ρ Ophiuchi dark cloud, **230**, 321

Sato, S. *see* Hough, J.H.
Sato, S. *see* Tamura, M.
Sato, S. *see* Yamashita, T.
Saunders, W. *see* Lawrence, A.
Scaltriti, F. *see* Busso, M.
Scarrott, S.M. An optical polarization study of the L1551 – IRS5 jet, **231**, 39P
Scarrott, S.M. Optical polarization studies of Herbig–Haro objects – IV. The HH34 complex, **231**, 1055
Scarrott, S.M., Warren-Smith, R.F. Optical polarization studies of Herbig–Haro objects – V. The HH46/47 complex, **232**, 725
Scarrott, S.M., Wolstencroft, R.D. An optical polarization study of the Reipurth 50 nebulosity, **231**, 1019
Scarrott, S.M. *see* Rolph, C.D.
Schilke, P. *see* Danby, G.
Schindler, K. *see* Wiechen, H.
Schmidt, E.G. *see* Loomis, C.
Schmidt, F. *see* Stagg, C.R.
Schulz, N. *see* van Paradijs, J.
Sciama, D.W. Photino decay and the ionization of Lyman a clouds at large redshifts, **230**, 13P
Scott, P.F. *see* Parker, N.D.
Sekiguchi, K., Feast, M.W., Whitelock, P.A., Overbeek, M.D., Wargau, W., Spencer Jones, J. The 1987 outburst of the recurrent nova U Sco, **234**, 281
Sekiguchi, K. *see* Catchpole, R.M.
Sekiguchi, K. *see* Whitelock, P.A.
Sekiya, M., Miyama, M.S. The stability of a differentially rotating cylinder of an incompressible perfect fluid, **234**, 107
Selby, M.J. *see* Moore, T.J.T.
Sellwood, J.A., Sanders, R.H. A maximum disc model for the Galaxy, **233**, 611
Sellwood, J.A., Sparke, L.S. Pattern speeds in barred spiral galaxies, **231**, 25P
Sembay, S. *see* Clement, R.
Shah, G.A. *see* Krishna Swamy, K.S.
Shaham, J. *see* Alpar, M.A.
Shanks, T. *see* Boyle, B.J.
Shanks, T. *see* Broadhurst, T.J.
Shanks, T. *see* Stevenson, P.R.F.
Sharma, S.D., Khanna, M. Analysis of perihelia of new comets, **235**, 1467
Sharples, R.M., Ellis, R.S., Gray, P.M. The structure and dynamics of Abell 2670 – I. *M*/*L* ratio and orbital anisotropy, **231**, 479
Shibata, S. Appearance of the trans-field flow in the pulsar magnetosphere, **233**, 405
Siegman, B.C. *see* Slee, O.B.
Simon, A.J.B. *see* Green, D.A.
Simon, N.R. *see* Loomis, C.
Sinclair, C.D. *see* Adamson, A.J.
Singal, A.K. Cosmic evolution of the physical sizes of extragalactic radio sources and their luminosity–size correlation, **233**, 87
Singh, K.P. *see* Patnaik, A.R.
Singh, P.D. *see* Pacheco, J.A. de F.
Sinha, R.P. *see* Salter, C.J.
Skinner, C.J., Whitmore, B. Circumstellar environments – III. M-supergiants, **235**, 603
Skinner, C.J., Whitmore, B. Circumstellar environments – II. The silicate emission band and cool stellar mass loss rates, **231**, 169
Skinner, C.J., Whitmore, B. Circumstellar environments – IV. Mass-loss rates for carbon stars, **234**, 79P
Slee, O.B., Siegman, B.C. A survey for metrewave variability in extragalactic radio sources, **235**, 1313
Slee, O.B. *see* Rao, A.P.
Slee, O.B. *see* Wright, A.E.
Smale, A.P., Corbet, R.H.D., Charles, P.A., Ilovaisky, S.A., Mason, K.O., Motch, C., Mukai, K., Naylor, T., Parmai, A.N., van der Klis, M., van Paradijs, J. CAL 83: a 1-day period low-mass X-ray binary in the LMC, **233**, 51
Smale, A.P., Mason, K.O., White, N.E., Gottwald, M. X-ray observations of the 50-min dipping source XB1916 – 053, **232**, 647
Smale, A.P., Mukai, K. The orbital variability of XB1636 – 536, **231**, 663
Smale, A.P. *see* Honey, W.B.
Smale, A.P. *see* Mukai, K.
Smith, C.H. *see* Aitken, D.K.
Smith, F.G., Jones, D.H.P., Dick, J.S.B., Pike, C.D. The optical polarization of the Crab Pulsar, **233**, 305
Smith, F.G. *see* Lyne, A.G.
Smith, G., Drake, J.J. Collisional broadening of the calcium infrared triplet lines by atomic hydrogen, **231**, 115
Smith, I.W.M. Rate of the reaction: $OH+CO \rightarrow CO_2+H$ at interstellar temperatures, **234**, 1059
Smith, L.F., Hummer, D.G. C/He abundances in WC stars, **230**, 511
Smith, L.J., Penston, M.V. On variability in the broad absorption line troughs of the QSO Q1246–057, **235**, 551
Smith, L.J., Pettini, M., Dyson, J.E., Hartquist, T.W. An optical study of the dynamics of the clumpy wind-blown nebula RCW 58, **234**, 625
Smith, M.D., Raine, D.J. The duelling wind model for the emission line region of active nuclei, **234**, 297
Smith, R.C. *see* Friend, M.T.
Smoluchowski, R. Clathrate hydrates in cometary nuclei and porosity, **235**, 343
Sneden, C. *see* Warner, B.
Snijders, M.A.J. *see* Tadhunter, C.N.
Sołtan, A. On the distribution of galaxy cluster pairs, **231**, 309
Somerville, W.B. Diffuse interstellar bands and cloud density, **234**, 655
Sommer-Larsen, S. *see* Flynn, C.
Sonneborn, G. *see* Naylor, T.
Sood, R.K., Thomas, J.A., Waldron, L., Manchanda, R.K., Ubertini, P., Bazzano, A., La Padula, C., Staubert, R., Kendziorra, E., Rochester, G.K., Sumner, T.J., Frye, G., Jenkins, T., Koga, R., Albats, P. Upper limits to the high-energy gamma-ray and hard X-ray flux from SN 1987A on day 55, **234**, 73P

Sozou, C. On some wave solutions in a differentially totating polytropic gas, **235**, 1141
Sparke, L.S., Casertano, S. A model for persistent galactic warps, **234**, 873
Sparke, L.S. *see* Sellwood, J.A.
Sparks, W.B., Collier, A., Cameron, A.C. A relation between UV excess and the interstellar medium in elliptical galaxies, **232**, 215
Sparks, W.B. *see* Carter, D.
Spencer Jones, J.H. *see* Catchpole, R.M.
Spencer Jones, J. *see* Sekiguchi, K.
Spencer, R.E. *see* Nelson, R.F.
Spinrad, H. *see* Allington-Smith, J.R.
Stagg, C.R., Božić, H., Fullerton, A.W., Gao, W.S., Guo, Z.H., Harmanec, P., Horn, J., Huang, L., Iliev, L.H., Koubský, P., Kovachev, B.Z., Pavlovski, K., Percy, J.R., Schmidt, F., Štefl, S., Tomov, N.A., Žižňovský, J. A photometric campaign on the Be stars *o* And, KX And, KY And, LQ And and EW Lac, **234**, 1021
Stagg, C.R. *see* Bailey, M.E.
Stanger, V.J. *see* Barstow, M.A.
Staubert, R. *see* Sood, R.K.
Staveley-Smith, L., Davies, R.D. The peculiar velocity of the Local Group – II. H I observations of Sc galaxies, **231**, 833
Staveley-Smith, L. *see* Axon, D.J.
Stefl, S. *see* Stagg, C.R.
Steiner, J.E. *see* Busko, I.C.
Stella, L. *see* Ponamn, T.J.
Stella, L. *see* White, N.E.
Sterken, C., Jerzykiewicz, M. A search for β Cephei variable stars in the Magellanic Clouds: motivation and first results for the LMC, **235**, 565
Stevens, I.R. An enhanced stellar wind accretion model for binary X-ray transients, **232**, 199
Stevens, I.R. Orbital tidal variability in the eccentric early type binary Iota Orionis, **235**, 523
Stevens, I.R., Willis, A.J. The expected X-ray luminosity of HD, 50896, **234**, 783
Stevenson, D. *see* Heggie, D.C.
Stevenson, P.R.F., Fong, R., Shanks, T. Correlation analysis of objectively defined galaxy and cluster catalogues, **234**, 801
Stewart, R.T. *see* Wright, A.E.
Stinebring, D.R. *see* D'Amico, N.
Stobie, E.B. *see* Salter, C.J.
Stokes, G.H. *see* D'Amico, N.
Stollman, G.M. *see* Berman, N.M.
Stone, L.E. *see* Kilkenny, D.
Storey, P.J., Hummer, D.G. Recombination line intensities for hydrogenic ions – II. Case B calculations for C VI, N VII and O VIII, **231**, 1139
Storey, J.W.V. *see* Webster, B.L.
Strade, J.O. *see* Cropper, M.
Strom, R.G. Distances to the remnants of historical Type I supernovae, **230**, 331
Subramanian, K. On galaxy formation in asymmetric dark haloes, **234**, 459
Subramanian, K. *see* Padmanabhan, T.
Subrahmanyna, R. *see* Rao, A.P.
Sukumar, S., Velusamy, T., Klein, U. Radio continuum observations of the edge-on spiral galaxy NGC 4666, **231**, 765
Sumner, T.J. *see* Sood, R.K.
Sutherland, W. The 3-D distribution of Abell clusters, **234**, 159
Suzuki, H. *see* Hough, J.H.
Suzuki, H. *see* Yamashita, T.
Sygnet, J.F., Tagger, M., Athanassoula, E., Pellat, R. Non-linear coupling of spiral modes in disc galaxies, **232**, 733
Sztajno, M. *see* van Paradijs, J.

Tadhunter, C. *see* Pérez, E.
Tadhunter, C.N., Fosbury, R.A.E., Alighieri, S.di S., Bland, J., Danziger, I.J., Goss, W.M., McAdam, W.B., Snijders, M.A.J. Very extended ionized gas in radio galaxies – IV. PKS 2152–69, **235**, 405
Tagger, M. *see* Sygnet, J.F.
Tamura, M., Yamashita, T., Sato, S., Nagata, T., Gatley, I. Infrared polarimetry of dark clouds – III. The relationship between the magnetic field and star formation in the NGC 1333 region, **231**, 445
Tamura, M. *see* Burton, M.G.
Tamura, M. *see* Hough, J.H.
Tamura, M. *see* Sato, S.
Tamura, M. *see* Yamashita, T.
Tan, S.M. *see* Green, D.A.
Tapia, M., Roth, M., Marraco, H., Ruiz, M.T. The interstellar extinction in the open clusters Tr 14, Tr15, Tr16/Cr 232 and Cr 228 in NGC 3372. New near-infrared photometry, **232**, 661
Tassoul, M., Tassoul, J.-L. On the reflection effect in non-synchronous binary components, **232**, 481
Tassoul, M *see* Tassoul, J.-L.
Tayler, R.J. *see* Mestel, L.
Taylor, D. *see* Unger, S.W.
Taylor, J.H. *see* D'Amico, N.
Taylor, K. *see* Edmunds, M.G.
Taylor, T. *see* Smale, A.P.
Tennant, A.F. Observations of 1.4-Hz quasi-periodic oscillations in Cir X-1, **230**, 403
Tennant, A.F. *see* Day, C.S.R.
Terlevich, E. *see* Vilchez, J.M.
Terlevich, R. *see* Melnick, J.
Thimm, G. *see* Hanuschik, R.W.
Thomas, P. Multiphase cooling flows; a Lagrangian approach, **235**, 315
Thomas, J.A. *see* Sood, R.K.s
Thompson, G.I., Nandy, K., Morgan, D.H., Houziaux, L. Effective temperatures and radii of Small Magellanic Cloud supergiants, **230**, 429
Thompson, K. *see* Innis, J.L.
Tinto, M. *see* Dhurandhar, S.V.
Toffolatti, L. *see* Franceschini, A.
Tomov, N.A. *see* Stagg, C.R.
Tosa, M. *see* Kimura, T.

Tout, C.A., Eggleton, P.P. Tidal enhancement by a binary companion of stellar winds from cool giants, **231**, 823
Trehan, S.K. *see* Kochhar, R.K.
Troupe, E. *see* Norris, R.P.
Trussoni, E., Massaglia, S., Bodo, G., Ferrari, A. On the stability of anisotropic astrophysical jets, **234**, 539
Turner, M.J.L. *see* Warwick, R.S.
Turner, T.J., Pounds, K.A. Variability of the soft excess in the Seyfert I galaxy MKn 335, **232**, 463
Turner, T.J. *see* Warwick, R.S.
Turolla, R., Nobili, L. General relativistic radiative transfer in spherical flows, **235**, 1273
Turtle, A.J. *see* Edmunds, M.G.

Ubertini, P. *see* Sood, R.K.
Ulrich, M.-H. Far-ultraviolet absorption lines in active galaxies, **230**, 121
Underhill, A.B. On the connection between model stars and real stars, **230**, 55
Unger, S.W., Pedlar, A., Axon, D.J., Graham, D.A., Harrison, B.A., Saikia, D.J., Whittle, M., Meurs, E.J.A., Dyson, J.E., Taylor, D. Radio ejection and broad forbidden emission lines in the Seyfert galaxy NGC, 7674, **234**, 745
Unger, S.W. *see* Wrobel, J.M.

Vaidya, J. *see* Agrawal, P.C.
Valiron, P. *see* Danby, G.
van der Hulst, J.M. *see* Appleton, P.N.
van der Kliss, M. *see* Smale, A.P.
van der Kliss, M. *see* van Paradijs, J.
van der Woerd, H. *see* Naylor, T.
van Paradijs, J., Hasinger, G., Lewin, W.H.G., van der Klis, M., Sztajno, M., Schulz, N., Jansen, F. Quasi-periodic oscillations in the bright galactic bulge X-ray source GX 340+0, **231**, 379
van Paradijs, J., Penninx, W., Lewin, W.H.G. On the relation between X-ray burst properties and the persistent X-ray luminosity, **233**, 437
van Paradijs, J. *see* Naylor, T.
van Paradijs, J. *see* Smale, A.P.
van Vuren, G.W., Balona, L.A., Marang, F. Periodic Be stars in NGC 3766, **234**, 373
van Wyk, F. *see* Whitelock, P.A.
Varnas, S.R. *see* Monaghan, J.J.
Verbunt, F. *see* Livio, M.
Velusamy, T. *see* Sukumar, S.
Verbunt, F. *see* Drew, J.E.
Vietri, M. *see* Capaccioli, M.
Vigotti, M. *see* Benn, C.R.
Vilchez, J.M., Pagel, B.E.J. On the determination of temperatures of ionizing stars in H II regions, **231**, 257
Vilchez, J.M., Pagel, B.E.J., Díaz, A.I., Terlevich, E., Edmunds, M.G. The chemical composition gradient across M33, **235**, 633
Vilhu, O. *see* Bedford, D.K.
Vilhu, O. *see* Cameron, A.C.

Wagenblast, R., Hartquist, T.W. Non-equilibrium level populations of molecular hydrogen – I. Uniform density, **230**, 363
Waldron, L. *see* Sood, R.K.
Walker, D. *see* Leech, K.J.
Wall, J.V. *see* Benn, C.R.
Walmsley, C.M. *see* Danby, G.
Walsh, J.R. *see* Cropper, M.
Walsh, J.R. *see* Roy, J.-R.
Walton, N.A. *see* Reay, N.K.
Ward, M.J. X-ray emission from starburst nuclei, **231**, 1P
Ward, M.J. *see* Bailey, J.
Ward, M.J. *see* Morris, S.L.
Wargau, W. *see* Sekiguchi, K.
Warner, B., O'Donoghue, D. High-speed photometry of Z Chamaeleontis during outbursts, **233**, 705
Warner, B., Sneden, C. HD 38451: J.R. Hind's star that changed colour **234**, 269
Warner, B. *see* Barrett, P.
Warner, P.J. *see* Hales, S.E.G.
Warnock, A. *see* Howell, S.B.
Warren-Smith, R.F. *see* Scarrott, S.M.
Warwick, R.S., Norton, A.J., Turner, M.J.L., Watson, M.G., Willingale, R. A survey of the galactic plane with *EXOSAT*, **232**, 551
Warwick, R.S., Pounds, K.A., Turner, T.J. Variable low-energy absorption in the X-ray spectrum of ESO 103 – G35, **231**, 1145
Warwick, R.S. *see* George, I.M.
Watson, F.A. *see* Mason, K.O.
Watson, M.G. *see* Norton, A.J.
Watson, M.G. *see* Warwick, R.S.
Webster, A.S. *see* Burton, M.G.
Webster, B.L. The abundances and mass distribution of planetary nebulae in the galactic bulge, **230**, 377
Webster, B.L., Payne, P.W., Storey, J.W.V., Dopita, M.A. The systematics and distribution of molecular hydrogen in planetary nebulae, **235**, 533
Wellington, K.J. *see* Whiteoak, J.B.
White, B. *see* Skinner, C.J.
White, G.L., McAdam, W.B., Jones, I.G. Observations of parallel radio sources 0211−479, 0214−480 and 0215−483, **233**, 189
White, G.L. *see* McAdam, W.B.
White, N.E., Stella, L. The radius of a magnetosphere in the radiation pressure dominated region of an accretion disc, **231**, 325
White, N.E. *see* Cameron, A.C.
White, N.E. *see* Smale, A.P.
White, S.D.M. *see* Efstathiou, G.
White, S.D.M. *see* Narayan, R.
White, S.D.M. *see* Zaritsky, D.
Whitehead, M.J. *see* Meaburn, J.
Whitehurst, R. Numerical simulations of accretion discs – I. Superhumps: a tidal phenomenon of accretion discs, **232**, 35

Whitehurst, R. Numerical simulations of accretion discs – II. Design and implementation of a new numerical method, **233**, 529
Whitehurst, R. *see* Honey, W.B.
Whitelock, P.A., Catchpole, R.M., Menzies, J.W., Feast, M.W., Winkler, H., Marang, F., Glass, I.S., Balona, L.A., Egan, J., Carter, B.S., Roberts, G., Sekiguchi, K., Laney, C.D., Evans, T.L., Laing, J.D., Jones, J.S., Fernley, J., James, P., Fairall, A.P., Monk, A.S., van Wyke, F. Spectroscopic and photometric observations of SN 1987A – IV. Days 260–385, 5P
Whitelock, P.A. *see* Catchpole, R.M.
Whitelock, P.A *see* Evans, A.
Whitelock, P.A. *see* Gaylard, M.J.
Whitelock, P.A. *see* Menzies, J.W.
Whitelock, P.A. *see* Sekiguchi, K.
Whiteoak, J.B., Gardner, F.F., Caswell, J.L., Norris, R.P., Wellington, K.J., Peng, R.-S. Methanol absorption at 12.2 GHz towards Sgr B2, **235**, 655
Whitmore, B. *see* Skinner, C.J.
Whittet, D.C.B. On the nature and environment of Omicron Scorpii, **230**, 473
Whittet, D.C.B., Bode, M.F., Longmore, A.J., Adamson, A.J., McFadzean, A.D., Aitken, D.K., Roche, P.F. Infrared spectroscopy of dust in the Taurus dark clouds: ice and silicates, **233**, 321
Whittet, D.C.B. *see* Hough, J.H.
Whittle, M. *see* Moss, C.
Whittle, M. *see* Unger, S.W.
Wickramasinghe, D.T., Cropper, M. Spectropolarimetry of the magnetic white dwarf PG1015+014: evidence for a 100-MG field, **235**, 1451
Wickramasinghe, D.T. *see* Bailey, J.
Wiechen, H., Ziegler, H.J., Schindler, K. Relaxation of collisionless self-gravitating matter: the lowest energy state, **232**, 623
Wilkinson, A. *see* Carter, D.
Wilkinson, D.A. *see* Rana, N.C.
Williams, D.A. *see* Charnley, S.B.
Williams, D.A. *see* Duley, W.W.
Williams, D.A. *see* Rawlings, J.M.C.
Willingale, R. *see* Warwick, R.S.
Willis, A.J. *see* Stevens, I.R.
Wilson, R. *see* O'Brien, P.T.
Winkler, H. An investigation into the properties of a subgroup of southern galaxies detected by the *IRAS* Survey, **234**, 703
Winkler, H. *see* Catchpole, R.M.
Winkler, H. *see* Whitelock, P.A.
Wiśniewski, W.Z. *see* Machalski, J.
Wlodek, S., Bohme, D.K., Herbst, E. A synthesis of interstellar C_4S, **235**, 493
Woermann, B., Jonas, J.L. G279.0+1.1: a new large-diameter galactic supernova remnant, **234**, 971
Wolstencroft, R.D. *see* Scarrott, S.M.
Wood, K.S., Michelson, P.F. Delayed gravity wave emission from supernovae: application to SN 1987 A, **232**, 225
Worswick, S.P. *see* Wynne, C.G.
Wright, A.E., Cropper, M., Stewart, R.T., Nelson, G.J., Slee, O.B. Detection of the AM Her type cataclysmic variable V834 Cen at radio wavelengths, **231**, 319
Wright, A.E. *see* Allen, D.A.
Wright, G.S., Joseph, R.D., Robertson, N.A., James, P.A., Meikle, W.P.S. Recent star formation in interacting galaxies – III. Evidence from mid-infrared photometry, **233**, 1
Wright, G.S. *see* Joseph, R.D.
Wrobel, J.M., Harrison, B., Pedlar, A., Unger, S.W. A one-sided radio jet in the elliptical galaxy NGC 6146, **235**, 663
Wynne, C.G., Worswick, S.P. Atmospheric dispersion at prime focus, **230**, 457

Xu, C. *see* Franceschini, A.

Yabushita, S. The rate of supply and removal of new comets by the galactic tidal force, **231**, 723
Yamashita, T., Sato, S., Tamura, M., Suzuki, H., Gatley, I., Hough, J.H., Mountain, C.M., Moore, T.J.T. Infrared relection nebula in W75N, **233**, 899
Yamashita, T. *see* Hough, J.H.
Yamashita, T. *see* Moore, T.J.T.
Yamashita, T. *see* Tamura, M.

Zamorani, G. *see* Marano, B.
Zaritsky, D., White, S.D.M. Simulations of sinking satellites revisited, **235**, 289
Zdziarski, A.A. Thermal Comptonization in compact sources and the cosmic X-ray background, **233**, 739
Zeilinger, W.W. *see* Bertola, F.
Ziegler, H.J. *see* Wiechen, H.
Zitelli, V. *see* Marano, B.
Žižňovský, J. *see* Stagg, C.R.

SUBJECT INDEX

Abundances of the elements

The abundances and mass distribution of planetary nebulae in the galactic bulge (Webster, B.L.), **230**, 377
C/He abundances in WC stars (Smith, L.F., Hummer, D.G.), **230**, 511
Isotopic magnesium abundances in stars (McWilliam, A., Lambert, D.L.), **230**, 573
Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms – III. The superficially normal standard stars Theta Leonis, Tau Herculis and Omicron Pegasi (Adelman, S.J.), **230**, 671
An empirical law of star formation in spiral galaxies (Rana, N.C., Wilkinson, D.A.), **231**, 509
Magnesium abundances in planetary nebulae and interstellar absorption of Mg II λ 2800 Å (Middlemass, D.), **231**, 1025
Comment on the paper 'The cometary breakup hypothesis re-examined' (Boutron, C.F.), **233**, 215
Regarding the validity of polar trace metal data: a response (LaViolette, P.A.), **233**, 221
Segregation of dust and abundance inhomogeneities in globular clusters (Bhatt, H.C.), **233**, 867
Nuclear cosmochronology within analytic models of the chemical evolution of the solar neighbourhood (Clayton, D.D.), **234**, 1
Imaging spectroscopy of H II regions in the barred spiral galaxy NGC 1365 (Roy, J.-R., Walsh, J.R.), **234**, 977
The diffusion of contaminant through an accretion disc (Clarke, C.J., Pringle, J.E.), **235**, 365
The chemical composition gradient across M33 (Vilchez, J.M., Pagel, B.E.J., Díaz, A.I., Terlevich, E., Edmunds, M.G.), **235**, 633
Mg–H^+ charge transfer and Mg line intensities in gaseous nebulae (Allan, R.J., Clegg, R.E.S., Dickinson, A.S., Flower, D.R.), **235**, 1245

Accretion and accretion discs

Raman scattering of the synchrotron self-absorbed radiation in accretion discs (Krishan, V.), **230**, 183
An accretion disc in the broad-line radio galaxy 3C390.3? (Pérez, E., Penston, M.V., Tadhunter, C., Mediavilla, E., Moles, M.), **230**, 353
Z Cha in superoutburst: periodic variation in the systemic velocity (Honey, W.B., Charles, P.A., Whitehurst, R., Barret, P.E., Smale, A.P.), **231**, 1
Viscous pulsational instability of the transonic region of isothermal geometrically thin accretion discs – I. Analytical results (Kato, S., Honma, F., Matsumoto, R.), **231**, 37
The stability of accretion tori – III. The effect of self-gravity (Goodman, J. Narayan, R.), **231**, 96
The 1985 May superoutburst of the dwarf nova OY Carinae – II. *IUE* and *EXOSAT* observations (Naylor, T., Bath, G.T., Charles, P.A., Hassall, B.J.M., Sonneborn, G., van der Woerd, H., van Paradijs, J.), **231**, 237
The radius of a magnetosphere in the radiation pressure dominated region of an accretion disc (White, N.E., Stella, L.), **231**, 325
EXOSAT X-ray observations of the eclipsing magnetic cataclysmic variable EX Hya (Rosen, S.R., Mason, K.O., Córdova, F.A.), **231**, 549
Non-axisymmetric instability in three-dimensional accretion toroids (Boss, A.P.), **231**, 739
Sonic instabilities in supersonic shear flows (Glatzel, W.), **231**, 795
A spectroscopic study of the deeply eclipsing dwarf nova IP Peg (Marsh, T.R.), **231**, 1117
Numerical studies of the dynamical stability of differentially rotating tori (Frank, J., Robertson, J.A.), **232**, 1
Numerical simulations of accretion discs – I. Superhumps: a tidal phenomenon of accretion discs (Whitehurst, R.), **232**, 35
Accretion disc boundary layers – geometrically and optically thin case (Regev, O., Hougerat, A.A.), **232**, 81
Angular momentum transfer in non-axisymmetric accretion (Ho, Cheng), **232**, 91
Accretion streams in AM Her type systems (Mukai, K.), **232**, 175
An enhanced stellar wind accretion model for binary X-ray transients (Stevens, I.R.), **232**, 199
Achterberg, A. Shock acceleration in disordered magnetic fields, **232**, 323
Variability of the soft excess in the Seyfert I galaxy Mkn 335 (Turner, T.J., Pounds, K.A.), **232**, 463
Bimodal accretion in GX5– and a possible constraint on its rotation period (Berman, N.M., Stollman, G.M.), **232**, 487
X-ray observations of the 50-min dipping source XB1916 − 053 (Smale, A.P., Mason, K.O., White, N.E., Gottwald, M.), **232**, 647
Spin-up and accretion in EX Hydrae during its quiescent state (Bond, I.A., Freeth, R.V.), **232**, 753
The response of the accretion disc radius to a temporary enhancement of mass transfer (Livio, M., Verbunt, F.), **232**, 1P
Twisted accretion discs — IV. Alignment in polytropic discs and low α limit (Kumar, S.), **233**, 33

On Penston's self-similar solution for cold collapse (Lynden-Bell, D., Lemos, J.P.S.), **233**, 197
Non-linear oscillations of the magnetosphere around neutron stars (Hanami, H.), **233**, 423
On the relation between X-ray burst properties and the persistent X-ray luminosity (van Paradijs, J., Penninx, W., Lewin, W.H.G.), **233**, 437
'Cold' material in non-thermal sources (Guilbert, P.W., Rees, M.J.), **233**, 475
Viscous shear in the Kerr metric (Anderson, M.R., Lemos, J.P.S.), **233**, 489
A statistical analysis of the emission line ratios in cataclysmic variables (Echevarría, J.), **233**, 513
Numerical simulations of accretion discs — II. Design and implementation of a new numerical method (Whitehurst, R.), **233**, 529
High-speed photometry of Z Chamaeleontis during outbursts (Warner, B., O'Donoghue, D.), **233**, 705
Thermal Comptonization in compact sources and the cosmic X-ray background (Zdziarski, A.A.), **233**, 739
Photometry of the intermediate polar TV Columbae (Barrett, P., O'Donoghue, D., Warner, B.), **233**, 759
The stability of a differentially rotating cylinder of an incompressible perfect fluid (Sekiya, M., Miyama, M.S.), **234**, 107
Images of accretion discs – II. Doppler tomography (Marsh, T.R., Horne, K.), **235**, 269
The diffusion of contaminant through an accretion disc (Clarke, C.J., Pringle, J.E.), **235**, 365
The X-ray light curves of AM Herculis systems (Hameury, J.M., King, A.R.), **235**, 433
Theoretical constraints on thin models for active galactic nuclei (Clarke, C.J.), **235**, 881
General relativistic radiative transfer in spherical flows (Turolla, R., Nobili, L.), **235**, 1273

Asteroids

Cratering constraints on the inner Oort cloud: steady-state models (Bailey, M.E., Stagg, C.R.), **235**, 1

BL lac objects

X-ray and ultraviolet observations of Markarian 421 (George, I.M., Warwick, R.S., Bromage, G.E.), **232**, 793
Viscous shear in the Kerr metric (Anderson, M.R., Lemos, J.P.S.), **233**, 489
The ultraviolet to X-ray continua of BL Lac objects (George, I.M., Warwick, R.S., McHardy, I.M.), **235**, 773
Theoretical constraints on thin models for active galactic nuclei (Clarke, C.J.), **235**, 881

Celestial mechanics

Two homological models for the evolution of star clusters (Heggie, D.C., Stevenson, D.), **230**, 223
The diffusion of stars through phase space (Binney, J., Lacey, C.), **230**, 597
The effects of eccentricity on the hierarchical stability of low-mass binaries in three-body systems (Donnison, J.R.), **231**, 85
The projection of galaxy models with a Stäckel potential (Franx, M.), **231**, 285
Irreversibility due to mixing in collisionless systems (Mathur, S.D.), **231**, 367
The rate of supply and removal of new comets by the galactic tidal force (Yabushita, S.), **231**, 723
Non-axisymmetric instability in three-dimensional accretion toroids (Boss, A.P.), **231**, 739
The stability of spherical stellar systems with a compact central mass (Palmer, P.L., Papaloizou, J.), **231**, 935
Collisional properties of ice spheres at low impact velocities (Hatzes, A.P., Bridges, F.G., Lin, D.N.C.), **231**, 1091
Numerical studies of the dynamical stability of differentially rotating tori (Frank, J., Robertson, J.A.), **232**, 1
Derivation of the density distribution in a prolate galaxy from the rotation curve (de Zeeuw, P.T., Lynden-Bell, D.), **232**, 419
Relaxation of collisionless self-gravitating matter: the lowest energy state (Wiechen, H., Ziegler, H.J., Schindler, K.), **232**, 623
Non-linear coupling of spiral modes in disc galaxies (Sygnet, J.F., Tagger, M., Athanassoula, E., Pellat, R.), **232**, 733
Realistic models for evolving globular clusters: core collapse with a mass spectrum (Murphy, B.W., Cohn, H.N.), **232**, 835
On Penston's self-similar solution for cold collapse (Lynden-Bell, D., Lemos, J.P.S.), **233**, 197
Can galaxies oscillate? A self-consistent model of a non-stationary stellar system (Louis, P.D., Gerhard, O.E.), **233**, 337
The stability of a differentially rotating cylinder of an incompressible perfect fluid (Sekiya, M., Miyama, M.S.), **234**, 107
The inner Oort cloud and the source of comet Halley (Olsson-Steel, D.), **234**, 389
A simple stability criterion for isothermal spherical self-similar flow (Ori, A., Piran, T.), **234**, 821
A model for persistent galactic warps (Sparke, L.S., Casertano, S.), **234**, 873
Phase coupling gravity and astronomical mass discrepancies (Sanders, R.H.), **235**, 105
Simulations of sinking satellites revisited (Zaritsky, D., White, S.D.M.), **235**, 289
The application of Finson–Probstein dynamical theory to the dust tail of P/Halley (Birkett, C.M.), **235**, 497
Planet X and the stability of resonances in the

Neptune–Pluto system (Jackson, A.A., Killen, R.M.), **235**, 593
The Halley comet meteor stream: numerical modelling of its dynamic evolution (McIntosh, B.A., Jones, J.), **235**, 673
Gravitational clustering from scale-free initial conditions (Efstathiou, G., Frenk, C.S., White, S.D.M., Davis, M.), **235**, 715
Potential-density pairs for galaxies (de Zeeuw, T., Pfenniger, D.), **235**, 949
'Discreteness fluctuations' and relaxation in stellar dynamical systems (Kandrup, H.E.), **235**, 1157
Tidal resonances in binary star systems – II. Slowly rotating stars (Alexander, M.E.), **235**, 1367
Analysis of perihelia of new comets (Sharma, S.D., Khanna, M.), **235**, 1467

Comets

The rate of supply and removal of new comets by the galactic tidal force (Yabushita, S.), **231**, 723
Comment on the paper 'The cometary breakup hypothesis re-examined' (Boutron, C.F.), **233**, 215
Regarding the validity of polar trace metal data: a response (LaViolette, P.A.), **233**, 221
Nature of dust grains in comets (Krishna Swamy, K.S., Shah, G.A.), **233**, 573
The helical wave structure in a comet plasma tail (Kochhar, R.K., Trehan, S.K.), **234**, 123
The brightness of P/Halley and the surface activity of the nucleus at previous apparitions (Hughes, D.W.), **234**, 173
The inner Oort cloud and the source of comet Halley (Olsson-Steel, D.), **234**, 389
Cratering constraints on the inner Oort cloud: steady-state models (Bailey, M.E., Stagg, C.R.), **235**, 1
Clathrate hydrates in cometary nuclei and porosity (Smoluchowski, R.), **235**, 343
Spectrophotometric observations of the comet Halley during the 1985–86 apparition (deFreitas, J.A., Landaberry, S.J.C., Singh, P.D.), **235**, 457
The application of Finson–Probstein dynamical theory to the dust tail of P/Halley (Birkett, C.M.), **235**, 497
The Halley comet meteor stream: numerical modelling of its dynamic evolution (McIntosh, B.A., Jones, J.), **235**, 673
Analysis of perihelia of new comets (Sharma, S.D., Khanna, M.), **235**, 1467

Cosmic rays

Radio continuum observations of the edge-on spiral galaxy NGC 4666 (Sukumar, S., Velusamy, T., Klein, U.), **231**, 765
Shock acceleration in disordered magnetic fields (Achterberg, A.), **232**, 323
Acceleration of relativistic particles in shocks with oblique magnetic fields (Ostrowski, M.), **233**, 257
Relativistic shocks and particle acceleration (Heavens, A.F., Drury, L. O'C), **235**, 997

Cosmology

Fluctuations in the X-ray background and the large-scale structure of the Universe (Barcons, X., Fabian, A.C.), **230**, 189
Erratum: Voids and velocities in initially Gaussian models for large-scale structure (Melott, A.L.), **230**, 479
Evolution of Lyα clouds: observational biases due to line crowding (Liu, X.D., Jones, B.J.T.), **230**, 481
Effects of blending on estimates of the redshift evolution of QSO Lyα absorbers (Parnell, H.C., Carswell, R.F.), **230**, 491
High-redshift quasars in the Cold Dark Matter cosmogony (Efstathiou, G., Rees, M.J.), **230**, 5P
Photino decay and the ionization of Lyman a clouds at large redshifts (Sciama, D.W.), **230**, 13P
The hottest hotspot on the microwave sky (Coles, P.), **231**, 125
Theoretical implications of deviations from Hubble flow (Kaiser, N.), **231**, 149
The cross-correlation of Abell clusters with the Lick galaxy counts (Lilje, P.B., Efstathiou, G.), **231**, 635
Collapse of Population III objects (de Araujo, J.C.N., Opher, R.), **231**, 923
Kinetic theory of galaxy correlations (Guillen, M.A., Liboff, R.L.), **231**, 957
Streaming motions and first-ranked cluster galaxies (Lucey, J.R., Carter, D.), **231**, 15P
Quasars as probes of gas in extended protogalaxies (Rees, M.J.), **231**, 91P
Gravitational lensing in a cold dark matter universe (Narayan, R., White, S.D.M.) , **231**, 97P
Cosmic evolution of the physical sizes of extragalactic radio sources and their luminosity—size correlation (Singal, A.K.), **233**, 87
A new sample of quasars to *B*–22.0 (Marano, B., Zamorani, G., Zitelli, V.), **232**, 111
IRAS source counts and cosmological evolution of actively star-forming galaxies (Franceschini, A., Danese, L., De Zotti, G., Xu, C.), **233**, 175
Tidal torques and local density maxima (Heavens, A.), **232**, 339
Analysis of a complete galaxy redshift survey – II. The field-galaxy luminosity function (Efstathiou, G., Ellis, R.S., Peterson, B.A.), **232**, 431
Predictions in the condensate model of evolution of structures in the Universe (Daly, R.A.), **232**, 853
Sunyaev–Zel fluctuations in the cold dark

matter scenario (Cole, S., Kaiser, N.), **233**, 637
The ultraviolet continuum of quasars – I. The shape of the continuum, continuum reddening and intervening absorption (O'Brien, P.T., Gondhalekar, P.M., Wilson, R.), **233**, 801
IRAS galaxies: evidence for a cosmological anisotropy? (Needham, B.G., Rowan-Robinson, M.), **233**, 1P
Nuclear cosmochronology within analytic models of the chemical evolution of the solar neighbourhood (Clayton, D.D.), **234**, 1
The evolution of Ω in inflationary universes (Madsen, M.S., Ellis, G.F.R.), **234**, 67
The 3-D distribution of Abell clusters (Sutherland, W.), **234**, 159
Pre-galactic cooling flows and baryonic dark matter (Ashman, K.M., Carr, B.J.), **234**, 219
Large-scale optical dipole anisotropy (Plionis, M.), **234**, 401
Structure and formation of superclusters – VIII. Evolution of structure in a model with cold dark matter and cosmological constant (Gramann, M.), **234**, 569
The peculiar acceleration of the Local Group as deduced from the optical and *IRAS* flux dipoles (Lahav, O., Rowan-Robinson, M., Lynden-Bell, D.), **234**, 677
Gravitational clustering from scale-free initial conditions (Efstathiou, G., Frenk, C.S., White, S.D.M., Davis, M.), **235**, 715
The Durham/Anglo–Australian Telescope faint galaxy redshift survey (Broadhurst, T.J., Ellis, R.S., Shanks, T.), **235**, 827
The anisotropy of the cosmic background radiation from local dynamic density perturbations (Dyer, C.C., Ip, P.S.S.), **235**, 895
Perturbations and streaming motions on large scales (Doroshkevich, A.G., Klypin, A.A.), **235**, 865
Beyond *N*-body: 3D cosmological gas dynamics (Evrard, A.E.), **235**, 911
The evolution of optically selected QSOs – II (Boyle, B.J., Shanks, T., Peterson, B.A.), **235**, 935
Quasar clustering on large scales (Drinkwater, M.), **235**, 1111
Fluctuations of the cosmic background radiation at different wavelengths (Panek, M., Rudak, B.), **235**, 1169
Dynamics of a void-dominated universe: cell-lattice models (Redmount, I.H.), **235**, 1301
Contributions to the microwave background dipole from galaxies, and constraints on the anisotropy of far-infrared background (Partridge, R.B., Lahav, O.), **235**, 1P

Data reduction

The statistical determination of substructure in clusters of galaxies (Fitchett, M.), **230**, 161
Hydrogen absorption line profiles of ionizing star clusters (Díaz, A.I.), **231**, 57
Correlation analysis of objectively defined galaxy and cluster catalogues (Stevenson, P.R.F., Fong, R., Shanks, T.), **234**, 801
Images of accretion discs – II. Doppler tomography (Marsh, T.R., Horne, K.), **235**, 269

Distance scale

Giant H II regions as distance indicators – II. Application to H II galaxies and the value of the Hubble constant (Melnick, J., Terlevich, R., Moles, M.), **235**, 297

Earth

Comment on the paper 'The cometary breakup hypothesis re-examined' (Boutron, C.F.), **233**, 215
Regarding the validity of polar trace metal data: a response (LaViolette, P.A.), **233**, 221
Cratering constraints on the inner Oort cloud: steady-state models (Bailey, M.E., Stagg, C.R.), **235**, 1

Galactic Centre

Millimetre-wave continuum observations of the Galactic Centre (Salter, C.J., Sinha, R.P., Stobie, E.B., Kerr, F.J., Hobbs, R.W.), **232**, 407
IRAS sources near the Galactic Centre (Glass, I.S.), **234**, 115
Detection of carbon recombination lines below 100 MHz towards the Galactic Centre and M16 (Anantharamaiah, K.R., Payne, H.E., Erickson, W.C.), **235**, 151
Methanol absorption at 12.2 GHz towards Sgr B2 (Whiteoak, J.B., Gardner, F.F., Caswell, J.L., Norris, R.P., Wellington, K.J., Peng, R.-S.), **235**, 655

Galactic structure and stellar dynamics

Kinematics and properties of F stars near the North Galactic Pole – II. The isothermal disc (Adamson, A.J., Hill, G., Fisher, W., Hilditch, R.W., Sinclair, C.D.), **230**, 273
The abundances and mass distribution of planetary nebulae in the galactic bulge (Webster, B.L.), **230**, 377
The diffusion of stars through phase space (Binney, J., Lacey, C.), **230**, 597
The projection of galaxy models with a Stäckel potential (Franx, M.), **231**, 285
Irreversibility due to mixing in collisionless systems (Mathur, S.D.), **231**, 367
The stability of spherical stellar systems with a

compact central mass (Palmer, P.L., Papaloizou, J.), **231**, 935
Spectrophotometric and neutral hydrogen observations of Michigan 160 (Axon, D.J., Staveley-Smith, L., Fosbury, R.A.E., Danziger, J., Boksenberg, A., Davies, R.D.), **231**, 1077
Pattern speeds in barred spiral galaxies (Sellwood, J.A., Sparke, L.S.), **231**, 25P
Dark matter in the dwarf galaxy II Zwicky 40 (Brinks, E., Klein, U.), **231**, 63P
Derivation of the density distribution in a prolate galaxy from the rotation curve (de Zeeuw, P.T., Lynden-Bell, D.), **232**, 419
A survey of the galactic plane with *EXOSAT* (Warwick, R.S., Norton, A.J., Turner, M.J.L., Watson, M.G., Willingale, R.), **232**, 551
Relaxation of collisionless self-gravitating matter: the lowest energy state (Wiechen, H., Ziegler, H.J., Schindler, K.), **232**, 623
Ellipticity and twisting of isophotes in a dissimilar system (Moreno, E., Pişmiş, P.), **232**, 705
Non-linear coupling of spiral modes in disc galaxies (Sygnet, J.F., Tagger, M., Athanassoula, E., Pellat, R.), **232**, 733
On the influence of galaxy magnetic fields on the rotation curves in the outer discs of galaxies (Nelson, A.H.), **233**, 115
Can galaxies oscillate? A self-consistent model of a non-stationary stellar system (Louis, P.D., Gerhard, O.E.), **233**, 337
The evolution of dwarf galaxies (Davies, J.I., Phillipps, S.), **233**, 553
On the $D_n - \sigma$ relation for elliptical galaxies (Phillipps, S.), **233**, 561
A maximum disc model for the Galaxy (Sellwood, J.A., Sanders, R.H.), **233**, 611
Dark and visible matter in spiral galaxies (Persic, M., Salucci, P.), **234**, 131
NGC 6776 'The Pentagon' – an old merger? (Sansom, A.E., Reid, I.N., Boisson, C.), **234**, 247
The *z*-structure of the disc of NGC 3115 (Capaccioli, M., Vietri, M., Held, E.V.), **234**, 335
On galaxy formation in asymmetric dark haloes (Subramanian, K.), **234**, 459
The scale height of low mass stars in the galactic disc: evidence for a young population (Hawkins, M.R.S.), **234**, 533
A model for persistent galactic warps (Sparke, L.S., Casertano, S.), **234**, 873
Imaging spectroscopy of H II regions in the barred spiral galaxy NGC 1365 (Roy, J.-R., Walsh, J.R.), **234**, 977
Analysis of high-latitude blue stars – II (Kilkenny, D., Stone, L.E.), **234**, 1011
Strömgren and BV photometry of potential halo blue horizontal branch field stars (Flynn, C., Sommer-Larsen, S.), **235**, 175
Simulations of sinking satellites revisited (Zaritsky, D., White, S.D.M.), **235**, 289
Potential-density pairs for galaxies (de Zeeuw, T., Pfenniger, D.), **235**, 949
The nature of the Galactic Bulge (Harmon, R., Gilmore, G.), **235**, 1025
'Discreteness fluctuations' and relaxation in stellar dynamical systems (Kandrup, H.E.), **235**, 1157
An analytic theory of self-propagating star formation (Neukirch, T., Feitzinger, J.V.), **235**, 1343

Galaxies

A redshift map of the Triangulum Australe–Ara region: further indication that Centaurus and Pavo are one and the same supercluster (Fairall, A.P.), **230**, 69
Digital plate coaddition: results on a field centred on IC 4296 (Marston, A.P.), **230**, 97
Spectral energy distributions of galaxies in high-redshift clusters – III. Abell 370 at z–0.37 (MacLaren, I., Ellis, R.S., Couch, W.J.), **230**, 249
Theoretical implications of deviations from Hubble flow (Kaiser, N.), **231**, 149
The projection of galaxy models with a Stäckel potential (Franx, M.), **231**, 285
IRAS and radio results for two samples of early-type galaxies (Marston, A.P.), **231**, 333
The surface brightness of spiral galaxies – IV. Correlations with far-infrared emission (Phillipps, S., Disney, M.), **231**, 359
Enhanced star formation in barred spiral galaxies – II. Radio continumm emission (Puxley, P.J., Hawarden, T.G., Mountain, C.M.), **231**, 465
The structure and dynamics of Abell 2670 – I. M/L ratio and orbital anisotropy (Sharples, R.M., Ellis, R.S., Gray, P.M.), **231**, 479
An empirical law of star formation in spiral galaxies (Rana, N.C., Wilkinson, D.A.), **231**, 509
The cross-correlation of Abell clusters with the Lick galaxy counts (Lilje, P.B., Efstathiou, G.), **231**, 635
Radio continuum observations of the edge-on spiral galaxy NGC 4666 (Sukumar, S., Velusamy, T., Klein, U.), **231**, 765
The peculiar velocity of the Local Group – II. H I observations of Sc galaxies (Staveley-Smith, L., Davies, R.D.), **231**, 833
On the correlation of UVX QSOs with galaxies (Boyle, B.J., Fong, R., Shanks, T.), **231**, 897
Studies of *IRAS* sources at high galactic latitudes – IV. New redshifts and the spectroscopic properties of *IRAS* galaxies (Leech, K.J., Lawrence, A., Rowan-Robinson, M., Walker, D., Penston, M.V.), **231**, 977
Streaming motions and first-ranked cluster galaxies (Lucey, J.R., Carter, D.), **231**, 15P
Pattern speeds in barred spiral galaxies (Sellwood, J.A., Sparke, L.S.), **231**, 25P

Dark matter in the dwarf galaxy II Zwicky 40 (Brinks, E., Klein, U.), **231**, 63P
The lowest surface brightness disc galaxy known (Davies, J.I., Phillipps, S., Disney, M.J.), **231**, 69P
A relation between UV excess and the interstellar medium in elliptical galaxies (Sparks, W.B., Collier, A., Cameron, A.C.), **232**, 215
Low surface brightness galaxies in the Fornax Cluster: automated galaxy surface photometry – III (Davies, J.I., Phillipps, S., Cawson, M.G.M., Disney, M.J., Kibblewhite, E.J.), **232**, 239
An objective prism Hα survey of nearby clusters of galaxies – I. Abell 347 and Abell 1367 (Moss, C., Whittle, M., Irwin, M.J.), **232**, 381
Analysis of a complete galaxy redshift survey – II. The field-galaxy luminosity function (Efstathiou, G., Ellis, R.S., Peterson, B.A.), **232**, 431
Ellipticity and twisting of isophotes in a dissimilar system (Moreno, E., Pismis, P.), **232**, 705
Non-linear coupling of spiral modes in disc galaxies (Sygnet, J.F., Tagger, M., Athanassoula, E., Pellat, R.), **232**, 733
On the influence of galaxy magnetic fields on the rotation curves in the outer discs of galaxies (Nelson, A.H.), **233**, 115
Analysis of a complete sample of galaxies at $m_z \leq 14.5$: the optical, radio and far-infrared luminosity functions (Franceschini, A., Danese, L., De Zotti, G., Toffolatti, L.), **233**, 157
Can galaxies oscillate? A self-consistent model of a non-stationary stellar system (Louis, P.D., Gerhard, O.E.), **233**, 337
Is there really a luminosity—surface brightness relation for dwarf galaxies? (Phillipps, S., Davies, J.I., Disney, M.J.), **233**, 485
The evolution of dwarf galaxies (Davies, J.I., Phillipps, S.), **233**, 553
On the D_n–σ relation for elliptical galaxies (Phillipps, S.), **233**, 561
An HI absorption line survey of Messier 31 (Dickey, J.M., Brinks, E.), **233**, 781
A two-temperature model for the infrared and radio emission from late-type galaxies (Fitt, A.J., Cox, A., Cox, M.J.), **233**, 907
IRAS galaxies: evidence for a cosmological anisotropy? (Needham, B.G., Rowan-Robinson, M.), **233**, 1P
Structure and formation of superclusters – VII. Distribution of bright and faint galaxies in the Virgo supercluster (Einasto, M.), **234**, 37
Dark and visible matter in spiral galaxies (Persic, M., Salucci, P.), **234**, 131
A search for QSOs in the fields of nearby galaxies – III. NGC 1291, Fornax, A1008–04, NGC 3109, NGC 3115, NGC 4038/9, NGC 5170, NGC 5236, NGC 5364, NGC 5426/7 and Grus (Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C.), **234**, 193
Pre-galactic cooling flows and baryonic dark matter (Ashman, K.M., Carr, B.J.), **234**, 219
NGC 6776 'The Pentagon' – an old merger? (Sansom, A.E., Reid, I.N., Boisson, C.), **234**, 247
The *z*-structure of the disc of NGC 3115 (Capaccioli, M., Vietri, M., Held, E.V.), **234**, 335
Large-scale optical dipole anisotropy (Plionis, M.), **234**, 401
The peculiar acceleration of the Local Group as deduced from the optical and *IRAS* flux dipoles (Lahav, O., Rowan-Robinson, M., Lynden-Bell, D.), **234**, 677
A study of satellite galaxies in the rich cluster A2029 (Bower, R.G., Ellis, R.S., Efstathiou, G.), **234**, 725
A study of major-axis dust-lane ellipticals (Bertola, F., Galletta, G., Kotanyi, C., Zeilinger, W.W.), **234**, 733
The structure and kinematics of the intergalactic south-west cloud in the M81 group (Appleton, P.N., van der Hulst, J.M.), **234**, 957
Imaging spectroscopy of H II regions in the barred spiral galaxy NGC 1365 (Roy, J.-R., Walsh, J.R.), **234**, 977
Redshifts of galaxies in some southern groups and clusters (Green, M.R., Godwin, J.G., Peach, J.V.), **234**, 1051
Fluorescent molecular hydrogen in galaxies (Puxley, P.J., Hawarden, T.G., Mountain, C.M.), **234**, 29P
Simulations of sinking satellites revisited (Zaritsky, D., White, S.D.M.), **235**, 289
Giant H II regions as distance indicators – II. Application to H II galaxies and the value of the Hubble constant (Melnick, J., Terlevich, R., Moles, M.), **235**, 297
The dynamics of a complex of interlocking giant shells in the Local Group dwarf galaxy IC 1613 (Meaburn, J., Clayton, C.A., Whitehead, M.J.), **235**, 479
The chemical composition gradient across M33 (Vilchez, J.M., Pagel, B.E.J., Díaz, A.I., Terlevich, E., Edmunds, M.G.), **235**, 633
The Durham/Anglo–Australian Telescope faint galaxy redshift survey (Broadhurst, T.J., Ellis, R.S., Shanks, T.), **235**, 827
The search for galaxy alignment in the Perseus supercluster (Flin, P.), **235**, 857
The two-screen gravitational lens (Kochanek, C.S., Apostolakis, J.), **235**, 1073
Distances to five nearby southern galaxy clusters and the absolute motion of the Local Group (Lucey, J.R., Carter, D.), **235**, 1177
The correlation between far-infrared and non-thermal radio emission at 151 MHz for galaxies: observations and modelling (Cox, M.J., Eales, S.A.E., Alexander, P., Fitt, A.J.), **235**, 1227
Contributions to the microwave background

dipole from galaxies and constraints on the anisotropy of far-infrared background (Partridge, R.B., Lahav, O., **235**, 1P

Galaxies – active

A deep radio and optical survey near the North Galactic Pole – IV. VLA observations and optical identifications of 5C 12 sources (Benn, C.R., Grueff, G., Vigotti, M., Wall, J.V.), **230**, 1
Far-ultraviolet absorption lines in active galaxies (Ulrich, M.-H.), **230**, 121
The cluster environments of powerful radio galaxies (Prestage, R.M., Peacock, J.A.), **230**, 131
Serendipitous discovery of an AGN showing rapid X-ray variability (Barstow, M.A., Stanger, V.J.), **230**, 207
The double radio nucleus of Arp 220 (Norris, R.P.), **230**, 345
An accretion disc in the broad-line radio galaxy 3C390.3? (Pérez, E., Penston, M.V., Tadhunter, C., Mediavilla, E., Moles, M.), **230**, 353
Jets with entrained clouds – II. The synchrotron spectrum and emission structure (Coleman, C.S., Bicknell, G.V.), **230**, 497
Spectrophotometry of active galaxies – I. The observations (Morris, S.L., Ward, M.J.), **230**, 639
1803 − 211 – a flat-spectrum radio source with double structure (Rao, A.P., Subrahmanyan, R.), **231**, 229
UBVRI photometry of bright GB/GB2 radio galaxies and quasars (Machalski, J., Wiśniewski, W.Z.), **231**, 1065
Spectrophotometric and neutral hydrogen observations of Michigan 160 (Axon, D.J., Staveley-Smith, L., Fosbury, R.A.E., Danziger, J., Boksenberg, A., Davies, R.D.), **231**, 1077
X-ray emission from starburst nuclei (Ward, M.J.), **231**, 1P
Shock acceleration in disordered magnetic fields (Achterberg, A.), **232**, 323
Profiles of emission lines in AGN – I. Observations of [O III] lines (Busko, I.C., Steiner, J.E.), **232**, 525
The environment of active galactic nuclei – I. A two-component broad emission line model (Collin-Souffrin, S., Dyson, J.E., McDowell, J.C., Perry, J.J.), **232**, 539
X-ray and ultraviolet observations of Markarian 421 (George, I.M., Warwick, R.S., Bromage, G.E.), **232**, 793
Do Markarian 'double nucleus' galaxies have two nuclei? The case of Mkn 788 (Joseph, R.D., Wright, G.S., James, P.A., McLean, I.S.), **232**, 7P
Recent star formation in interacting galaxies – III. Evidence from mid-infrared photometry (Wright, G.S., Joseph, R.D., Robertson, N.A., James, P.A., Meikle, W.P.S.), **233**, 1
Cosmic evolution of the physical sizes of extragalactic radio sources and their luminosity—size correlation (Singal, A.K.), **233**, 87
Analysis of a complete sample of galaxies at $m_z \leqslant 14.5$: the optical, radio and far-infrared luminosity functions (Franceschini, A., Danese, L., De Zotti, G., Toffolatti, L.), **233**, 157
IRAS source counts and cosmological evolution of actively star-forming galaxies (Franceschini, A., Danese, L., De Zotti, G., Xu, C.), **233**, 175
Observations of parallel radio sources 0211–479, 0211–480 and 0215–483 (White, G.L., McAdam, W.B., Jones, I.G.), **233**, 189
'Cold' material in non-thermal sources (Guilbert, P.W., Rees, M.J.), **233**, 475
Extended emission-line gas in NGC 1275 and the central galaxy in evidence for a distributed rather than a central source of ionization (Johnstone, R.M., Fabian, A.C.), **233**, 581
On the nature of the Broad Line Region clouds (Penston, M.V.), **233**, 601
Thermal Comptonization in compact sources and the cosmic X-ray background (Zdziarski, A.A.), **233**, 739
Kinematic mapping of the high-excitation gas in NGC 1365 (Edmunds, M.G., Taylor, K., Turtle, A.J.), **234**, 155
The duelling wind model for the emission line region of active nuclei (Smith, M.D., Raine, D.J.), **234**, 297
Rapid soft X-ray variability in a newly discovered active galaxy: EXO 1128+691 (Bedford, D.K., Vilhu, O., Petrov, P.), **234**, 319
On the stability of anisotropic astrophysical jets (Trussoni, E., Massaglia, S., Bodo, G., Ferrari, A.), **234**, 539
An investigation into the properties of a subgroup of southern galaxies detected by the *IRAS* Survey (Winkler, H.), **234**, 703
The radio emission from far-infrared galaxies: Seyfert or starburst? (Norris, R.P., Allen, D.A., Roche, P.F.), **234**, 773
A very long head–tail radio galaxy in the X-ray cluster 2A0335+096 (Patnaik, A.R., Singh, K.P.), **234**, 847
Further redshifts of 1-Jy radio sources (Allington-Smith, J.R., Spinrad, H., Djorgovski, S., Liebert, J.), **234**, 1091
Infrared spectroscopy of the ultraluminous *IRAS* Galaxy 14348–1447: a distant detection of H_2 line emission (Geballe, T.R.), **234**, 1P
Compact radio cores in infrared galaxies (Norris, R.P., Kesteven, M.J., Allen, D.A., Troupe, E.), **234**, 51P
On the dynamics of fluid in the working surface of a supersonic jet (Chakrabarti, S.K.), **235**, 33
Cooling flows around radio-loud QSO (Crawford, C.S., Fabian, A.C., Johnstone, R.M.), **235**, 183

Very extended ionized gas in radio galaxies – IV. PKS 2152–69 (Tadhunter, C.N., Fosbury, R.A.E., Alighieri, S.di S., Bland, J., Danziger, I.J., Goss, W.M., McAdam, W.B., Snijders, M.A.J.), **235**, 405
Interaction of the radio source PKS 0427–53 with IC 2082 and the cluster medium (McAdam, W.B., White, G.L., Bunton, J.D.), **235**, 425
Very extended ionized gas in radio galaxies – IV. PKS 2152–69 (Tadhunter, C.N., Fosbury, R.A.E., Alighieri, S.di S., Bland, J., Danziger, I.J., Goss, W.M., McAdam, W.B., Snijders, M.A.J.), **235**, 405
A deep radio and optical survey near the North Galactic Pole – V. *JHK* observations of a sample of 5C 12 optical identifications (Benn, C.R., Wall, J.V., Vigotti, M., Grueff, G.), **235**, 465
A one-sided radio jet in the elliptical galaxy NGC 6146 (Wrobel, J.M., Harrison, B., Pedlar, A., Unger, S.W.), **235**, 663
Theoretical constraints on thin models for active galactic nuclei (Clarke, C.J.), **235**, 881
Implications of Lyman continuum observations of quasars (Carswell, R.F., Ferland, G.J.), **235**, 1121
A survey for metrewave variability in extragalactic radio sources (Slee, O.B., Siegman, B.C.), **235**, 1313

Galaxies – formation of

Erratum: Voids and velocities in initially Gaussian models for large-scale structure (Melott, A.L.), **230**, 479
High-redshift quasars in the Cold Dark Matter cosmogony (Efstathiou, G., Rees, M.J.), **230**, 5P
The hottest hotspot on the microwave sky (Coles, P.), **231**, 125
Quasars as probes of gas in extended protogalaxies (Rees, M.J.), **231**, 91P
Gravitational lensing in a cold dark matter universe (Narayan, R., White, S.D.M.), **231**, 97P
Tidal torques and local density maxima (Heavens, A.), **232**, 339
Predictions in the condensate model of evolution of structures in the Universe (Daly, R.A.), **232**, 853
On galaxy formation in asymmetric dark haloes (Subramanian, K.), **234**, 459
Structure and formation of superclusters – VIII. Evolution of structure in a model with cold dark matter and cosmological constant (Gramann, M.), **234**, 569
An infrared search for primeval galaxies (Collins, C.A., Joseph, R.D.), **235**, 209
Multiphase cooling flows; a Lagrangian approach (Thomas, P.), **235**, 315
The search for galaxy alignment in the Perseus supercluster (Flin, P.), **235**, 857
Beyond *N*-body: 3D cosmological gas dynamics (Evrard, A.E.), **235**, 911
Dynamics of a void-dominated universe: cell-lattice models (Redmount, I.H.), **235**, 1301

Galaxies – nuclei of

The double radio nucleus of Arp 220 (Norris, R.P.), **230**, 345
An accretion disc in the broad-line radio galaxy 3C390.3? (Pérez, E., Penston, M.V., Tadhunter, C., Mediavilla, E., Moles, M.), **230**, 353
X-ray emission from starburst nuclei (Ward, M.J.), **231**, 1P
Profiles of emission lines in AGN – I. Observations of [O III] lines (Busko, I.C., Steiner, J.E.), **232**, 525
The environment of active galactic nuclei – I. A two-component broad emission line model (Collin-Souffrin, S., Dyson, J.E., McDowell, J.C., Perry, J.J.), **232**, 539
Recent star formation in interacting galaxies – III. Evidence from mid-infrared photometry (Wright, G.S., Joseph, R.D., Robertson, N.A., James, P.A., Meikle, W.P.S.), **233**, 1
Spectroscopic survey of southern compact and bright-nucleus galaxies – VII (Fairall, A.P.), **233**, 691
Kinematic mapping of the high-excitation gas in NGC 1365 (Edmunds, M.G., Taylor, K., Turtle, A.J.), **234**, 155
The duelling wind model for the emission line region of active nuclei (Smith, M.D., Raine, D.J.), **234**, 297
Spectra of shell ellipticals: redshifts, velocity dispersions and evidence for recent nuclear star formation (Carter, D., Prieur, J.L., Wilkinson, A., Sparks, W.B., Malin, D.F.), **235**, 813
Theoretical constraints on thin models for active galactic nuclei (Clarke, C.J.), **235**, 881
Implications of Lyman continuum observations of quasars (Carswell, R.F., Ferland, G.J.), **235**, 1121

Galaxies – Seyfert

A mid- to far-infrared variability study of the intermediate Seyfert galaxy, Mk 6 (Clement, R., Sembay, S., Hanson, C.G., Coe, M.J.), **230**, 117
Serendipitous discovery of an AGN showing rapid X-ray variability (Barstow, M.A., Stanger, V.J.), **230**, 207
The double radio nucleus of Arp 220 (Norris, R.P.), **230**, 345
Variable low-energy absorption in the X-ray spectrum of ESO 103 – G35 (Warwick, R.S., Pounds, K.A., Turner, T.J.), **231**, 1145
Variability of the soft excess in the Seyfert I galaxy MKn 335 (Turner, T.J., Pounds, K.A.), **232**, 463
Analysis of a complete sample of galaxies at $m_z \leq 14.5$: the optical, radio and far-infrared

luminosity functions (Franceschini, A., Danese, L., De Zotti, G., Toffolatti, L.), **233**, 157
Spectroscopic survey of southern compact and bright-nucleus galaxies – VII (Fairall, A.P.), **233**, 691
Rapid soft X-ray variability in a newly discovered active galaxy: EXO 1128+691 (Bedford, D.K., Vilhu, O., Petrov, P.), **234**, 319
An investigation into the properties of a subgroup of southern galaxies detected by the *IRAS* Survey (Winkler, H.), **234**, 703
Radio ejection and broad forbidden emission lines in the Seyfert galaxy NGC 7674 (Unger, S.W., Pedlar, A., Axon, D.J., Graham, D.A., Harrison, B.A., Saikia, D.J., Whittle, M., Meurs, E.J.A., Dyson, J.E., Taylor, D.), **234**, 745
The radio emission from far-infrared galaxies: Seyfert or starburst? (Norris, R.P., Allen, D.A., Roche, P.F.), **234**, 773
The polarization of NGC 1068 (Bailey, J., Axon, D.J., Hough, J.H., Ward, M.J., McLean, I., Heathcote, S.R.), **234**, 899

Galaxy clustering

Evolution of Lyα clouds: observational biases due to line crowding (Liu, X.D., Jones, B.J.T.), **230**, 481
Effects of blending on estimates of the redshift evolution of QSO Lyα absorbers (Parnell, H.C., Carswell, R.F.), **230**, 491
Structure and formation of superclusters – VII. Distribution of bright and faint galaxies in the Virgo supercluster (Einasto, M.), **234**, 37
The 3-D distribution of Abell clusters (Sutherland, W.), **234**, 159
Pre-galactic cooling flows and baryonic dark matter (Ashman, K.M., Carr, B.J.), **234**, 219
Structure and formation of superclusters – VIII. Evolution of structure in a model with cold dark matter and cosmological constant (Gramann, M.), **234**, 569
The peculiar acceleration of the Local Group as deduced from the optical and *IRAS* flux dipoles (Lahav, O., Rowan-Robinson, M., Lynden-Bell, D.), **234**, 677
A study of satellite galaxies in the rich cluster A2029 (Bower, R.G., Ellis, R.S., Efstathiou, G.), **234**, 725
Correlation analysis of objectively defined galaxy and cluster catalogues (Stevenson, P.R.F., Fong, R., Shanks, T.), **234**, 801
The structure and kinematics of the intergalactic south-west cloud in the M81 group (Appleton, P.N., van der Hulst, J.M.), **234**, 957
Redshifts of galaxies in some southern groups and clusters (Green, M.R., Godwin, J.G., Peach, J.V.), **234**, 1051
Errata: Kinetic theory of galaxy correlations (Guillen, M.A., Liboff, R.L.), **234**, 1119

Galaxy clusters

A redshift map of the Triangulum Australe–Ara region: further indication that Centaurus and Pavo are one and the same supercluster (Fairall, A.P.), **230**, 69
The cluster environments of powerful radio galaxies (Prestage, R.M., Peacock, J.A.), **230**, 131
The statistical determination of substructure in clusters of gaiaxies (Fitchett, M.), **230**, 161
Spectral energy distributions of galaxies in high-redshift clusters – III. Abell 370 at z–0.37 (MacLaren, I., Ellis, R.S., Couch, W.J.), **230**, 249
Erratum: Voids and velocities in initially Gaussian models for large-scale structure (Melott, A.L.), **230**, 479
Theoretical implications of deviations from Hubble flow (Kaiser, N.), **231**, 149
On the distribution of galaxy cluster pairs (Soltan, A.), **231**, 309
The structure and dynamics of Abell 2670 – I. M/L ratio and orbital anisotropy (Sharples, R.M., Ellis, R.S., Gray, P.M.), **231**, 479
The cross-correlation of Abell clusters with the Lick galaxy counts (Lilje, P.B., Efstathiou, G.), **231**, 635
The peculiar velocity of the Local Group – II. H I observations of Sc galaxies (Staveley-Smith, L., Davies, R.D.), **231**, 833
On the correlation of UVX QSOs with galaxies (Boyle, B.J., Fong, R., Shanks, T.), **231**, 897
Kinetic theory of galaxy correlations (Guillen, M.A., Liboff, R.L.), **231**, 957
Streaming motions and first-ranked cluster galaxies (Lucey, J.R., Carter, D.), **231**, 15P
Low surface brightness galaxies in the Fornax Cluster: automated galaxy surface photometry – III (Davies, J.I., Phillipps, S., Cawson, M.G.M., Disney, M.J., Kibblewhite, E.J.), **232**, 239
An objective prism Hα survey of nearby clusters of galaxies – I. Abell 347 and Abell 1367 (Moss, C., Whittle, M., Irwin, M.J.), **232**, 381
Predictions in the condensate model of evolution of structures in the Universe (Daly, R.A.), **232**, 853
Is there really a luminosity—surface brightness relation for dwarf galaxies? (Phillipps, S., Davies, J.I., Disney, M.J.), **233**, 485
Sunyaev–Zel'dovich fluctuations in the cold dark matter scenario (Cole, S., Kaiser, N.), **233**, 637
IRAS galaxies: evidence for a cosmological anisotropy? (Needham, B.G., Rowan-Robinson, M.), **233**, 1P
Multiphase cooling flows; a Lagrangian approach (Thomas, P.), **235**, 315
Gravitational clustering from scale-free initial conditions (Efstathiou, G., Frenk, C.S., White, S.D.M., Davis, M.), **235**, 715
The search for galaxy alignment in the Perseus supercluster (Flin, P.), **235**, 857

Beyond *N*-body: 3D cosmological gas dynamics (Evrard, A.E.), **235**, 911
Quasar clustering on large scales (Drinkwater, M.), **235**, 1111
Perturbations and streaming motions on large scales (Doroshkevich, A.G., Klypin, A.A.), **235**, 865
The anisotropy of the cosmic background radiation from local dynamic density perturbations (Dyer, C.C., Ip, P.S.S.), **235**, 895
Distances to five nearby southern galaxy clusters and the absolute motion of the Local Group (Lucey, J.R., Carter, D.), **235**, 1177
WHT spectroscopy of emmission-line gas around two separate quasars at z=0.87 (Fabian, A.C., Crawford, C.S., Johnstone, R.M., Allington-Smith, J.R., Hewett, P. C.), **325** 13P

Gamma–ray astronomy

Upper limits to the high-energy gamma-ray and hard X-ray flux from SN 1987A on day 55 (Sood, R.K., Thomas, J.A., Waldron, L., Manchanda, R.K., Ubertini, P., Bazzano, A., La Padula, C., Staubert, R., Kendziorra, E., Rochester, G.K., Sumner, T.J., Frye, G., Jenkins, T., Koga, R., Albats, P.), **234**, 73P
Gamma-ray burst sources in strong magnetic fields (Baring, M.G.), **235**, 79

Gravitation and gravitational radiation

Remarkable properties of the limiting counter-rotating disc (Lemos, J.P.S.), **230**, 451
Gravitational lensing in a cold dark matter universe (Narayan, R., White, S.D.M.) , **231**, 97P
Delayed gravity wave emission from supernovae: application to SN 1987 A (Wood, K.S., Michelson, P.F.), **232**, 225
On Penston's self-similar solution for cold collapse (Lynden-Bell, D., Lemos, J.P.S.), **233**, 197
The focusing equation, caustics and the condition for multiple imaging by thick gravitational lenses (Padmanabhan, T., Subramanian, K.), **233**, 265
Viscous shear in the Kerr metric (Anderson, M.R., Lemos, J.P.S.), **233**, 489
Erratum, **233**, 511
Astronomical observations with a network of detectors of gravitational waves – I. Mathematical framework and solution of the five detector problem (Dhurandhar, S.V., Tinto, M.), **234**, 663
Phase coupling gravity and astronomical mass discrepancies (Sanders, R.H.), **235**, 105
The two-screen gravitational lens (Kochanek, C.S., Apostolakis, J.), **235**, 1073

Herbig–Haro objects

Optical polarization studies of Herbig–Haro objects – IV. The HH34 complex (Scarrott, S.M.), **231**, 1055
A Herbig–Haro object in NGC 3603? (Clayton, C.A.), **231**, 33P
Optical polarization studies of Herbig–Haro objects – V. The HH46/47 complex (Scarrott, S.M., Warren-Smith, R.F.), **232**, 725

Infrared astronomy

A mid- to far-infrared variability study of the intermediate Seyfert galaxy, Mk 6 (Clement, R., Sembay, S., Hanson, C.G., Coe, M.J.), **230**, 117
Infrared polarimetry of dark clouds – II. Magnetic field structure in the ρ Ophiuchi dark cloud (Sato, S., Tamura, M., Nagata, T., Kaifu, N., Hough, J., McLean, I.S., Garden, R.P., Gatley, I.), **230**, 321
On the nature and environment of Omicron Scorpii (Whittet, D.C.B.), **230**, 473
Infrared spectropolarimetry of AFGL 2591: evidence for an annealed grain component (Aitken, D.K., Roche, P.F., Smith, C.H., James, S.D., Hough, J.H.), **230**, 629
Luminescence from interstellar carbons: evidence for diamond-like dust from extended red and near-infrared emission (Duley, W.W., Williams, D.A.), **230**, 1P
OH masers associated with *IRAS* far-infrared sources (Cohen, R.J., Baart, E.E., Jonas, J.L.), **231**, 205
IRAS and radio results for two samples of early-type galaxies (Marston, A.P.), **231**, 333
The surface brightness of spiral galaxies – IV. Correlations with far-infrared emission (Phillipps, S., Disney, M.), **231**, 359
Infrared polarimetry of dark clouds – III. The relationship between the magnetic field and star formation in the NGC 1333 region (Tamura, M., Yamashita, T., Sato, S., Nagata, T., Gatley, I.), **231**, 445
Thermal infrared emission by dust in the planetary nebula NGC 3918: a model analysis of *IRAS* observations (Harrington, J.P., Monk, D.J., Clegg, R.E.S.), **231**, 577
Shocked molecular hydrogen in the supernova remnant IC 443 (Burton, M.G., Geballe, T.R., Brand, P.W.J.L., Webster, A.S.), **231**, 617
Observational evidence for mass loss from classical cepheids (Deasy, H.P.), **231**, 673
Long-period variables in the Small Magellanic Cloud (Evans, T.L., Glass, I.S., Catchpole, R.M.), **231**, 773
Mainline OH masers near young H II regions: a correlation with *IRAS* far-infrared flux density (Moore, T.J.T., Cohen, R.J., Mountain, C.M.), **231**, 887

Excess infrared emission from large interstellar carbon grains (Duley, W.W., Williams, D.A.), **231**, 969
Studies of *IRAS* sources at high galactic latitudes – IV. New redshifts and the spectroscopic properties of *IRAS* galaxies (Leech, K.J., Lawrence, A., Rowan-Robinson, M., Walker, D., Penston, M.V.), **231**, 977
X-ray emission from starburst nuclei (Ward, M.J.), **231**, 1P
10 μm spectral observations of SN 1987A: interpretation of the infrared excess (Aitken, D.K., Smith, C.H., James, S.D., Roche, P.F., Hyland, A.R., McGregor, P.J.), **231**, 7P
Submillimetre observations reveal that DR21 (OH) is a double source (Gear, W.K., Chandler, C.J., Moore, T.J.T., Cunningham, C.T., Duncan, W.D.), **231**, 47P
Millimetre and submillimetre observations of the emission from dust in compact H II regions (Gear, W.K., Robson, E.I., Griffin, M.J.), **231**, 55P
A survey for red variables in the LMC – II (Reid, N., Glass, I.S., Catchpole, R.M.), **232**, 35
Near–infrared observations of GGD objects (Carballo, R., Eiroa, C., Mampaso, A.), **232**, 497
Molecular hydrogen emission from cold condensations in NGC 2440 (Reay, N.K., Walton, N.A., Atherton, P.D.), **232**, 615
The interstellar extinction in the open clusters Tr 14, Tr15, Tr16/Cr 232 and Cr 228 in NGC 3372. New near-infrared photometry (Tapia, M., Roth, M., Marraco, H., Ruiz, M.T.), **232**, 661
The determination of wind terminal velocities and ionic abundances from infrared fine-structure lines: the WC8 component of Γ Velorum (Barlow, M.J., Roche, P.F., Aitken, D.K.), **232**, 821
Recent star formation in interacting galaxies – III. Evidence from mid-infrared photometry (Wright, G.S., Joseph, R.D., Robertson, N.A., James, P.A., Meikle, W.P.S.), **233**, 1
IRAS source counts and cosmological evolution of actively star-forming galaxies (Franceschini, A., Danese, L., De Zotti, G., Xu, C.), **233**, 175
The 408-MHz flux density scale on the Cambridge One-Mile Telescope (Riley, J.M.), **233**, 225
Analysis of a complete sample of galaxies at $m_z \leq 14.5$: the optical, radio and far-infrared luminosity functions (Franceschini, A., Danese, L., De Zotti, G., Toffolatti, L.), **233**, 157
Infrared spectroscopy of dust in the Taurus dark clouds: ice and silicates (Whittet, D.C.B., Bode, M.F., Longmore, A.J., Adamson, A.J., McFadzean, A.D., Aitken, D.K., Roche, P.F.), **233**, 321
The 8190 Å sodium doublet in cataclysmic variables – I. The Quest (Friend, M.T., Martin, J.S., Smith, R.C., Jones, D.H.P.), **233**, 451
IRAS 20056+1834: A G star reflects on its past (Menzies, J.W., Whitelock, P.A.), **233**, 697
Infrared relection nebula in W75N (Yamashita, T., Sato, S., Tamura, M., Suzuki, H., Gatley, I., Hough, J.H., Mountain, C.M., Moore, T.J.T.), **233**, 899
A two-temperature model for the infrared and radio emission from late-type galaxies (Fitt, A.J., Cox, A., Cox, M.J.), **233**, 907
IRAS galaxies: evidence for a cosmological anisotropy? (Needham, B.G., Rowan-Robinson, M.), **233**, 1P
New near-infrared sources and reflection nebulosity in W75N (Moore, T.J.T., Mountain, C.M., Yamashita, T., Selby, M.J.), **234**, 95
IRAS sources near the Galactic Centre (Glass, I.S.), **234**, 115
The 1987 outburst of the recurrent nova U Sco (Sekiguchi, K., Feast, M.W., Whitelock, P.A., Overbeek, M.D., Wargau, W., Jones, J.S.), **234**, 281
IRAS observations and IR excesses of RS CVn-type binaries (Busso, M., Scaltriti, F., Persi, P., Ferrari-Toniolo, M., Origlia, L.), **234**, 445
An investigation into the properties of a subgroup of southern galaxies detected by the *IRAS* Survey (Winkler, H.), **234**, 703
Infrared observations of the 1985 outburst of RS Ophiuchi (Evans, A., Callus, C.M., Albinson, J.S., Whitelock, P.A., Glass, I.S., Carter, B., Roberts, G.), **234**, 755
The radio emission from far-infrared galaxies: Seyfert or starburst? (Norris, R.P., Allen, D.A., Roche, P.F.), **234**, 773
The infrared luminosity function for low-mass stars (Leggett, S.K., Hawkins, M.R.S.), **234**, 1065
Infrared spectroscopy of the ultraluminous *IRAS* Galaxy 14348−1447: a distant detection of H_2 line emission (Geballe, T.R.), **234**, 1P
Fluorescent molecular hydrogen in galaxies (Puxley, P.J., Hawarden, T.G., Mountain, C.M.), **234**, 29P
Compact radio cores in infrared galaxies (Norris, R.P., Kesteven, M.J., Allen, D.A., Troupe, E.), **234**, 51P
Amorphous carbon and interstellar emission excesses (Duley, W.W.), **234**, 61P
Circumstellar environments – IV. Mass-loss rates for carbon stars (Skinner, C.J., Whitmore, B.), **234**, 79P
Infrared absorption at 9.7μm as an OH/IR star predictor (Gaylard, M.J., Whitelock, P.A.), **235**, 123
IRAS associations with dark clouds of opacity class 6 (Parker, N.D.), **235**, 139
Spectropolarimetry of the molecular hydrogen line emission from OMC- (Burton, M.G., Hough, J.H., Axon, D.J., Hasegawa, T., Tamura, M., McCaughrean, M.J., McLean, I.S.), **235**, 161

An infrared search for primeval galaxies (Collins, C.A., Joseph, R.D.), **235**, 209
Extreme Fe II emission from an *IRAS* quasar (Lawrence, A., Saunders, W., Rowan-Robinson, M., Crawford, J., Ellis, R.S., Frenk, C.S., Efstathiou, G., Kaiser, N.), **235**, 261
Erratum: Near infrared observations of GGD objects (Carballo, R., Eirоa, C., Mampaso, A.), **235**, 288
T Tauri stars in Taurus – the *IRAS* view (Harris, S., Clegg, P., Hughes, J.), **235**, 441
A deep radio and optical survey near the North Galactic Pole – V. *JHK* observations of a sample of 5C 12 optical identifications (Benn, C.R., Wall, J.V., Vigotti, M., Grueff, G.), **235**, 465
The systematics and distribution of molecular hydrogen in planetary nebulae (Webster, B.L., Payne, P.W., Storey, J.W.V., Dopita, M.A.), **235**, 533
Erratum: Near infrared observations of GGD objects (Carballo, C., Eirao, C., Mampaso, A.), **235**, 543
Circumstellar environments – III. M-supergiants (Skinner, C.J., Whitmore, B.), **235**, 603
IRAS observations of the supernova remnant OA 184 (Leahy, D.A., Marshall, C.R.), **235**, 805
The nature of the Galactic Bulge (Harmon, R., Gilmore, G.), **235**, 1025
A silicate dust model for the halo planetary DDDM-1 (Hoare, M.G., Clegg, R.E.S.), **235**, 1049
The correlation between far-infrared and non-thermal radio emission at 151 MHz for galaxies: observations and modelling (Cox, M.J., Eales, S.A.E., Alexander, P., Fitt, A.J.), **235**, 1227
Infrared photometry of the nova-like system IX Velorum (=CPD – 48°1577) (Haug, K.), **235**, 1385
Observations of the young stellar association ON2 (Dent, W.R.F., Macdonald, G.H., Andersson, M.), **235**, 1397
10 μm spectral observations of SN 1987A: the first year (Aitken, D.K., Smith, C.H., James, S.D., Roche, P.F., Hyland, A.R., McGregor, P.J.), **235**, 19P

Instruments and techniques

Digital plate coaddition: results on a field centred on IC 4296 (Marston, A.P.), **230**, 97
Atmospheric dispersion at prime focus (Wynne, C.G., Worswick, S.P.), **230**, 457
Objective prism measurements of quasar redshifts (Drinkwater, M.J.), **231**, 391
Erratum, **233**, 511
Astronomical observations with a network of detectors of gravitational waves – I. Mathematical framework and solution of the five detector problem (Dhurandhar, S.V., Tinto, M.), **234**, 663
A shear interferometer for the measurement of atmospheric seeing (Dunlop, C.N., Major, J.V.), **234**, 993
A Polaris seeing monitor (Dunlop, C.N., Major, J.V.), **235**, 585
Optimizing a ground-based optical interferometer for sensitivity at low light levels (Buscher, D.), **235**, 1203

Intergalactic medium

Fluctuations in the X-ray background and the large-scale structure of the Universe (Barcons, X., Fabian, A.C.), **230**, 189
Evolution of Lyα clouds: observational biases due to line crowding (Liu, X.D., Jones, B.J.T.), **230**, 481
Effects of blending on estimates of the redshift evolution of QSO Lyα absorbers (Parnell, H.C., Carswell, R.F.), **230**, 491
Photino decay and the ionization of Lyman a clouds at large redshifts (Sciama, D.W.), **230**, 13P
Is 21-cm absorption associated with the emission-line regions of quasars? (Krishan, V.), **231**, 353
On the correlation of UVX QSOs with galaxies (Boyle, B.J., Fong, R., Shanks, T.), **231**, 897
Collapse of Population III objects (de Araujo, J.C.N., Opher, R.), **231**, 923
Quasars as probes of gas in extended protogalaxies (Rees, M.J.), **231**, 91P
The ultraviolet continuum of quasars – I. The shape of the continuum, continuum reddening and intervening absorption (O'Brien, P.T., Gondhalekar, P.M., Wilson, R.), **233**, 801
Pre-galactic cooling flows and baryonic dark matter (Ashman, K.M., Carr, B.J.), **234**, 219
A very long head–tail radio galaxy in the X-ray cluster 2A0335+096 (Patnaik, A.R., Singh, K.P.), **234**, 847
The structure and kinematics of the intergalactic south-west cloud in the M81 group (Appleton, P.N., van der Hulst, J.M.), **234**, 957
Cooling flows around radio-loud QSO (Crawford, C.S., Fabian, A.C., Johnstone, R.M.), **235**, 183
Multiphase cooling flows; a Lagrangian approach (Thomas, P.), **235**, 315
Dynamics of a void-dominated universe: cell-lattice models (Redmount, I.H.), **235**, 1301
An analytic theory of self-propagating star formation (Neukirch, T., Feitzinger, J.V.), **235**, 1343
WHT spectroscopy of emission-line gas around two separate quasars at z=0.87 (Fabian, A.C., Crawford, C.S., Johnstone, R.M., Allington-Smith, J.R., Hewett, P.C.), **235**, 13P

Interstellar dust

Nature of dust grains in comets (Krishna Swamy, K.S., Shah, G.A.), **233**, 573

Interstellar grains

Spectropolarimetry of the 3-μm ice band in Elias 16 (Taurus Dark Cloud) (Hough, J.H., Sato, S., Tamura, M., Yamashita, T., McFadzean, A.D., Rouse, M.F., Whittet, D.C.B., Kaifu, N., Suzuki, H., Nagata, T., Gatley, I., Bailey, J.), **230**, 107

A mid- to far-infrared variability study of the intermediate Seyfert galaxy, Mk 6 (Clement, R., Sembay, S., Hanson, C.G., Coe, M.J.), **230**, 117

Formation of planets around stars of various masses – II. Stars of two and three solar masses and the origin and evolution of circumstellar dust clouds (Nakano, T.), **230**, 551

Infrared polarimetry of dark clouds – II. Magnetic field structure in the p Ophiuchi dark cloud (Sato, S., Tamura, M., Nagata, T., Kaifu, N., Hough, J., McLean, I.S., Garden, R.P., Gatley, I.), **230**, 321

On the nature and environment of Omicron Scorpii (Whittet, D.C.B.), **230**, 473

Infrared spectropolarimetry of AFGL 2591: evidence for an annealed grain component (Aitken, D.K., Roche, P.F., Smith, C.H., James, S.D., Hough, J.H.), **230**, 629

Luminescence from interstellar carbons: evidence for diamond-like dust from extended red and near-infrared emission (Duley, W.W., Williams, D.A.), **230**, 1P

Circumstellar environments – II. The silicate emission band and cool stellar mass loss rates (Skinner, C.J., Whitmore, B.), **231**, 169

Mass loaded astronomical flows – II. The chemistry in T-Tauri wind-blown bubbles in dense molecular clouds (Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A.), **231**, 269

A model of the chemistry in hot molecular cores (Brown, P.D., Charnley, S.B., Millar, T.J.), **231**, 409

The interstellar 2200 Å feature and charge transfer absorption (Carnochan, D.J.), **231**, 455

Thermal infrared emission by dust in the planetary nebula NGC 3918: a model analysis of *IRAS* observations (Harrington, J.P., Monk, D.J., Clegg, R.E.S.), **231**, 577

Excess infrared emission from large interstellar carbon grains (Duley, W.W., Williams, D.A.), **231**, 969

Magnesium abundances in planetary nebulae and interstellar absorption of Mg II λ 2800 Å (Middlemass, D.), **231**, 1025

An optical polarization study of the L1551 – IRS5 jet (Scarrott, S.M.), **231**, 39P

Millimetre and submillimetre observations of the emission from dust in compact H II regions (Gear, W.K., Robson, E.I., Griffin, M.J.), **231**, 55P

Carbon dust formation in R Coronae Borealis stars (Fadeyev, Yu., A.), **233**, 65

Infrared spectroscopy of dust in the Taurus dark clouds: ice and silicates (Whittet, D.C.B., Bode, M.F., Longmore, A.J., Adamson, A.J., McFadzean, A.D., Aitken, D.K., Roche, P.F.), **233**, 321

IRAS 20056+1834: A G star reflects on its past (Merzies, J.W., Whitelock, P.A.), **233**, 697

The interstellar extinction law towards the open cluster TR-37 (Roth, M.), **233**, 773

Segregation of dust and abundance inhomogeneities in globular clusters (Bhatt, H.C.), **233**, 867

Infrared relection nebula in W75N (Yamashita, T., Sato, S., Tamura, M., Suzuki, H., Gatley, I., Hough, J.H., Mountain, C.M., Moore, T.J.T.), **233**, 899

Modelling interstellar extinction – I. Porous grains (Jones, A.P.), **234**, 209

Diffuse interstellar bands and cloud density (Somerville, W.B.), **234**, 655

The polarization of NGC 1068 (Bailey, J., Axon, D.J., Hough, J.H., Ward, M.J., McLean, I., Heathcote, S.R.), **234**, 899

Amorphous carbon and interstellar emission excesses (Duley, W.W.), **234**, 61P

Circumstellar environments – IV. Mass-loss rates for carbon stars (Skinner, C.J., Whitmore, B.), **234**, 79P

IRAS associations with dark clouds of opacity class 6 (Parker, N.D.), **235**, 139

Circumstellar environments – III. M-supergiants (Skinner, C.J., Whitmore, B.), **235**, 603

A silicate dust model for the halo planetary DDDM- (Hoare, M.G., Clegg, R.E.S.), **235**, 1049

Interstellar medium

The sealing of fragmenting shells – evidence from optical studies of the Vela remnant (Meaburn, J., Hartquist, T.W., Dyson, J.E.), **230**, 243

Echelle observations of gas motions in NGC 604 (Clayton, C.A.), **231**, 191

The interstellar 2200 Å feature and charge transfer absorption (Carnochan, D.J.), **231**, 455

An empirical law of star formation in spiral galaxies (Rana, N.C., Wilkinson, D.A.), **231**, 509

The dynamics of interstellar cloud complexes (Monaghan, J.J., Varnas, S.R.), **231**, 515

A search for SH^+ toward Zeta Ophiuchi (Millar, T.J., Hobbs, L.M.), **231**, 953

Dark matter in the dwarf galaxy II Zwicky 40 (Brinks, E., Klein, U.), **231**, 63P

A relation between UV excess and the interstellar medium in elliptical galaxies (Sparks, W.B., Collier, A., Cameron, A.C.), **232**, 215

The environment of active galactic nuclei – I. A two-component broad emission line model (Collin-Souffrin, S., Dyson, J.E., McDowell, J.C., Perry, J.J.), **232**, 539
Collisions between rotating interstellar clouds (Lattanzio, J.C., Henriksen, R.N.), **232**, 565
Interaction of the radio source PKS 0427–53 with IC 2082 and the cluster medium (McAdam, W.B., White, G.L., Bunton, J.D.), **235**, 425
On variability in the broad absorption line troughs of the QSO Q1246–057 (Smith, L.J., Penston, M.V.), **235**, 551
On the influence of galaxy magnetic fields on the rotation curves in the outer discs of galaxies (Nelson, A.H.), **233**, 115
Extended emission-line gas in NGC 1275 and the central galaxy in evidence for a distributed rather than a central source of ionization (Johnstone, R.M., Fabian, A.C.), **233**, 581
An HI absorption line survey of Messier 31 (Dickey, J.M., Brinks, E.), **233**, 781
High-resolution observations of interstellar Na I towards HD 174632 (Crawford, I.A.), **233**, 923
Formation of a gas condensation in a perturbed shock (Kimura, T., Tosa, M.), **234**, 51
Scattering of quasar radiation in intercloud plasma (Krishan, V.), **234**, 79
A search for QSOs in the fields of nearby galaxies – III. NGC 1291, Fornax, A1008–04, NGC 3109, NGC 3115, NGC 4038/9, NGC 5170, NGC 5236, NGC 5364, NGC 5426/7 and Grus (Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C.), **234**, 193
Diffuse interstellar bands and cloud density (Somerville, W.B.), **234**, 655
Improved estimates of interstellar scattering through the inner galaxy (Rao, A.P., Slee, O.B.), **234**, 853
Theoretical studies of interstellar molecular shocks – VII. The photodissociation of molecular hydrogen (Monteiro, T.S., Flower, D.R., Pineau des Forêts, Roueff, E.), **234**, 863
Detection of carbon recombination lines below 100 MHz towards the Galactic Centre and M16 (Anantharamaiah, K.R., Payne, H.E., Erickson, W.C.), **235**, 151
A synthesis of interstellar C_4S (Wlodek, S., Bohme, D.K., Herbst, E.), **235**, 493

Laboratory astrophysics

Collisional properties of ice spheres at low impact velocities (Hatzes, A.P., Bridges, F.G., Lin, D.N.C.), **231**, 1091

Magellanic Clouds

Binary star clusters in the Large Magellanic Cloud (Bhatia, R.K., Hatzidimitriou, D.), **230**, 215
Effective temperatures and radii of Small Magellanic Cloud supergiants (Thompson, G.I., Nandy, K., Morgan, D.H., Houziaux, L.), **230**, 429
Long-period variables in the Small Magellanic Cloud (Evans, T.L., Glass, I.S., Catchpole, R.M.), **231**, 773
*UBV(RI)*c photometry of some standard sequences in the Harvard F regions and in the Magellanic Clouds (Menzies, J.W., Laing, J.D.), **231**, 1047
A survey for red variables in the LMC – II (Reid, N., Glass, I.S., Catchpole, R.M.), **232**, 35
CAL 83: a 1-day period low-mass X-ray binary in the LMC (Smale, A.P., Corbet, R.H.D., Charles, P.A., Ilovaisky, S.A., Mason, K.O., Motch, C., Mukai, K., Naylor, T., Parmai, A.N., van der Klis, M., van Paradijs, J.), **233**, 51
An optical spectrophotometric survey of abundances in Magellanic Cloud planetary nebulae (Monk, D.J., Barlow, M.J., Clegg, R.E.S.), **234**, 583
Multicolour 'Stokes' polarimetry of SN 1987A in the LMC (Barrett, P.), **234**, 937
S147: A K-type symbiotic star in the LMC (Morgan, D.H., Allen, D.A.), **234**, 1005
Supernovae in the halo of the 30 Doradus nebula? (Meaburn, J.), **235**, 375
A search for β Cephei variable stars in the Magellanic Clouds: motivation and first results for LMC (Sterken, C., Jerzykiewicz, M.), **235**, 565

Masers

The circumstellar envelope of an unusual OH/IR star, OH 19.2–1.0 (Chapman, J.M.), **230**, 415
OH masers associated with *IRAS* far-infrared sources (Cohen, R.J., Baart, E.E., Jonas, J.L.), **231**, 205
Mainline OH masers near young H II regions: a correlation with *IRAS* far-infrared flux density (Moore, T.J.T., Cohen, R.J., Mountain, C.M.), **231**, 887
The amplification of celestial maser radiation in the general many-level case (Field, D., Gray, M.D.), **234**, 353
A search for very compact structure in 16 OH masers (Kemball, A.J., Diamond, P.J., Mantovani, F.), **234**, 713
Infrared absorption at 9.7μm as an OH/IR star predictor (Gaylard, M.J., Whitelock, P.A.), **235**, 123
A recalibration of the interstellar ammonia thermometer (Danby, G., Flower, D.R., Valiron, P., Schilke, P., Walmsley, C.M.), **235**, 229
Methanol absorption at 12.2 GHz towards Sgr B2 (Whiteoak, J.B., Gardner, F.F., Caswell, J.L., Norris, R.P., Wellington, K.J., Peng, R.-S.), **235**, 655

Meteors

Cluster ions and the meteor head echo (Jones, J., Mitchell, J.B.A., McIntosh, B.A.), **232**, 771
Television observations of the 1984 Orionid shower (Duffy, A.G., Hawkes, R.L., Jones, J.), **234**, 643
The Halley comet meteor stream: numerical modelling of its dynamic evolution (McIntosh, B.A., Jones, J.), **235**, 673

Microwave background

The hottest hotspot on the microwave sky (Coles, P.), **231**, 125
Streaming motions and first-ranked cluster galaxies (Lucey, J.R., Carter, D.), **231**, 15P
Sunyaev–Zel'dovich fluctuations in the cold dark matter scenario (Cole, S., Kaiser, N.), **233**, 637
Large-scale optical dipole anisotropy (Plionis, M.), **234**, 401
Statistical geometry and the microwave background (Coles, P.), **234**, 509
The peculiar acceleration of the Local Group as deduced from the optical and *IRAS* flux dipoles (Lahav, O., Rowan-Robinson, M., Lynden-Bell, D.), **234**, 677
Perturbations and streaming motions on large scales (Doroshkevich, A.G., Klypin, A.A.), **235**, 865
The anisotropy of the cosmic background radiation from local dynamic density perturbations (Dyer, C.C., Ip, P.S.S.), **235**, 895
Fluctuations of the cosmic background radiation at different wavelengths (Panek, M., Rudak, B.), **235**, 1169
Distances to five nearby southern galaxy clusters and the absolute motion of the Local Group (Lucey, J.R., Carter, D.), **235**, 1177
Contributions to the microwave background dipole from galaxies, and constraints on the anisotropy of far-infrared background (Partridge, R.B., Lahav, O.), **235**, 1P

Molecules and molecular clouds

Chemical modelling of molecular sources – VI. Carbon-bearing molecules in oxygen-rich circumstellar envelopes (Nejad, L.A.M., Millar, T.J.), **230**, 79
Infrared polarimetry of dark clouds – II. Magnetic field structure in the ρ Ophiuchi dark cloud (Sato, S., Tamura, M., Nagata, T., Kaifu, N., Hough, J., McLean, I.S., Garden, R.P., Gatley, I.), **230**, 321
Non-equilibrium level populations of molecular hydrogen – I. Uniform density, static clouds (Wagenblast, R., Hartquist, T.W.), **230**, 363
Infrared spectropolarimetry of AFGL 2591: evidence for an annealed grain component (Aitken, D.K., Roche, P.F., Smith, C.H., James, S.D., Hough, J.H.), **230**, 629
Chemistry in T Tauri winds (Rawlings, J.M.C., Williams, D.A., Cantó, J.), **230**, 695
Mass loaded astronomical flows – II. The chemistry in T-Tauri wind-blown bubbles in dense molecular clouds (Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A.), **231**, 269
A model of the chemistry in hot molecular cores (Brown, P.D., Charnley, S.B., Millar, T.J.), **231**, 409
Infrared polarimetry of dark clouds – III. The relationship between the magnetic field and star formation in the NGC 1333 region (Tamura, M., Yamashita, T., Sato, S., Nagata, T., Gatley, I.), **231**, 445
The interstellar 2200 Å feature and charge transfer absorption (Carnochan, D.J.), **231**, 455
The dynamics of interstellar cloud complexes (Monaghan, J.J., Varnas, S.R.), **231**, 515
Shocked molecular hydrogen in the supernova remnant IC 443 (Burton, M.G., Geballe, T.R., Brand, P.W.J.L., Webster, A.S.), **231**, 617
Mainline OH masers near young H II regions: a correlation with *IRAS* far-infrared flux density (Moore, T.J.T., Cohen, R.J., Mountain, C.M.), **231**, 887
A search for SH^+ toward Zeta Ophiuchi (Millar, T.J., Hobbs, L.M.), **231**, 953
An optical polarization study of the Reipurth 50 nebulosity (Scarrott, S.M., Wolstencroft, R.D.), **231**, 1019
A Herbig–Haro object in NGC 3603? (Clayton, C.A.), **231**, 33P
An optical polarization study of the L1551 – IRS5 jet (Scarrott, S.M.), **231**, 39P
Submillimetre observations reveal that DR21 (OH) is a double source (Gear, W.K., Chandler, C.J., Moore, T.J.T., Cunningham, C.T., Duncan, W.D.), **231**, 47P
Chemistry in the ejecta of novae (Rawlings, J.M.C.), **232**, 507
Collisions between rotating interstellar clouds (Lattanzio, J.C., Henriksen, R.N.), **232**, 565
Molecular hydrogen emission from cold condensations in NGC 2440 (Reay, N.K., Walton, N.A., Atherton, P.D.), **232**, 615
Infrared spectroscopy of dust in the Taurus dark clouds: ice and silicates (Whittet, D.C.B., Bode, M.F., Longmore, A.J., Adamson, A.J., McFadzean, A.D., Aitken, D.K., Roche, P.F.), **233**, 321
Formation of a gas condensation in a perturbed shock (Kimura, T., Tosa, M.), **234**, 51
New near-infrared sources and reflection nebulosity in W75N (Moore, T.J.T., Mountain, C.M., Yamashita, T., Selby, M.J.), **234**, 95
The amplification of celestial maser radiation in the general many-level case (Field, D., Gray, M.D.), **234**, 353
A search for very compact structure in 16 OH

masers (Kemball, A.J., Diamond, P.J., Mantovani, F.), **234**, 713
Theoretical studies of interstellar molecular shocks – VII. The photodissociation of molecular hydrogen (Monteiro, T.S., Flower, D.R., Pineau des Forêts, Roueff, E.), **234**, 863
Rate of the reaction: $OH+CO \rightarrow CO_2+H$ at interstellar temperatures (Smith, I.W.M.), **234**, 1059
Infrared spectroscopy of the ultraluminous *IRAS* Galaxy 14348–1447: a distant detection of H_2 line emission (Geballe, T.R.), **234**, 1P
Fluorescent molecular hydrogen in galaxies (Puxley, P.J., Hawarden, T.G., Mountain, C.M.), **234**, 29P
New bipolar outflows in dark molecular clouds (Parker, N.D., Padman, R., Scott, P.F., Hills, R.E.), **234**, 67P
Spectropolarimetry of the molecular hydrogen line emission from OMC- (Burton, M.G., Hough, J.H., Axon, D.J., Hasegawa, T., Tamura, M., McCaughrean, M.J., McLean, I.S.), **235**, 161
A recalibration of the interstellar ammonia thermometer (Danby, G., Flower, D.R., Valiron, P., Schilke, P., Walmsley, C.M.), **235**, 229
On the effects of rotation on interstellar molecular line profiles (Adelson, L.M., Leung, C.M.), **235**, 349
A synthesis of interstellar C_4S (Wlodek, S., Bohme, D.K. Herbst, E.), **235**, 493
The systematics and distribution of molecular hydrogen in planetary nebulae (Webster, B.L., Payne, P.W., Storey, J.W.V., Dopita, M.A.), **235**, 533
Theoretical studies of interstellar molecular shocks – VIII. Polycyclic aromatic hydrocarbons in dark clouds (Pineau des Forêts, G., Flower, D.R., Dalgarno, A.), **235**, 621
Methanol absorption at 12.2 GHz towards Sgr B2 (Whiteoak, J.B., Gardner, F.F., Caswell, J.L., Norris, R.P., Wellington, K.J., Peng, R.-S.), **235**, 655
Chemical limit cycles for models of a region of low-mass star formation (Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A.), **235**, 1257
Observations of the young stellar association ON2 (Dent, W.R.F., Macdonald, G.H., Andersson, M.), **235**, 1397

Nebulae – gaseous

Formation of planets around stars of various masses – II. Stars of two and three solar masses and the origin and evolution of circumstellar dust clouds (Nakano, T.), **230**, 551
Echelle observations of gas motions in NGC 604 (Clayton, C.A.), **231**, 191
On the determination of temperatures of ionizing stars in H II regions (Vilchez, J.M., Pagel, B.E.J.), **231**, 257
An optical polarization study of the Reipurth 50 nebulosity (Scarrott, S.M., Wolstencroft, R.D.), **231**, 1019
A Herbig–Haro object in NGC 3603? (Clayton, C.A.), **231**, 33P
Millimetre and submillimetre observations of the emission from dust in compact H II regions (Gear, W.K., Robson, E.I., Griffin, M.J.), **231**, 55P
Near–infrared observations of GGD objects (Carballo, R., Eiroa, C., Mampaso, A.), **232**, 497
Extended emission-line gas in NGC 1275 and the central galaxy in evidence for a distributed rather than a central source of ionization (Johnstone, R.M., Fabian, A.C.), **233**, 581
An extended high-speed flow from a compact, ionized knot in the Orion Nebula (M42) (Meaburn, J.), **233**, 791
An optical study of the dynamics of the clumpy wind-blown nebula RCW 58 (Smith, L.J., Pettini, M., Dyson, J.E., Hartquist, T.W.), **234**, 625
A simple stability criterion for isothermal spherical self-similar flow (Ori, A., Piran, T.), **234**, 821
IRAS associations with dark clouds of opacity class 6 (Parker, N.D.), **235**, 139
Erratum: Near infrared observations of GGD objects (Carballo, R., Eiroa, C., Mampaso, A.), **235**, 288
Giant H II regions as distance indicators – II. Application to H II galaxies and the value of the Hubble constant (Melnick, J., Terlevich, R., Moles, M.), **235**, 297
Supernovae in the halo of the 30 Doradus nebula? (Meaburn, J.), **235**, 375
The Wolf–Rayet nebula NGC 6888 as a pressure driven bubble (Marston, A.P., Meaburn, J.), **235**, 391
The dynamics of a complex of interlocking giant shells in the Local Group dwarf galaxy IC 1613 (Meaburn, J., Clayton, C.A., Whitehead, M.J.), **235**, 479
Erratum: Near infrared observations of GGD objects (Carballo, C., Eirao, C., Mampaso, A.), **235**, 543
The chemical composition gradient across M33 (Vilchez, J.M., Pagel, B.E.J., Díaz, A.I., Terlevich, E., Edmunds, M.G.), **235**, 633
Stellar winds in H II regions – I. Unstable waves in ionized shells (Breitschwerdt, D., Kahn, F.D.), **235**, 1011
$Mg–H^+$ charge transfer and Mg line intensities in gaseous nebulae (Allan, R.J., Clegg, R.E.S., Dickinson, A.S., Flower, D.R.), **235**, 1245

Nebulae – planetary

The abundances and mass distribution of planetary nebulae in the galactic bulge (Webster, B.L.), **230**, 377
Thermal infrared emission by dust in the planetary nebula NGC 3918: a model

analysis of *IRAS* observations (Harrington, J.P., Monk, D.J., Clegg, R.E.S.), **231**, 577
Magnesium abundances in planetary nebulae and interstellar absorption of Mg II λ 2800 Å (Middlemass, D.), **231**, 1025
Molecular hydrogen emission from cold condensations in NGC 2440 (Reay, N.K., Walton, N.A., Atherton, P.D.), **232**, 615
Fine structure splitting of the $2s^2\,2p^3\,^2P$ and ^2D levels of O II from CCD/echelle observations of the planetary nebula IC 418 (Barnett, E.W., McKeith, C.D.), **234**, 241
An optical spectrophotometric survey of abundances in Magellanic Cloud planetary nebulae (Monk, D.J., Barlow, M.J., Clegg, R.E.S.), **234**, 583
Morphology of the bipolar planetary nebula NGC 2346 from emission line profile studies (Anandarao, B.G., Banerjee, D.P.K., Desai, J.N., Jain, S.K., Mallik, D.C.V.), **235**, 221
The systematics and distribution of molecular hydrogen in planetary nebulae (Webster, B.L., Payne, P.W., Storey, J.W.V., Dopita, M.A.), **235**, 533
A silicate dust model for the halo planetary DDDM- (Hoare, M.G., Clegg, R.E.S.), **235**, 1049

Nebulae – reflection

Infrared polarimetry of dark clouds – III. The relationship between the magnetic field and star formation in the NGC 1333 region (Tamura, M., Yamashita, T., Sato, S., Nagata, T., Gatley, I.), **231**, 445
Optical polarization studies of Herbig–Haro objects – IV. The HH34 complex (Scarrott, S.M.), **231**, 1055
Optical polarization studies of Herbig–Haro objects – V. The HH46/47 complex (Scarrott, S.M., Warren-Smith, R.F.), **232**, 725
Infrared relection nebula in W75N (Yamashita, T., Sato, S., Tamura, M., Suzuki, H., Gatley, I., Hough, J.H., Mountain, C.M., Moore, T.J.T.), **233**, 899
New near-infrared sources and reflection nebulosity in W75N (Moore, T.J.T., Mountain, C.M., Yamashita, T., Selby, M.J.), **234**, 95
The illuminating source of the nebulosity near the IR source GL 2591 (Rolph, C.D., Scarrott, S.M.), **234**, 719
Spectropolarimetry of the molecular hydrogen line emission from OMC- (Burton, M.G., Hough, J.H., Axon, D.J., Hasegawa, T., Tamura, M., McCaughrean, M.J., McLean, I.S.), **235**, 161

Neutron stars

The radius of a magnetosphere in the radiation pressure dominated region of an accretion disc (White, N.E., Stella, L.), **231**, 325
The orbital variability of XB1636 – 536 (Smale, A.P., Mukai, K.), **231**, 663
An enhanced stellar wind accretion model for binary X-ray transients (Stevens, I.R.), **232**, 199
Pulsar electrodynamics – I (Fitzpatrick, R., Mestel, L.), **232**, 277
Pulsar electrodynamics – II (Fitzpatrick, R., Mestel, L.), **232**, 303
Bimodal accretion in GX5– and a possible constraint on its rotation period (Berman, N.M., Stollman, G.M.), **232**, 487
The large glitch from PSR 0355+54 and its post-glitch relaxation (Alpar, M.A., Cheng, K.S., Pines, D., Shaham, J.), **233**, 25
Appearance of the trans-field flow in the pulsar magnetosphere (Shibata, S.), **233**, 405
Non-linear oscillations of the magnetosphere around neutron stars (Hanami, H.), **233**, 423
On the relation between X-ray burst properties and the persistent X-ray luminosity (van Paradijs, J., Penninx, W., Lewin, W.H.G.), **233**, 437
Crab Pulsar timing 1982–87 (Lyne, A.G., Pritchard, R.S., Smith, F.G.), **233**, 667
Neutron star magnetic field decay: Hall drift and Ohmic diffusion (Jones, P.B.), **233**, 875
Synchrotron emission, pair production and annihilation in strongly magnetized relativistic plasmas (Baring, M.G.), **235**, 51
Gamma-ray burst sources in strong magnetic fields (Baring, M.G.), **235**, 79
Excitation of small-amplitude free precession in the Crab pulsar (Jones, P.B.), **235**, 545

Novae

White dwarf heating and the ultraviolet flux in dwarf novae (Pringle, J.E.), **230**, 587
The 1985 May superoutburst of the dwarf nova OY Carinae – II. *IUE* and *EXOSAT* observations (Naylor, T., Bath, G.T., Charles, P.A., Hassall, B.J.M., Sonneborn, G., van der Woerd, H., van Paradijs, J.), **231**, 237
GK Per: X-ray observations in quiescence (Norton, A.J., Watson, M.G., King, A.R.), **231**, 783
A spectroscopic study of the deeply eclipsing dwarf nova IP Peg (Marsh, T.R.), **231**, 1117
Numerical simulations of accretion discs – I. Superhumps: a tidal phenomenon of accretion discs (Whitehurst, R.), **232**, 35
Chemistry in the ejecta of novae (Rawlings, J.M.C.), **232**, 507
The discovery of orbital dips in the soft X-ray emission of U Gem during an outburst (Mason, K.O., Córdova, F.A., Watson, M.G., King, A.R.), **232**, 779
The response of the accretion disc radius to a temporary enhancement of mass transfer (Livio, M., Verbunt, F.), **232**, 1P
US943: a 19th mag eclipsing cataclysmic variable with a period of $2^h3^m.8$ (Howell, S.B., Mason, K.O., Reichert, G.A., Warnock, A., Kreidl, T.J.), **233**, 79

Numerical simulations of accretion discs – II. Design and implementation of a new numerical method (Whitehurst, R.), **233**, 529
High-speed photometry of Z Chamaeleontis during outbursts (Warner, B., O'Donoghue, D.), **233**, 705
The 1987 outburst of the recurrent nova U Sco (Sekiguchi, K., Feast, M.W., Whitelock, P.A., Overbeek, M.D., Wargau, W., Spencer Jones, J.), **234**, 281
Regular orbital variations in the ultraviolet resonance lines of YZ Cnc (Drew, J.E., Verbunt, F.), **234**, 341
Infrared observations of the 1985 outburst of RS Ophiuchi (Evans, A., Callus, C.M., Albinson, J.S., Whitelock, P.A., Glass, I.S., Carter, B., Roberts, G.), **234**, 755

Photometry – non-stellar

The lowest surface brightness disc galaxy known (Davies, J.I., Phillipps, S., Disney, M.J.), **231**, 69P
Low surface brightness galaxies in the Fornax Cluster: automated galaxy surface photometry – III (Davies, J.I., Phillipps, S., Cawson, M.G.M., Disney, M.J., Kibblewhite, E.J.), **232**, 239
Pulsar electrodynamics – II (Fitzpatrick, R., Mestel, L.), **232**, 303
The ultraviolet continuum of quasars – II. Continuum variability (O'Brien, P.T., Gondhalekar, P.M., Wilson, R.), **233**, 845
Erratum: The lowest surface brightness disc galaxy known (Davies, J.I., Phillipps, S., Disney, M.J.), **235**, 287

Physical processes

Raman scattering of the synchrotron self-absorbed radiation in accretion discs (Krishan, V.), **230**, 183
Non-equilibrium level populations of molecular hydrogen – I. Uniform density static clouds (Wagenblast, R., Hartquist, T.W.), **230**, 363
Jets with entrained clouds – II. The synchrotron spectrum and emission structure (Coleman, C.S., Bicknell, G.V.), **230**, 497
Photino decay and the ionization of Lyman a clouds at large redshifts (Sciama, D.W.), **230**, 13P
Viscous pulsational instability of the transonic region of isothermal geometrically thin accretion discs – I. Analytical results (Kato, S., Honma, F., Matsumoto, R.), **231**, 37
The stability of accretion tori – III. The effect of self-gravity (Goodman, J. Narayan, R.), **231**, 96
Detection of the AM Her type cataclysmic variable V834 Cen at radio wavelengths (Wright, A.E., Cropper, M., Stewart, R.T., Nelson, G.J., Slee, O.B.), **231**, 319
The radius of a magnetosphere in the radiation pressure dominated region of an accretion disc (White, N.E., Stella, L.), **231**, 325
The dynamics of interstellar cloud complexes (Monaghan, J.J., Varnas, S.R.), **231**, 515
Neutron thermalization in stellar interiors (Malaney, R.A.), **231**, 657
Sonic instabilities in supersonic shear flows (Glatzel, W.), **231**, 795
Collapse of Population III objects (de Araujo, J.C.N., Opher, R.), **231**, 923
Kinetic theory of galaxy correlations (Guillen, M.A., Liboff, R.L.), **231**, 957
Excess infrared emission from large interstellar carbon grains (Duley, W.W., Williams, D.A.), **231**, 969
Collapse of a radiating star revisited (de Oliveira, A.K.G., Kolassis, C.A., Santos, N.O.), **231**, 1011
Collisional properties of ice spheres at low impact velocities (Hatzes, A.P., Bridges, F.G., Lin, D.N.C.), **231**, 1091
Angular momentum transfer in non-axisymmetric accretion (Ho, C.), **232**, 91
Pulsar electrodynamics – I (Fitzpatrick, R., Mestel, L.), **232**, 277
Pulsar electrodynamics – II (Fitzpatrick, R., Mestel, L.), **232**, 303
Shock acceleration in disordered magnetic fields (Achterberg, A.), **232**, 323
Tidal torques and local density maxima (Heavens, A.), **232**, 339
The environment of active galactic nuclei – I. A two-component broad emission line model (Collin-Souffrin, S., Dyson, J.E., McDowell, J.C., Perry, J.J.), **232**, 539
Collisions between rotating interstellar clouds (Lattanzio, J.C., Henriksen, R.N.), **232**, 565
A model of the symbiotic star RX Puppis (Allen, D.A., Wright, A.E.), **232**, 683
Magnetic flux dissipation in a collapsing protostar (El-Nawawy, M.S., Aiad, A., El-Shalaby, M.A.), **232**, 809
The response of the accretion disc radius to a temporary enhancement of mass transfer (Livio, M., Verbunt, F.), **232**, 1P
The large glitch from PSR 0355+54 and its post-glitch relaxation (Alpar, M.A., Cheng, K.S., Pines, D., Shaham, J.), **233**, 25
On the influence of galaxy magnetic fields on the rotation curves in the outer discs of galaxies (Nelson, A.H.), **233**, 115
On Penston's self-similar solution for cold collapse (Lynden-Bell, D., Lemos, J.P.S.), **233**, 197
Equilibrium models for large stellar coronal loops (Cameron, A.C.), **233**, 235
Acceleration of relativistic particles in shocks with oblique magnetic fields (Ostrowski, M.), **233**, 257
The focusing equation, caustics and the condition for multiple imaging by thick gravitational lenses (Padmanabhan, T., Subramanian, K.), **233**, 265
Appearance of the trans-field flow in the pulsar magnetosphere (Shibata, S.), **233**, 405

Viscous shear in the Kerr metric (Anderson, M.R., Lemos, J.P.S.), **233**, 489
Numerical simulations of accretion discs – II. Design and Thermal Comptonization in compact sources and the cosmic X-ray background (Zdziarski, A.A.), **233**, 739
Neutron star magnetic field decay: Hall drift and Ohmic diffusion (Jones, P.B.), **233**, 875
Formation of a gas condensation in a perturbed shock (Kimura, T., Tosa, M.), **234**, 51
The evolution of Ω in inflationary universes (Madsen, M.S., Ellis, G.F.R.), **234**, 67
The stability of a differentially rotating cylinder of an incompressible perfect fluid (Sekiya, M., Miyama, M.S.), **234**, 107
The helical wave structure in a comet plasma tail (Kochhar, R.K., Trehan, S.K.), **234**, 123
Modelling interstellar extinction – I. Porous grains (Jones, A.P.), **234**, 209
The amplification of celestial maser radiation in the general many-level case (Field, D., Gray, M.D.), **234**, 353
Thomson scattering in the presence of a weak magnetic field (Collins II, G.W.), **234**, 417
Statistical geometry and the microwave background (Coles, P.), **234**, 509
On the stability of anisotropic astrophysical jets (Trussoni, E., Massaglia, S., Bodo, G., Ferrari, A.), **234**, 539
A simple stability criterion for isothermal spherical self-similar flow (Ori, A., Piran, T.), **234**, 821
Theoretical studies of interstellar molecular shocks – VII. The photodissociation of molecular hydrogen (Monteiro, T.S., Flower, D.R., Pineau des Forêts, Roueff, E.), **234**, 863
Errata: Kinetic theory of galaxy correlations (Guillen, M.A., Liboff, R.L.), **234**, 1119
On the interpretation of pulsar braking indices (Blandford, R.D., Romani, R.W.), **234**, 57P
On the dynamics of fluid in the working surface of a supersonic jet (Chakrabarti, S.K.), **235**, 33
Synchrotron emission pair production and annihilation in strongly magnetized relativistic plasmas (Baring, M.G.), **235**, 51
Gamma-ray burst sources in strong magnetic fields (Baring, M.G.), **235**, 79
A recalibration of the interstellar ammonia thermometer (Danby, G., Flower, D.R., Valiron, P., Schilke, P., Walmsley, C.M.), **235**, 229
Multiphase cooling flows; a Lagrangian approach (Thomas, P.), **235**, 315
Clathrate hydrates in cometary nuclei and porosity (Smoluchowski, R.), **235**, 343
The diffusion of contaminant through an accretion disc (Clarke, C.J., Pringle, J.E.), **235**, 365
Excitation of small-amplitude free precession in the Crab pulsar (Jones, P.B.), **235**, 545
Theoretical studies of interstellar molecular shocks – VIII. Polycyclic aromatic hydrocarbons in dark clouds (Pineau des Forêts, G., Flower, D.R., Dalgarno, A.), **235**, 621
Beyond *N*-body: 3D cosmological gas dynamics (Evrard, A.E.), **235**, 911
Relativistic shocks and particle acceleration (Heavens, A.F., Drury, L. O'C), **235**, 997
Stellar winds in H II regions – I. Unstable waves in ionized shells (Breitschwerdt, D., Kahn, F.D.), **235**, 1011
On some wave solutions in a differentially totating polytropic gas (Sozou, C.), **235**, 1141
Fluctuations of the cosmic background radiation at different wavelengths (Panek, M., Rudak, B.), **235**, 1169
On the core-mass–shell-luminosity relation for shell-burning stars (Jeffery, C.S.), **235**, 1287
A possible mechanism for exciting pulsation in cool Ap stars (Matthews, J.M.), **235**, 7P

Planets

Formation of planets around stars of various masses – II. Stars of two and three solar masses and the origin and evolution of circumstellar dust clouds (Nakano, T.), **230**, 551
Collisional properties of ice spheres at low impact velocities (Hatzes, A.P., Bridges, F.G., Lin, D.N.C.), **231**, 1091
Formation of planets around stars of various masses – III. Massive and small-mass stars and the regions of planet formation (Nakano, T.), **235**, 193
Planet X and the stability of resonances in the Neptune–Pluto system (Jackson, A.A., Killen, R.M.), **235**, 593

Polarization of starlight

Spectropolarimetry of the 3-μm ice band in Elias 16 (Taurus Dark Cloud) (Hough, J.H., Sato, S., Tamura, M., Yamashita, T., McFadzean, A.D., Rouse, M.F., Whittet, D.C.B., Kaifu, N., Suzuki, H., Nagata, T., Gatley, I., Bailey, J.), **230**, 107
Infrared polarimetry of dark clouds – II. Magnetic field structure in the ρ Ophiuchi dark cloud (Sato, S., Tamura, M., Nagata, T., Kaifu, N., Hough, J., McLean, I.S., Garden, R.P., Gatley, I.), **230**, 321
Infrared spectropolarimetry of AFGL 2591: evidence for an annealed grain component (Aitken, D.K., Roche, P.F., Smith, C.H., James, S.D., Hough, J.H.), **230**, 629
Infrared polarimetry of dark clouds – III. The relationship between the magnetic field and star formation in the NGC 1333 region (Tamura, M., Yamashita, T., Sato, S., Nagata, T., Gatley, I.), **231**, 445
Spectropolarimetry of SN 1978A: observations up to 1987 July 8 (Cropper, M., Bailey, J., McCowage, J., Cannon, R.D., Couch, W.J.,

Walsh, J.R., Strade, J.O., Freeman, F.), **231**, 695
An optical polarization study of the Reipurth 50 nebulosity (Scarrott, S.M., Wolstencroft, R.D.), **231**, 1019
Optical polarization studies of Herbig–Haro objects – IV. The HH34 complex (Scarrott, S.M.), **231**, 1055
An optical polarization study of the L1551 – IRS5 jet (Scarrott, S.M.), **231**, 39P
Optical polarization studies of Herbig–Haro objects – V. The HH46/47 complex (Scarrott, S.M., Warren-Smith, R.F.), **232**, 725
The optical polarization of the Crab Pulsar (Smith, F.G., Jones, D.H.P., Dick, J.S.B., Pike, C.D.), **233**, 305
Photometry and polarimetry of AM Herculis in its faint state (Bailey, J., Hough, J.H., Wickramasinghe, D.T.), **233**, 395
Polarimetric observations of the quasar 3C 345 (Mead, A.R.G., Brand, P.W.J.L., Hough, J.H., Bailey, J.A.), **233**, 503
Thomson scattering in the presence of a weak magnetic field (Collins II, G.W.), **234**, 417
The illuminating source of the nebulosity near the IR source GL 2591 (Rolph, C.D., Scarrott, S.M.), **234**, 719
The polarization of NGC 1068 (Bailey, J., Axon, D.J., Hough, J.H., Ward, M.J., McLean, I., Heathcote, S.R.), **234**, 899
Multicolour 'Stokes' polarimetry of SN 1987A in the LMC (Barrett, P.), **234**, 937
EXO 023432–5232.3 – An eclipsing AM Herculis binary (Bailey, J., Wickramasinghe, D.T., Hough, J.H., Cropper, M.), **234**, 19P
Spectropolarimetry of the molecular hydrogen line emission from OMC- (Burton, M.G., Hough, J.H., Axon, D.J., Hasegawa, T., Tamura, M., McCaughrean, M.J., McLean, I.S.), **235**, 161
Spectropolarimetry of the magnetic white dwarf PG1015+014: evidence for a 100-MG field (Wickramasinghe, D.T., Cropper, M.), **235**, 1451

Pulsars

A relation between subpulse widths and the polarization properties of pulsars (Ashworth, M.), **230**, 87
The radius of a magnetosphere in the radiation pressure dominated region of an accretion disc (White, N.E., Stella, L.), **231**, 325
Pulsar electrodynamics – I (Fitzpatrick, R., Mestel, L.), **232**, 277
Timing observations of the binary pulsar PSR 0655+64 (Jones, A.W., Lyne, A.G.), **232**, 473
The optical/IR counterpart to the newly-discovered X-ray source EXO 2030+375 (Coe, M.J., Longmore, A., Payne, B.J., Hanson, C.G.), **232**, 865
The large glitch from PSR 0355+54 and its post-glitch relaxation (Alpar, M.A., Cheng, K.S., Pines, D., Shaham, J.), **233**, 25
The optical polarization of the Crab Pulsar (Smith, F.G., Jones, D.H.P., Dick, J.S.B., Pike, C.D.), **233**, 305
Appearance of the trans-field flow in the pulsar magnetosphere (Shibata, S.), **233**, 405
Crab Pulsar timing 1982–87 (Lyne, A.G., Pritchard, R.S., Smith, F.G.), **233**, 667
A survey for millisecond pulsars at Molonglo (D'Amico, N., Manchester, R.N., Durdin, J.M., Stokes, G.H., Stinebring, D.R., Taylor, J.H., Brissenden, R.J.V.), **234**, 437
The shape of pulsar radio beams (Lyne, A.G., Manchester, R.N.), **234**, 477
On the interpretation of pulsar braking indices (Blandford, R.D., Romani, R.W.), **234**, 57P
Synchrotron emission, pair production and annihilation in strongly magnetized relativistic plasmas (Baring, M.G.), **235**, 51
A search for interpulses from southern pulsars (Biggs, J.D., Lyne, A.G., Hamilton, P.A., McCulloch, P.M., Manchester, R.N.), **235**, 255
Excitation of small-amplitude free precession in the Crab pulsar (Jones, P.B.), **235**, 545
The orbital evolution of the eclipsing pulsar PSR 1957 + 20 (Czerny, M., King, A.R.), **235**, 33P

Quasars

A deep radio and optical survey near the North Galactic Pole – IV. VLA observations and optical identifications of 5C 12 sources (Benn, C.R., Grueff, G., Vigotti, M., Wall, J.V.), **230**, 1
Raman scattering of the synchrotron self-absorbed radiation in accretion discs (Krishan, V.), **230**, 183
Fluctuations in the X-ray background and the large-scale structure of the Universe (Barcons, X., Fabian, A.C.), **230**, 189
Evolution of Lyα clouds: observational biases due to line crowding (Liu, X.D., Jones, B.J.T.), **230**, 481
Effects of blending on estimates of the redshift evolution of QSO Lyα absorbers (Parnell, H.C., Carswell, R.F.), **230**, 491
High-redshift quasars in the Cold Dark Matter cosmogony (Efstathiou, G., Rees, M.J.), **230**, 5P
Is 21-cm absorption associated with the emission-line regions of quasars? (Krishan, V.), **231**, 353
Objective prism measurements of quasar redshifts (Drinkwater, M.J.), **231**, 391
On the correlation of UVX QSOs with galaxies (Boyle, B.J., Fong, R., Shanks, T.), **231**, 897
UBVRI photometry of bright GB/GB2 radio galaxies and quasars (Machalski, J., Wiśniewski, W.Z.), **231**, 1065
Quasars as probes of gas in extended protogalaxies (Rees, M.J.), **231**, 91P
Gravitational lensing in a cold dark matter universe (Narayan, R., White, S.D.M.) , **231**, 97P

A new sample of quasars to *B*–22.0 (Marano, B., Zamorani, G., Zitelli, V.), **232**, 111
Cosmic evolution of the physical sizes of extragalactic radio sources and their luminosity–size correlation (Singal, A.K.), **233**, 87
The focusing equation, caustics and the condition for multiple imaging by thick gravitational lenses (Padmanabhan, T., Subramanian, K.), **233**, 265
Polarimetric observations of the quasar 3C 345 (Mead, A.R.G., Brand, P.W.J.L., Hough, J.H., Bailey, J.A.), **233**, 503
On the nature of the Broad Line Region clouds (Penston, M.V.), **233**, 601
The ultraviolet continuum of quasars – I. The shape of the continuum, continuum reddening and intervening absorption (O'Brien, P.T., Gondhalekar, P.M., Wilson, R.), **233**, 801
The ultraviolet continuum of quasars – II. Continuum variability (O'Brien, P.T., Gondhalekar, P.M., Wilson, R.), **233**, 845
Scattering of quasar radiation in intercloud plasma (Krishan, V.), **234**, 79
A search for QSOs in the fields of nearby galaxies – III. NGC 1291, Fornax, A1008–04, NGC 3109, NGC 3115, NGC 4038/9, NGC 5170, NGC 5236, NGC 5364, NGC 5426/7 and Grus (Monk, A.S., Penston, M.V., Pettini, M., Blades, J.C.), **234**, 193
The duelling wind model for the emission line region of active nuclei (Smith, M.D., Raine, D.J.), **234**, 297
Further redshifts of 1-Jy radio sources (Allington-Smith, J.R., Spinrad, H., Djorgovski, S., Liebert, J.), **234**, 1091
Cooling flows around radio-loud QSO (Crawford, C.S., Fabian, A.C., Johnstone, R.M.), **235**, 183
Extreme Fe II emission from an *IRAS* quasar (Lawrence, A., Saunders, W., Rowan-Robinson, M., Crawford, J., Ellis, R.S., Frenk, C.S., Efstathiou, G., Kaiser, N.), **235**, 261
A deep radio and optical survey near the North Galactic Pole – V. *JHK* observations of a sample of 5C 12 optical identifications (Benn, C.R., Wall, J.V., Vigotti, M., Grueff, G.), **235**, 465
On variability in the broad absorption line troughs of the QSO Q1246–057 (Smith, L.J., Penston, M.V.), **235**, 551
The evolution of optically selected QSOs – II (Boyle, B.J., Shanks, T., Peterson, B.A.), **235**, 935
Quasar clustering on large scales (Drinkwater, M.), **235**, 1111
Implications of Lyman continuum observations of quasars (Carswell, R.F., Ferland, G.J.), **235**, 1121
WHT spectroscopy of emission-line gas around two separate quasars at z=0.87 (Fabian, A.C., Crawford, C.S., Johnstone, R.M., Allington-Smith, J.R., Hewett, P.C.), **235**, 13P

Radiative transfer

The focusing equation, caustics and the condition for multiple imaging by thick gravitational lenses (Padmanabhan, T., Subramanian, K.), **233**, 265
Consequences of a chromospheric temperature rise on the formation of the Hα line in late-type supergiants (Mallik, S.V., Mallik, D.C.V.), **233**, 649
Scattering of quasar radiation in intercloud plasma (Krishan, V.), **234**, 79
Modelling interstellar extinction – I. Porous grains (Jones, A.P.), **234**, 209
The amplification of celestial maser radiation in the general many-level case (Field, D., Gray, M.D.), **234**, 353
Thomson scattering in the presence of a weak magnetic field (Collins II, G.W.), **234**, 417
Statistical geometry and the microwave background (Coles, P.), **234**, 509
Synchrotron emission, pair production and annihilation in strongly magnetized relativistic plasmas (Baring, M.G.), **235**, 51
The two-screen gravitational lens (Kochanek, C.S., Apostolakis, J.), **235**, 1073
General relativistic radiative transfer in spherical flows (Turolla, R., Nobili, L.), **235**, 1273

Radio astronomy

A deep radio and optical survey near the North Galactic Pole – IV. VLA observations and optical identifications of 5C 12 sources (Benn, C.R., Grueff, G., Vigotti, M., Wall, J.V.), **230**, 1
A relation between subpulse widths and the polarization properties of pulsars (Ashworth, M.), **230**, 87
The cluster environments of powerful radio galaxies (Prestage, R.M., Peacock, J.A.), **230**, 131
Raman scattering of the synchrotron self-absorbed radiation in accretion discs (Krishan, V.), **230**, 183
The double radio nucleus of Arp 220 (Norris, R.P.), **230**, 345
An accretion disc in the broad-line radio galaxy 3C390.3? (Pérez, E., Penston, M.V., Tadhunter, C., Mediavilla, E., Moles, M.), **230**, 353
The circumstellar envelope of an unusual OH/IR star, OH 19.2–1.0 (Chapman, J.M.), **230**, 415
Jets with entrained clouds – II. The synchrotron spectrum and emission structure (Coleman, C.S., Bicknell, G.V.), **230**, 497
The hottest hotspot on the microwave sky (Coles, P.), **231**, 125
OH masers associated with *IRAS* far-infrared sources (Cohen, R.J., Baart, E.E., Jonas, J.L.), **231**, 205
1803 − 211 – a flat-spectrum radio source with

double structure (Rao, A.P., Subrahmanyan, R.), **231**, 229
Detection of the AM Her type cataclysmic variable V834 Cen at radio wavelengths (Wright, A.E., Cropper, M., Stewart, R.T., Nelson, G.J., Slee, O.B.), **231**, 319
IRAS and radio results for two samples of early-type galaxies (Marston, A.P.), **231**, 333
Is 21-cm absorption associated with the emission-line regions of quasars? (Krishan, V.), **231**, 353
Enhanced star formation in barred spiral galaxies – II. Radio continumm emission (Puxley, P.J., Hawarden, T.G., Mountain, C.M.), **231**, 465
G11.2 × 0.3, an evolved Cassiopeia A (Green, D.A., Gull, S.F., Tan, S.M., Simon, A.J.B.), **231**, 735
Radio continuum observations of the edge-on spiral galaxy NGC 4666 (Sukumar, S., Velusamy, T., Klein, U.), **231**, 765
The peculiar velocity of the Local Group – II. H I observations of Sc galaxies (Staveley-Smith, L., Davies, R.D.), **231**, 833
Mainline OH masers near young H II regions: a correlation with *IRAS* far-infrared flux density (Moore, T.J.T., Cohen, R.J., Mountain, C.M.), **231**, 887
UBVRI photometry of bright GB/GB2 radio galaxies and quasars (Machalski, J., Wiśniewski, W.Z.), **231**, 1065
Spectrophotometric and neutral hydrogen observations of Michigan 160 (Axon, D.J., Staveley-Smith, L., Fosbury, R.A.E., Danziger, J., Boksenberg, A., Davies, R.D.), **231**, 1077
Submillimetre observations reveal that DR21 (OH) is a double source (Gear, W.K., Chandler, C.J., Moore, T.J.T., Cunningham, C.T., Duncan, W.D.), **231**, 47P
Millimetre and submillimetre observations of the emission from dust in compact H II regions (Gear, W.K., Robson, E.I., Griffin, M.J.), **231**, 55P
Dark matter in the dwarf galaxy II Zwicky 40 (Brinks, E., Klein, U.), **231**, 63P
Millimetre-wave continuum observations of the Galactic Centre (Salter, C.J., Sinha, R.P., Stobie, E.B., Kerr, F.J., Hobbs, R.W.), **232**, 407
Cluster ions and the meteor head echo (Jones, J., Mitchell, J.B.A., McIntosh, B.A.), **232**, 771
Cosmic evolution of the physical sizes of extragalactic radio sources and their luminosity–size correlation (Singal, A.K.), **233**, 87
Analysis of a complete sample of galaxies at $m_z \leq 14.5$: the optical, radio and far-infrared luminosity functions (Franceschini, A., Danese, L., De Zotti, G., Toffolatti, L.), **233**, 157
Observations of parallel radio sources 0211−479, 0214–480 and 0215–483 (White, G.L., McAdam, W.B., Jones, I.G.), **233**, 189
An H I absorption line survey of Messier 31 (Dickey, J.M., Brinks, E.), **233**, 781
A two-temperature model for the infrared and radio emission from late-type galaxies (Fitt, A.J., Cox, A., Cox, M.J.), **233**, 907
A survey for millisecond pulsars at Molonglo (D'Amico, N., Manchester, R.N., Durdin, J.M., Stokes, G.H., Stinebring, D.R., Taylor, J.H., Brissenden, R.J.V.), **234**, 437
The shape of pulsar radio beams (Lyne, A.G., Manchester, R.N.), **234**, 477 On the stability of anisotropic astrophysical jets (Trussoni, E., Massaglia, S., Bodo, G., Ferrari, A.), **234**, 539
A search for very compact structure in 16 OH masers (Kemball, A.J., Diamond, P.J., Mantovani, F.), **234**, 713
A study of major-axis dust-lane ellipticals (Bertola, F., Galletta, G., Kotanyi, C., Zeilinger, W.W.), **234**, 733
Radio ejection and broad forbidden emission lines in the Seyfert galaxy NGC 7674 (Unger, S.W., Pedlar, A., Axon, D.J., Graham, D.A., Harrison, B.A., Saikia, D.J., Whittle, M., Meurs, E.J.A., Dyson, J.E., Taylor, D.), **234**, 745
The radio emission from far-infrared galaxies: Seyfert or starburst? (Norris, R.P., Allen, D.A., Roche, P.F.), **234**, 773
A very long head–tail radio galaxy in the X-ray cluster 2A0335+096 (Patnaik, A.R., Singh, K.P.), **234**, 847
Improved estimates of interstellar scattering through the inner galaxy (Rao, A.P., Slee, O.B.), **234**, 853
The 6C survey of radio sources – II. The zone $30° < \delta < 51°$, $08^h30^m < \alpha < 17^h30^m$ (Hales, S.E.G., Baldwin, J.E., Warner, P.J.), **234**, 919
The structure and kinematics of the intergalactic south-west cloud in the M81 group (Appleton, P.N., van der Hulst, J.M.), **234**, 957
G279.0+1.1: a new large-diameter galactic supernova remnant (Woermann, B., Jonas, J.L.), **234**, 971
Further redshifts of 1-Jy radio sources (Allington-Smith, J.R., Spinrad, H., Djorgovski, S., Liebert, J.), **234**, 1091
A search for radio emission from X-ray binaries and related objects (Nelson, R.F., Spencer, R.E.), **234**, 1105
Compact radio cores in infrared galaxies (Norris, R.P., Kesteven, M.J., Allen, D.A., Troupe, E.), **234**, 51P
New bipolar outflows in dark molecular clouds (Parker, N.D., Padman, R., Scott, P.F., Hills, R.E.), **234**, 67P
Detection of carbon recombination lines below 100 MHz towards the Galactic Centre and M16 (Anantharamaiah, K.R., Payne, H.E., Erickson, W.C.), **235**, 151
A search for interpulses from southern pulsars (Biggs, J.D., Lyne, A.G., Hamilton, P.A., McCulloch, P.M., Manchester, R.N.), **235**, 255

Very extended ionized gas in radio galaxies – IV. PKS 2152−69 (Tadhunter, C.N., Fosbury, R.A.E., Alighieri, S.di S., Bland, J., Danziger, I.J., Goss, W.M., McAdam, W.B., Snijders, M.A.J.), **235**, 405
Interaction of the radio source PKS 0427−53 with IC 2082 and the cluster medium (McAdam, W.B., White, G.L., Bunton, J.D.), **235**, 425
A deep radio and optical survey near the North Galactic Pole – V. *JHK* observations of a sample of 5C 12 optical identifications (Benn, C.R., Wall, J.V., Vigotti, M., Grueff, G.), **235**, 465
Methanol absorption at 12.2 GHz towards Sgr B2 (Whiteoak, J.B., Gardner, F.F., Caswell, J.L., Norris, R.P., Wellington, K.J., Peng, R.-S.), **235**, 655
A one-sided radio jet in the elliptical galaxy NGC 6146 (Wrobel, J.M., Harrison, B., Pedlar, A., Unger, S.W.), **235**, 663
The correlation between far-infrared and non-thermal radio emission at 151 MHz for galaxies: observations and modelling (Cox, M.J., Eales, S.A.E., Alexander, P., Fitt, A.J.), **235**, 1227
A survey for metrewave variability in extragalactic radio sources (Slee, O.B., Siegman, B.C.), **235**, 1313
Observations of the young stellar association ON2 (Dent, W.R.F., Macdonald, G.H., Andersson, M.), **235**, 1397
Contributions to the microwave background dipole from galaxies, and constraints on the anisotropy of far-infrared background (Partridge, R.B., Lahav, O.), **235**, 1P

Relativity

Remarkable properties of the limiting counter-rotating disc (Lemos, J.P.S.), **230**, 451
Collapse of a radiating star revisited (de Oliveira, A.K.G., Kolassis, C.A., Santos, N.O.), **231**, 1011
On the stability and physical properties of an exact relativistic model for a superdense star (Knutsen, H.), **232**, 163
Relativistic stellar pulsations in the Cowling approximation (Finn, L.S.), **232**, 259
Timing observations of the binary pulsar PSR 0655+64 (Jones, A.W., Lyne, A.G.), **232**, 473
General relativistic radiative transfer in spherical flows (Turolla, R., Nobili, L.), **235**, 1273

Seeing

A shear interferometer for the measurement of atmospheric seeing (Dunlop, C.N., Major, J.V.), **234**, 993
A Polaris seeing monitor (Dunlop, C.N., Major, J.V.), **235**, 585

Solar system

The inner Oort cloud and the source of comet Halley (Olsson-Steel, D.), **234**, 389
Cratering constraints on the inner Oort cloud: steady-state models (Bailey, M.E., Stagg, C.R.), **235**, 1
Phase coupling gravity and astronomical mass discrepancies (Sanders, R.H.), **235**, 105
The diffusion of contaminant through an accretion disc (Clarke, C.J., Pringle, J.E.), **235**, 365
Planet X and the stability of resonances in the Neptune–Pluto system (Jackson, A.A., Killen, R.M.), **235**, 593
Analysis of perihelia of new comets (Sharma, S.D., Khanna, M.), **235**, 1467

Spectroscopy

Non-LTE calculations of O II line strengths in early-type stars (Brown, P.J.F., Dufton, P.L., Lennon, D.J.), **230**, 443
Collisional broadening of the calcium infrared triplet lines by atomic hydrogen (Smith, G., Drake, J.J.), **231**, 115
On the determination of temperatures of ionizing stars in H II regions (Vilchez, J.M., Pagel, B.E.J.), **231**, 257
Recombination line intensities for hydrogenic ions – II. Case B calculations for C VI, N VII and O VIII (Storey, P.J., Hummer, D.G.), **231**, 1139
Third spectra of rare earth elements in chemically peculiar stars: *IUE* spectra (Cowley, C.R., Greenberg, M.), **232**,763
Fine structure splitting of the $2s^2\ 2p^3\ ^2P$ and ^2D levels of O II from CCD/echelle observations of the planetary nebula IC 418 (Barnett, E.W., McKeith, C.D.), **234**, 241
Carbon abundances in B-type stars from an LTE analysis of CCD/echelle observations of the C II λλ 6558, 6583 Å lines (Barnett, E.W., McKeith, C.D.), **234**, 325
On the effects of rotation on interstellar molecular line profiles (Adelson, L.M., Leung, C.M.), **235**, 349
Mg–H^+ charge transfer and Mg line intensities in gaseous nebulae (Allan, R.J., Clegg, R.E.S., Dickinson, A.S., Flower, D.R.), **235**, 1245

Stars – atmospheres of

On the connection between model stars and real stars (Underhill, A.B.), **230**, 55
Non-LTE calculations of O II line strengths in early-type stars (Brown, P.J.F., Dufton, P.L., Lennon, D.J.), **230**, 443
C/He abundances in WC stars (Smith, L.F., Hummer, D.G.), **230**, 511
Observations of three high-state eclipse egresses of Hercules X- (Day, C.S.R., Tennant, A.F., Fabian, A.C.), **231**, 69

The excitation of S I emission lines in chromospheres of late-type giant stars (Judge, P.G.), **231**, 419
On the reflection effect in non-synchronous binary components (Tassoul, M., Tassoul, J.-L.), **232**, 481
Carbon dust formation in R Coronae Borealis stars (Fadeyev, Yu., A.), **233**, 65
Equilibrium models for large stellar coronal loops (Cameron, A.C.), **233**, 235
On the nature of the Broad Line Region clouds (Penston, M.V.), **233**, 601
Consequences of a chromospheric temperature rise on the formation of the Hα line in late-type supergiants (Mallik, S.V., Mallik, D.C.V.), **233**, 649
Observations of active-chromosphere stars – I (Innis, J.L., Coates, D.W., Thompson, K.), **233**, 887
Carbon abundances in B-type stars from an LTE analysis of CCD/echelle observations of the C II λλ 6558, 6583 Å lines (Barnett, E.W., McKeith, C.D.), **234**, 325
Thomson scattering in the presence of a weak magnetic field (Collins II, G.W.), **234**, 417
Elemental abundance analyses with coadded DAO spectrograms – V. The mercury-manganese stars Phi Herculis, 28 Herculis and HR 7664 (Adelman, S.J.), **235**, 749
Elemental abundance analyses with coadded DAO spectrograms – IV. Revision of previous analyses (Adelman, S.J.), **235**, 791
A possible mechanism for exciting pulsation in cool Ap stars (Matthews, J.M.), **235**, 7P

Stars – binary

Z Cha in superoutburst: periodic variation in the systemic velocity (Honey, W.B., Charles, P.A., Whitehurst, R. Barrett, P.E., Smale, A.P.), **231**, 1
Instability in the red star of semi-detached binary systems – III (Edwards, D.A.), **231**, 25
Observations of three high-state eclipse egresses of Hercules X- (Day, C.S.R., Tennant, A.F., Fabian, A.C.), **231**, 69
The effects of eccentricity on the hierarchical stability of low-mass binaries in three-body systems (Donnison, J.R.), **231**, 85
Detection of the AM Her type cataclysmic variable V834 Cen at radio wavelengths (Wright, A.E., Cropper, M., Stewart, R.T., Nelson, G.J., Slee, O.B.), **231**, 319
The evolutionary state of contact and near-contact binary stars (Hilditch, R.W., King, D.J., McFarlane, T.M.), **231**, 341
Contact and near-contact binary systems – VIII. CX Virginis (Hilditch, R.W., King, D.J.), **231**, 397
Magnetic braking and the evolution of cataclysmic binaries (Hameury, J.M., King, A.R., Lasota, J.P., Ritter, H.), **231**, 535
EXOSAT X-ray observations of the eclipsing magnetic cataclysmic variable EX Hya (Rosen, S.R., Mason, K.O., Córdova, F.A.), **231**, 549
The orientations of the magnetic pole in AM Her systems: implications for synchronous rotation and selection effects (Cropper, M.), **231**, 597
The orbital variability of XB1636 − 536 (Smale, A.P., Mukai, K.), **231**, 663
GK Per: X-ray observations in quiescence (Norton, A.J., Watson, M.G., King, A.R.), **231**, 783
Tidal enhancement by a binary companion of stellar winds from cool giants (Tout, C.A., Eggleton, P.P.), **231**, 823
The quasi-periodic oscillations of GX349+2 (Ponman, T.J., Cooke, B.A., Stella, L.), **231**, 999
A spectroscopic study of the deeply eclipsing dwarf nova IP Peg (Marsh, T.R.), **231**, 1117
Numerical simulations of accretion discs – I. Superhumps: a tidal phenomenon of accretion discs (Whitehurst, R.), **232**, 35
Contact and near-contact binary systems – IX. EE Aquarii and RS Indi (Hilditch, R.W., King, D.J.), **232**, 147
Accretion streams in AM Her type systems (Mukai, K.), **232**, 175
An enhanced stellar wind accretion model for binary X-ray transients (Stevens, I.R.), **232**, 199
General properties of RS CVn systems (Montesinos, B., Giménez, A., Fernández-Figueroa, M.J.), **232**, 361
Timing observations of the binary pulsar PSR 0655+64 (Jones, A.W., Lyne, A.G.), **232**, 473
On the reflection effect in non-synchronous binary components (Tassoul, M., Tassoul, J.-L.), **232**, 481
Bimodal accretion in GX5– and a possible constraint on its rotation period (Berman, N.M., Stollman, G.M.), **232**, 487
X-ray observations of the 50-min dipping source XB1916 − 053 (Smale, A.P., Mason, K.O., White, N.E., Gottwald, M.), **232**, 647
Spin-up and accretion in EX Hydrae during its quiescent state (Bond, I.A., Freeth, R.V.), **232**, 753
The discovery of orbital dips in the soft X-ray emission of U Gem during an outburst (Mason, K.O., Córdova, F.A., Watson, M.G., King, A.R.), **232**, 779
The response of the accretion disc radius to a temporary enhancement of mass transfer (Livio, M., Verbunt, F.), **232**, 1P
CAL 83: a 1-day period low-mass X-ray binary in the LMC (Smale, A.P., Corbet, R.H.D., Charles, P.A., Ilovaisky, S.A., Mason, K.O., Motch, C., Mukai, K., Naylor, T., Parmai, A.N., van der Klis, M., van Paradijs, J.), **233**, 51
US943: a 19th mag eclipsing cataclysmic variable with a period of $2^h3^m.8$ (Howell, S.B., Mason, K.O., Reichert, G.A., Warnock, A., Kreidl, T.J.), **233**, 79

Spectroscopy of the M15 X-ray source: discovery of binary motion and an unusual systemic velocity (Naylor, T., Charles, P.A., Drew, J.E., Hassall, B.J.M.), **233**, 285
Photometry and polarimetry of AM Herculis in its faint state (Bailey, J., Hough, J.H., Wickramasinghe, D.T.), **233**, 395
A statistical analysis of the emission line ratios in cataclysmic variables (Echevarría, J.), **233**, 513
Numerical simulations of accretion discs – II. Design and implementation of a new numerical method (Whitehurst, R.), **233**, 529
Photometric observations and interpretation of the extremely hydrogen-deficient binary Upsilon Sagittarii (Morrison, K.), **233**, 621
High-speed photometry of Z Chamaeleontis during outbursts (Warner, B., O'Donoghue, D.), **233**, 705
Photometry of the intermediate polar TV Columbae (Barrett, P., O'Donoghue, D., Warner, B.), **233**, 759
Spectroscopy of the eclipsing cataclysmic variable NSV 12615 (Mukai, K., Corbet, R.H.D., Smale, A.P.), **234**, 291
Regular orbital variations in the ultraviolet resonance lines of YZ Cnc (Drew, J.E., Verbunt, F.), **234**, 341
IRAS observations and IR excesses of RS CVn-type binaries (Busso, M., Scaltriti, F., Persi, P., Ferrari-Toniolo, M., Origlia, L.), **234**, 445
The expected X-ray luminosity of HD 50896 (Stevens, I.R., Willis, A.J.), **234**, 783
A search for radio emission from X-ray binaries and related objects (Nelson, R.F., Spencer, R.E.), **234**, 1105
EXO 023432–5232.3 – An eclipsing AM Herculis binary (Bailey, J., Wickramasinghe, D.T., Hough, J.H., Cropper, M.), **234**, 19P
Binary phase correlated X-ray intensity variations and flaring activity in the RS CVn binary HR 1099 (Agrawal, P.C., Vaidya, J.), **235**, 239
Images of accretion discs – II. Doppler tomography (Marsh, T.R., Horne, K.), **235**, 269
The X-ray light curves of AM Herculis systems (Hameury, J.M., King, A.R.), **235**, 433
Orbital tidal variability in the eccentric early type binary Iota Orionis (Stevens, I.R.), **235**, 523
Flare activity on UV Ceti: visible and *IUE* observations (Phillips, K.J.H., Bromage, G.E., Dufton, P.L., Keenan, F.P., Kingston, A.E.), **235**, 573
Light curve analysis of the O-type eclipsing binary HD 167971 (Davidge, T.J., Forbes, D.), **235**, 783
Tidal resonances in binary star systems – II. Slowly rotating stars (Alexander, M.E.), **235**, 1367
Infrared photometry of the nova-like system IX Velorum (=CPD – 48°1577) (Haug, K.), **235**, 1385
The orbital evolution of the eclipsing pulsar PSR 1957 + 20 (Czerny, M., King, A.R.), **235**, 33P

Stars – chemical composition of

C/He abundances in WC stars (Smith, L.F., Hummer, D.G.), **230**, 511
Isotopic magnesium abundances in stars (McWilliam, A., Lambert, D.L.), **230**, 573
Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms – III. The superficially normal standard stars Theta Leonis, Tau Herculis and Omicron Pegasi (Adelman, S.J.), **230**, 671
High-resolution spectroscopy of the hot RCrB star MV Sgr (Jeffery, C.S., Heber, U., Hill, P.W., Pollacco, D.), **231**, 175
Third spectra of rare earth elements in chemically peculiar stars: *IUE* spectra (Cowley, C.R., Greenberg, M.), **232**,763
The determination of wind terminal velocities and ionic abundances from infrared fine-structure lines: the WC8 component of Γ Velorum (Barlow, M.J., Roche, P.F., Aitken, D.K.), **232**, 821
A spectroscopic study of chemical abundances in the globular cluster Omega Centauri (Caldwell, S.P., Dickens, R.J.), **233**, 367
On the intrinsic width of the giant branch in the globular cluster Omega Centauri (Dickens, R.J., Caldwell, S.P.), **233**, 677
Segregation of dust and abundance inhomogeneities in globular clusters (Bhatt, H.C.), **233**, 867
Nuclear cosmochronology within analytic models of the chemical evolution of the solar neighbourhood (Clayton, D.D.), **234**, 1
Chemical abundances in the globular clusters NGC 288, NGC 362, NGC 6397 and M55 (Caldwell, S.P., Dickens, R.J.), **234**, 87
Carbon abundances in B-type stars from an LTE analysis of CCD/echelle observations of the C II λλ 6558, 6583 Å lines (Barnett, E.W., McKeith, C.D.), **234**, 325
An optical spectrophotometric survey of abundances in Magellanic Cloud planetary nebulae (Monk, D.J., Barlow, M.J., Clegg, R.E.S.), **234**, 583
Neutron source, neutron density and the origin of barium stars (Malaney, R.A., Lambert, D.L.), **235**, 695
Elemental abundance analyses with coadded DAO spectrograms – V. The mercury-manganese stars Phi Herculis, 28 Herculis and HR 7664 (Adelman, S.J.), **235**, 749
Elemental abundance analyses with coadded DAO spectrograms – IV. Revision of previous analyses (Adelman, S.J.), **235**, 791
A *UBV* and *DDO* astrophysical study of the open cluster NGC 353 (Clariá, J.J., Lapasset, E.), **235**, 1129
Chemical limit cycles for models of a region of

low-mass star formation (Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A.), **235**, 1257
The peculiar A star HD 110066: a photographic region line identification study (Adelman, S.J., Adelman, C.J.), **235**, 1361
The spectrum of Canopus – III. Abundances of r- and s-process elements (Reynolds, S.E., Hearnshaw, J.B., Cottrell, P.L.), **235**, 1423

Stars – clusters of

Binary star clusters in the Large Magellanic Cloud (Bhatia, R.K., Hatzidimitriou, D.), **230**, 215
Two homological models for the evolution of star clusters (Heggie, D.C., Stevenson, D.), **230**, 223
On the nature and environment of Omicron Scorpii (Whittet, D.C.B.), **230**, 473
Hydrogen absorption line profiles of ionizing star clusters (Díaz, A.I.), **231**, 57
Photoelectric and electronographic photometry of the globular cluster NGC 1851 (Sagar, R., Cannon, R.D., Hawkins, M.R.S.), **232**, 131
The interstellar extinction in the open clusters Tr 14, Tr15, Tr16/Cr 232 and Cr 228 in NGC 3372. New near-infrared photometry (Tapia, M., Roth, M., Marraco, H., Ruiz, M.T.),**232**, 661
Realistic models for evolving globular clusters: core collapse with a mass spectrum (Murphy, B.W., Cohn, H.N.), **232**, 835
A spectroscopic study of chemical abundances in the globular cluster Omega Centauri (Caldwell, S.P., Dickens, R.J.), **233**, 367
On the intrinsic width of the giant branch in the globular cluster Omega Centauri (Dickens, R.J., Caldwell, S.P.), **233**, 677
The interstellar extinction law towards the open cluster TR-37 (Roth, M.), **233**, 773
Segregation of dust and abundance inhomogeneities in globular clusters (Bhatt, H.C.), **233**, 867
Chemical abundances in the globular clusters NGC 288, NGC 362, NGC 6397 and M55 (Caldwell, S.P., Dickens, R.J.), **234**, 87
Periodic Be stars in NGC 3766 (van Vuren, G.W., Balona, L.A., Marang, F.), **234**, 373
A study of the spatial stellar mass distribution in some young open clusters (Sagar, R., Myakutin, V.I., Piskunov, A.E., Dluzhnevskaya, O.B.), **234**, 831
The infrared luminosity function for low-mass stars (Leggett, S.K., Hawkins, M.R.S.), **234**, 1065
A *UBV* and *DDO* astrophysical study of the open cluster NGC 353 (Clariá, J.J., Lapasset, E.), **235**, 1129
'Discreteness fluctuations' and relaxation in stellar dynamical systems (Kandrup, H.E.), **235**, 1157
UBV photometry in four southern open clusters with suspected supernova remnants (Peterson, C.J., FitzGerald, M.P.), **235**, 1439

Stars – formation of

Mass loaded astronomical flows – II. The chemistry in T-Tauri wind-blown bubbles in dense molecular clouds (Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A.), **231**, 269
Enhanced star formation in barred spiral galaxies – II. Radio continumm emission (Puxley, P.J., Hawarden, T.G., Mountain, C.M.), **231**, 465
An empirical law of star formation in spiral galaxies (Rana, N.C., Wilkinson, D.A.), **231**, 509
The dynamics of interstellar cloud complexes (Monaghan, J.J., Varnas, S.R.), **231**, 515
Collapse of Population III objects (de Araujo, J.C.N., Opher, R.), **231**, 923
Submillimetre observations reveal that DR21 (OH) is a double source (Gear, W.K., Chandler, C.J., Moore, T.J.T., Cunningham, C.T., Duncan, W.D.), **231**, 47P
Magnetic flux dissipation in a collapsing protostar (El-Nawawy, M.S., Aiad, A., El-Shalaby, M.A.), **232**, 809
Recent star formation in interacting galaxies – III. Evidence from mid-infrared photometry (Wright, G.S., Joseph, R.D., Robertson, N.A., James, P.A., Meikle, W.P.S.), **233**, 1
The evolution of dwarf galaxies (Davies, J.I., Phillipps, S.), **233**, 553
A two-temperature model for the infrared and radio emission from late-type galaxies (Fitt, A.J., Cox, A., Cox, M.J.), **233**, 907
Formation of a gas condensation in a perturbed shock (Kimura, T., Tosa, M.), **234**, 51
A study of the spatial stellar mass distribution in some young open clusters (Sagar, R., Myakutin, V.I., Piskunov, A.E., Dluzhnevskaya, O.B.), **234**, 831
T Tauri stars in Taurus – the *IRAS* view (Harris, S., Clegg, P., Hughes, J.), **235**, 441
Chemical limit cycles for models of a region of low-mass star formation (Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A.), **235**, 1257
An analytic theory of self-propagating star formation (Neukirch, T., Feitzinger, J.V.), **235**, 1343
Observations of the young stellar association ON2 (Dent, W.R.F., Macdonald, G.H., Andersson, M.), **235**, 1397

Stars – magnetic fields in

Magnetic braking and the evolution of cataclysmic binaries (Hameury, J.M., King, A.R., Lasota, J.P., Ritter, H.), **231**, 535
EXOSAT X-ray observations of the eclipsing magnetic cataclysmic variable EX Hya (Rosen, S.R., Mason, K.O., Córdova, F.A.), **231**, 549
The orientations of the magnetic pole in AM Her systems: implications for synchronous

rotation and selection effects (Cropper, M.), **231**, 597
The mutual interaction of magnetism, rotation and meridian circulation in stellar radiative zones (Mestel, L., Moss, D.L., Tayler, R.J.), **231**, 873
Accretion streams in AM Her type systems (Mukai, K.), **232**, 175
Pulsar electrodynamics – I (Fitzpatrick, R., Mestel, L.), **232**, 277
Pulsar electrodynamics – II (Fitzpatrick, R., Mestel, L.), **232**, 303
Magnetic flux dissipation in a collapsing protostar (El-Nawawy, M.S., Aiad, A., El-Shalaby, M.A.), **232**, 809
Equilibrium models for large stellar coronal loops (Cameron, A.C.), **233**, 235
Appearance of the trans-field flow in the pulsar magnetosphere (Shibata, S.), **233**, 405
Non-linear oscillations of the magnetosphere around neutron stars (Hanami, H.), **233**, 423
Photometry of the intermediate polar TV Columbae (Barrett, P., O'Donoghue, D., Warner, B.), **233**, 759
Neutron star magnetic field decay: Hall drift and Ohmic diffusion (Jones, P.B.), **233**, 875
Spectropolarimetry of the magnetic white dwarf PG1015+014: evidence for a 100-MG field (Wickramasinghe, D.T., Cropper, M.), **235**, 1451

Stars – mass loss from

Chemical modelling of molecular sources – VI. Carbon-bearing molecules in oxygen-rich circumstellar envelopes (Nejad, L.A.M., Millar, T.J.), **230**, 79
The sealing of fragmenting shells – evidence from optical studies of the Vela remnant (Meaburn, J., Hartquist, T.W., Dyson, J.E.), **230**, 243
The circumstellar envelope of an unusual OH/IR star, OH 19.2–1.0 (Chapman, J.M.), **230**, 415
Chemistry in T Tauri winds (Rawlings, J.M.C., Williams, D.A., Cantó, J.), **230**, 695
Instability in the red star of semi-detached binary systems – III (Edwards, D.A.), **231**, 25
Circumstellar environments – II. The silicate emission band and cool stellar mass loss rates (Skinner, C.J., Whitmore, B.), **231**, 169
Echelle observations of gas motions in NGC 604 (Clayton, C.A.), **231**, 191
Mass loaded astronomical flows – II. The chemistry in T-Tauri wind-blown bubbles in dense molecular clouds (Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A.), **231**, 269
The evolutionary state of contact and near-contact binary stars (Hilditch, R.W., King, D.J., McFarlane, T.M.), **231**, 341
Magnetic braking and the evolution of cataclysmic binaries (Hameury, J.M., King, A.R., Lasota, J.P., Ritter, H.), **231**, 535
Observational evidence for mass loss from classical cepheids (Deasy, H.P.), **231**, 673
Tidal enhancement by a binary companion of stellar winds from cool giants (Tout, C.A., Eggleton, P.P.), **231**, 823
Evidence for rotationally modulated variability in O star winds (Prinja, R.K.), **231**, 21P
A Herbig–Haro object in NGC 3603? (Clayton, C.A.), **231**, 33P
An optical polarization study of the L1551 – IRS5 jet (Scarrott, S.M.), **231**, 39P
Molecular hydrogen emission from cold condensations in NGC 2440 (Reay, N.K., Walton, N.A., Atherton, P.D.), **232**, 615
A model of the symbiotic star RX Puppis (Allen, D.A., Wright, A.E.), **232**, 683
Optical polarization studies of Herbig–Haro objects – V. The HH46/47 complex (Scarrott, S.M., Warren-Smith, R.F.), **232**, 725
The determination of wind terminal velocities and ionic abundances from infrared fine-structure lines: the WC8 component of Γ Velorum (Barlow, M.J., Roche, P.F., Aitken, D.K.), **232**, 821
Opacity enhancemnents in the stellar wind of 68 Cygni – not 'shells' or 'puffs' (Prinja, R.K., Howarth, I.D.), **233**, 123
Consequences of a chromospheric temperature rise on the formation of the Hα line in late-type supergiants (Mallik, S.V., Mallik, D.C.V.), **233**, 649
IRAS 20056+1834: A G star reflects on its past (Menzies, J.W., Whitelock, P.A.), **233**, 697
An extended high-speed flow from a compact, ionized knot in the Orion Nebula (M42) (Meaburn, J.), **233**, 791
HD 38451: J.R. Hind's star that changed colour (Warner, B., Sneden, C.), **234**, 269
The 1987 outburst of the recurrent nova U Sco (Sekiguchi, K., Feast, M.W., Whitelock, P.A., Overbeek, M.D., Wargau, W., Spencer Jones, J.), **234**, 281
Regular orbital variations in the ultraviolet resonance lines of YZ Cnc (Drew, J.E., Verbunt, F.), **234**, 341
An optical study of the dynamics of the clumpy wind-blown nebula RCW 58 (Smith, L.J., Pettini, M., Dyson, J.E., Hartquist, T.W.), **234**, 625
The expected X-ray luminosity of HD 50896 (Stevens, I.R., Willis, A.J.), **234**, 783
New bipolar outflows in dark molecular clouds (Parker, N.D., Padman, R., Scott, P.F., Hills, R.E.), **234**, 67P
Circumstellar environments – IV. Mass-loss rates for carbon stars (Skinner, C.J., Whitmore, B.), **234**, 79P
Infrared absorption at 9.7μm as an OH/IR star predictor (Gaylard, M.J., Whitelock, P.A.), **235**, 123
Morphology of the bipolar planetary nebula NGC 2346 from emission line profile studies (Anandarao, B.G., Banerjee, D.P.K., Desai, J.N., Jain, S.K., Mallik, D.C.V.), **235**, 221

The Wolf–Rayet nebula NGC 6888 as a pressure driven bubble (Marston, A.P., Meaburn, J.), **235**, 391
The dynamics of a complex of interlocking giant shells in the Local Group dwarf galaxy IC 1613 (Meaburn, J., Clayton, C.A., Whitehead, M.J.), **235**, 479
Orbital tidal variability in the eccentric early type binary Iota Orionis (Stevens, I.R.), **235**, 523
The systematics and distribution of molecular hydrogen in planetary nebulae (Webster, B.L., Payne, P.W., Storey, J.W.V., Dopita, M.A.), **235**, 533
Circumstellar environments – III. M-supergiants (Skinner, C.J., Whitmore, B.), **235**, 603
Stellar winds in H II regions – I. Unstable waves in ionized shells (Breitschwerdt, D., Kahn, F.D.), **235**, 1011
Chemical limit cycles for models of a region of low-mass star formation (Charnley, S.B., Dyson, J.E., Hartquist, T.W., Williams, D.A.), **235**, 1257
The orbital evolution of the eclipsing pulsar PSR 1957 + 20 (Czerny, M., King, A.R.), **235**, 33P

Stars – photometry of

Effective temperatures and radii of Small Magellanic Cloud supergiants (Thompson, G.I., Nandy, K., Morgan, D.H., Houziaux, L.), **230**, 429
On the nature and environment of Omicron Scorpii (Whittet, D.C.B.), **230**, 473
Contact and near-contact binary systems – VIII. CX Virginis (Hilditch, R.W., King, D.J.), **231**, 397
Erratum: A frequency solution to the light variations in the rapidly oscillating Ap star HD 6532: evidence for an $l = 1$ oblique dipole oscillation (Kurtz, D.W., Cropper, M.S.), **231**, 575
The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations – III. HR 3831 (HD 83368) (Kurtz, D.W., Marang, F.), **231**, 1039
$UBV(RI)_c$ photometry of some standard sequences in the Harvard F regions and in the Magellanic Clouds (Menzies, J.W., Laing, J.D.), **231**, 1047
A spectroscopic study of the deeply eclipsing dwarf nova IP Peg (Marsh, T.R.), **231**, 1117
Spectroscopic and photometric observations of SN 1987A – III. Days 135 to 260 (Catchpole, R.M., Whitelock, P.A., Feast, M.W., Menzies, J.W., Glass, I.S., Marang, F., Laing, J.D., Spencer Jones, J.H., Roberts, G., Balona, L.A., Carter, B.S., Laney, C.D., Lloyd Evans, T., Sekiguchi, K., Hutchinson, M.G., Maddison, R., Albinson, J., Evans, A., Allen, D.A., Winkler, H., Fairall, A., Corbally, C., Davies, J.K., Parker, Q.A.), **231**, 75P
A survey for red variables in the LMC – II (Reid, N., Glass, I.S., Catchpole, R.M.), **232**, 35
Photoelectric and electronographic photometry of the globular cluster NGC 1851 (Sagar, R., Cannon, R.D., Hawkins, M.R.S.), **232**, 131
Contact and near-contact binary systems – IX. EE Aquarii and RS Indi (Hilditch, R.W., King, D.J.), **232**, 147
Maxima of V652 Her (BD+13°3224) and a revised cubic ephemeris (Kilkenny, D.), **232**, 377
The interstellar extinction in the open clusters Tr 14, Tr15, Tr16/Cr 232 and Cr 228 in NGC 3372. New near-infrared photometry (Tapia, M., Roth, M., Marraco, H., Ruiz, M.T.), **232**, 661
Spin-up and accretion in EX Hydrae during its quiescent state (Bond, I.A., Freeth, R.V.), **232**, 753
The optical/IR counterpart to the newly-discovered X-ray source EXO 2030+375 (Coe, M.J., Longmore, A., Payne, B.J., Hanson, C.G.), **232**, 865
CAL 83: a 1-day period low-mass X-ray binary in the LMC (Smale, A.P., Corbet, R.H.D., Charles, P.A., Ilovaisky, S.A., Mason, K.O., Motch, C., Mukai, K., Naylor, T., Parmai, A.N., van der Klis, M., van Paradijs, J.), **233**, 51
US94.: a 19th mag eclipsing cataclysmic variable with a period of $2^h3^m.8$ (Howell, S.B., Mason, K.O., Reichert, G.A., Warnock, A., Kreidl, T.J.), **233**, 79
Discovery of variability in the 'non-variable' hydrogendeficient carbon stars (Kilkenny, D., Marang, F., Menzies, J.W.), **233**, 209
Photometry and polarimetry of AM Herculis in its faint state (Bailey, J., Hough, J.H., Wickramasinghe, D.T.), **233**, 395
A frequency analysis of new observations of the very low amplitude rapidly oscillating Ap star HD 203932 (Kurtz, D.W.), **233**, 565
Photometric observations and interpretation of the extremely hydrogen-deficient binary Upsilon Sagittarii (Morrison, K.), **233**, 621
IRAS 20056+1834: A G star reflects on its past (Menzies, J.W., Whitelock, P.A.), **233**, 697
High-speed photometry of Z Chamaeleontis during outbursts (Warner, B., O'Donoghue, D.), **233**, 705
Photometry of the intermediate polar TV Columbae (Barrett, P., O'Donoghue, D., Warner, B.), **233**, 759
The interstellar extinction law towards the open cluster TR-37 (Roth, M.), **233**, 773
The luminosity function for low mass stars (Hawkins, M.R.S., Bessell, M.S.), **234**, 177
HD 38451: J.R. Hind's star that changed colour (Warner, B., Sneden, C.), **234**, 269
Periodic Be stars in NGC 3766 (van Vuren, G.W., Balona, L.A., Marang, F.), **234**, 373
The scale height of low mass stars in the

galactic disc: evidence for a young population (Hawkins, M.R.S.), **234**, 533
Infrared observations of the 1985 outburst of RS Ophiuchi (Evans, A., Callus, C.M., Albinson, J.S., Whitelock, P.A., Glass, I.S., Carter, B., Roberts, G.), **234**, 755
Analysis of high-latitude blue stars – II (Kilkenny, D., Stone, L.E.), **234**, 1011
A photometric campaign on the Be stars *o* And, KX And, KY And, LQ And and EW Lac (Stagg, C.R., Božić, H., Fullerton, A.W., Gao, W.S., Guo, Z.H., Harmanec, P., Horn, J., Huang, L., Iliev, L.H., Koubský, P., Kovachev, B.Z., Pavlovski, K., Percy, J.R., Schmidt, F., Štefl, S., Tomov, N.A., Žižňovský, J.), **234**, 1021
The infrared luminosity function for low-mass stars (Leggett, S.K., Hawkins, M.R.S.), **234**, 1065
Spectroscopic and photometric observations of SN 1987A – IV. Days 260–385 (Whitelock, P.A., Catchpole, R.M., Menzies, J.W., Feast, M.W., Winkler, H., Marang, F., Glass, I.S., Balona, L.A., Egan, J., Carter, B.S., Roberts, G., Sekiguchi, K., Laney, C.D., Evans, T.L., Laing, J.D., Jones, J.S., Fernley, J., James, P., Fairall, A.P., Monk, A.S., van Wyk, F.), **234**, 5P
EXO 023432–5232.3 – An eclipsing AM Herculis binary (Bailey, J., Wickramasinghe, D.T., Hough, J.H., Cropper, M.), **234**, 19P
Infrared absorption at 9.7μm as an OH/IR star predictor (Gaylard, M.J., Whitelock, P.A.), **235**, 123
Strömgren and BV photometry of potential halo blue horizontal branch field stars (Flynn, C., Sommer-Larsen, S.), **235**, 175
A search for β Cephei variable stars in the Magellanic Clouds: motivation and first results for LMC (Sterken, C., Jerzykiewicz, M.), **235**, 565
Flare activity on UV Ceti: visible and *IUE* observations (Phillips, K.J.H., Bromage, G.E., Dufton, P.L., Keenan, F.P., Kingston, A.E.), **235**, 573
Light curve analysis of the O-type eclipsing binary HD 167971 (Davidge, T.J., Forbes, D.), **235**, 783
Photometry of variable stars with periods near 1 day (Loomis, C., Schmidt, E.G., Simon, N.R.), **235**, 1059
A *UBV* and *DDO* astrophysical study of the open cluster NGC 353 (Clariá, J.J., Lapasset, E.), **235**, 1129
Infrared photometry of the nova-like system IX Velorum (=CPD – 48°1577) (Haug, K.), **235**, 1385
Observations of active-chromosphere stars – II. Photometry of AB Dor 1978–1987 (Innis, J.L., Thompson, K., Coates, D.W., Lloyd Evans, T.), **235**, 1411
UBV photometry in four southern open clusters with suspected supernova remnants (Peterson, C.J., FitzGerald, M.P.), **235**, 1439

Stars – rotation of

The orientations of the magnetic pole in AM Her systems: implications for synchronous rotation and selection effects (Cropper, M.), **231**, 597
The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations – III. HR 3831 (HD 83368) (Kurtz, D.W., Marang, F.), **231**, 1039
Evidence for rotationally modulated variability in O star winds (Prinja, R.K.), **231**, 21P
Overstable convective modes of differentially rotating massive main-sequence stars (Lee, U.), **232**, 711
Crab Pulsar timing 1982–87 (Lyne, A.G., Pritchard, R.S., Smith, F.G.), **233**, 667
Observations of active-chromosphere stars – II. Photometry of AB Dor 1978–1987 (Innis, J.L., Thompson, K., Coates, D.W., Lloyd Evans, T.), **235**, 1411
Tidal resonances in binary star systems – II. Slowly rotating stars (Alexander, M.E.), **235**, 1367

Stars – spectroscopy of

On the connection between model stars and real stars (Underhill, A.B.), **230**, 55
C/He abundances in WC stars (Smith, L.F., Hummer, D.G.), **230**, 511
Isotopic magnesium abundances in stars (McWilliam, A., Lambert, D.L.), **230**, 573
Elemental abundance analyses with coadded Dominion Astrophysical Observatory spectrograms – III. The superficially normal standard stars Theta Leonis, Tau Herculis and Omicron Pegasi (Adelman, S.J.), **230**, 671
Z Cha in superoutburst: periodic variation in the systemic velocity (Honey, W.B., Charles, P.A., Whitehurst, R., Barrett, P.E., Smale, A.P.), **231**, 1
Flare stars of the Orion Nebula – spectra of an outburst (Carter, B.D., O'Mara, B.J., Ross, J.E.), **231**, 49
Hydrogen absorption line profiles of ionizing star clusters (Díaz, A.I.), **231**, 57
Collisional broadening of the calcium infrared triplet lines by atomic hydrogen (Smith, G., Drake, J.J.), **231**, 115
High-resolution spectroscopy of the hot RCrB star MV Sgr (Jeffery, C.S., Heber, U., Hill, P.W., Pollacco, D.), **231**, 175
Contact and near-contact binary systems – VIII. CX Virginis (Hilditch, R.W., King, D.J.), **231**, 397
The excitation of S I emission lines in chromospheres of late-type giant stars (Judge, P.G.), **231**, 419
Spectropolarimetry of SN 1978A: observations up to 1987 July 8 (Cropper, M., Bailey, J., McCowage, J., Cannon, R.D., Couch, W.J.,

Walsh, J.R., Strade, J.O., Freeman, F.), **231**, 695
10 μm spectral observations of SN 1987A: interpretation of the infrared excess (Aitken, D.K., Smith, C.H., James, S.D., Roche, P.F., Hyland, A.R., McGregor, P.J.), **231**, 7P
Evidence for rotationally modulated variability in O star winds (Prinja, R.K.), **231**, 21P
Spectroscopic and photometric observations of SN 1987A – III. Days 135 to 260 (Catchpole, R.M., Whitelock, P.A., Feast, M.W., Menzies, J.W., Glass, I.S., Marang, F., Laing, J.D., Spencer Jones, J.H., Roberts, G., Balona, L.A., Carter, B.S., Laney, C.D., Lloyd Evans, T., Sekiguchi, K., Hutchinson, M.G., Maddison, R., Albinson, J., Evans, A., Allen, D.A., Winkler, H., Fairall, A., Corbally, C., Davies, J.K., Parker, Q.A.), **231**, 75P
Contact and near-contact binary systems – IX. EE Aquarii and RS Indi (Hilditch, R.W., King, D.J.), **232**, 147
Accretion streams in AM Her type systems (Mukai, K.), **232**, 175
Third spectra of rare earth elements in chemically peculiar stars: *IUE* spectra (Cowley, C.R., Greenberg, M.), **232**, 763
The determination of wind terminal velocities and ionic abundances from infrared fine-structure lines: the WC8 component of Γ Velorum (Barlow, M.J., Roche, P.F., Aitken, D.K.), **232**, 821
The optical/IR counterpart to the newly-discovered X-ray source EXO 2030+375 (Coe, M.J., Longmore, A., Payne, B.J., Hanson, C.G.), **232**, 865
Opacity enhancemnents in the stellar wind of 68 Cygni – not 'shells' or 'puffs' (Prinja, R.K., Howarth, I.D.), **233**, 123
Spectroscopy of the M15 X-ray source: discovery of binary motion and an unusual systemic velocity (Naylor, T., Charles, P.A., Drew, J.E., Hassall, B.J.M.), **233**, 285
A spectroscopic study of chemical abundances in the globular cluster Omega Centauri (Caldwell, S.P., Dickens, R.J.), **233**, 367
The 8190 Å sodium doublet in cataclysmic variables – I. The Quest (Friend, M.T., Martin, J.S., Smith, R.C., Jones, D.H.P.), **233**, 451
A statistical analysis of the emission line ratios in cataclysmic variables (Echevarría, J.), **233**, 513
Consequences of a chromospheric temperature rise on the formation of the Hα line in late-type supergiants (Mallik, S.V., Mallik, D.C.V.), **233**, 649
IRAS 20056+1834: A G star reflects on its past (Menzies, J.W., Whitelock, P.A.), **233**, 697
An extended high-speed flow from a compact, ionized knot in the Orion Nebula (M42) (Meaburn, J.), **233**, 791
Observations of active-chromosphere stars – I (Innis, J.L., Coates, D.W., Thompson, K.), **233**, 887
High-resolution observations of interstellar Na I towards HD 174632 (Crawford, I.A.), **233**, 923
Chemical abundances in the globular clusters NGC 288, NGC 362, NGC 6397 and M55 (Caldwell, S.P., Dickens, R.J.), **234**, 87
HD 38451: J.R. Hind's star that changed colour (Warner, B., Sneden, C.), **234**, 269
The 1987 outburst of the recurrent nova U Sco (Sekiguchi, K., Feast, M.W., Whitelock, P.A., Overbeek, M.D., Wargau, W., Spencer Jones, J.), **234**, 281
Spectroscopy of the eclipsing cataclysmic variable NSV 12615 (Mukai, K., Corbet, R.H.D., Smale, A.P.), **234**, 291
Carbon abundances in B-type stars from an LTE analysis of CCD/echelle observations of the C II λλ 6558, 6583 Å lines (Barnett, E.W., McKeith, C.D.), **234**, 325
Regular orbital variations in the ultraviolet resonance lines of YZ Cnc (Drew, J.E., Verbunt, F.), **234**, 341
An optical spectrophotometric survey of abundances in Magellanic Cloud planetary nebulae (Monk, D.J., Barlow, M.J., Clegg, R.E.S.), **234**, 583
An optical study of the dynamics of the clumpy wind-blown nebula RCW 58 (Smith, L.J., Pettini, M., Dyson, J.E., Hartquist, T.W.), **234**, 625
Infrared observations of the 1985 outburst of RS Ophiuchi (Evans, A., Callus, C.M., Albinson, J.S., Whitelock, P.A., Glass, I.S., Carter, B., Roberts, G.), **234**, 755
Analysis of high-latitude blue stars – II (Kilkenny, D., Stone, L.E.), **234**, 1011
Spectroscopic and photometric observations of SN 1987A – IV. Days 260–385 (Whitelock, P.A., Catchpole, R.M., Menzies, J.W., Feast, M.W., Winkler, H., Marang, F., Glass, I.S., Balona, L.A., Egan, J., Carter, B.S., Roberts, G., Sekiguchi, K., Laney, C.D., Evans, T.L., Laing, J.D., Spencer Jones, J., Fernley, J., James, P., Fairall, A.P., Monk, A.S., van Wyk, F.), **234**, 5P
Hα fine-structure in SN 1987A within the first 111 days (Hanuschik, R.W., Thimm, G., Dachs, J.), **234**, 41P
Circumstellar environments – IV. Mass-loss rates for carbon stars (Skinner, C.J., Whitmore, B.), **234**, 79P
Strömgren and BV photometry of potential halo blue horizontal branch field stars (Flynn, C., Sommer-Larsen, S.), **235**, 175
Morphology of the bipolar planetary nebula NGC 2346 from emission line profile studies (Anandarao, B.G., Banerjee, D.P.K., Desai, J.N., Jain, S.K., Mallik, D.C.V.), **235**, 221
The Wolf–Rayet nebula NGC 6888 as a pressure driven bubble (Marston, A.P., Meaburn, J.), **235**, 391

Orbital tidal variability in the eccentric early type binary Iota Orionis (Stevens, I.R.), **235**, 523
Flare activity on UV Ceti: visible and *IUE* observations (Phillips, K.J.H., Bromage, G.E., Dufton, P.L., Keenan, F.P., Kingston, A.E.), **235**, 573
Circumstellar environments – III. M-supergiants (Skinner, C.J., Whitmore, B.), **235**, 603
Neutron source, neutron density and the origin of barium stars (Malaney, R.A., Lambert, D.L.), **235**, 695
Elemental abundance analyses with coadded DAO spectrograms – V. The mercury-manganese stars Phi Herculis, 28 Herculis and HR 7664 (Adelman, S.J.), **235**, 749
Elemental abundance analyses with coadded DAO spectrograms – IV. Revision of previous analyses (Adelman, S.J.), **235**, 791
The peculiar A star HD 110066: a photographic region line identification study (Adelman, S.J., Adelman, C.J.), **235**, 1361
The spectrum of Canopus – III. Abundances of r- and s-process elements (Reynolds, S.E., Hearnshaw, J.B., Cottrell, P.L.), **235**, 1423
Spectropolarimetry of the magnetic white dwarf PG1015+014: evidence for a 100-MG field (Wickramasinghe, D.T., Cropper, M.), **235**, 1451

Stars – structure and evolution of

On the connection between model stars and real stars (Underhill, A.B.), **230**, 55
Neutron thermalization in stellar interiors (Malaney, R.A.), **231**, 657
The mutual interaction of magnetism, rotation and meridian circulation in stellar radiative zones (Mestel, L., Moss, D.L., Tayler, R.J.), **231**, 873
Collapse of a radiating star revisited (de Oliveira, A.K.G., Kolassis, C.A., Santos, N.O.), **231**, 1011
On the stability and physical properties of an exact relativistic model for a superdense star (Knutsen, H.), **232**, 163
General properties of RS CVn systems (Montesinos, B., Giménez, A., Fernández-Figueroa, M.J.), **232**, 361
Overstable convective modes of differentially rotating massive main-sequence stars (Lee, U.), **232**, 711
On the intrinsic width of the giant branch in the globular cluster Omega Centauri (Dickens, R.J., Caldwell, S.P.), **233**, 677
Nuclear cosmochronology within analytic models of the chemical evolution of the solar neighbourhood (Clayton, D.D.), **234**, 1
The luminosity function for low mass stars (Hawkins, M.R.S., Bessell, M.S.), **234**, 177
Equilibrium models for luminous helium stars (Saio, H.), **235**, 203
Neutron source, neutron density and the origin of barium stars (Malaney, R.A., Lambert, D.L.), **235**, 695
Stellar disharmony (Christensen-Dalsgaard, J., Gough, D.O., Pérez Hernández, F.), **235**, 875
On the core-mass–shell-luminosity relation for shell-burning stars (Jeffery, C.S.), **235**, 1287
A possible mechanism for exciting pulsation in cool Ap stars (Matthews, J.M.), **235**, 7P

Stars – symbiotic

A model of the symbiotic star RX Puppis (Allen, D.A., Wright, A.E.), **232**, 683
S147: A K-type symbiotic star in the LMC (Morgan, D.H., Allen, D.A.), **234**, 1005

Stars – variable

Observations of 1.4-Hz quasi-periodic oscillations in Cir X- (Tennant, A.F.), **230**, 403
Three-halves law in sunspot cycle shape (Bracewell, R.N.), **230**, 535
White dwarf heating and the ultraviolet flux in dwarf novae (Pringle, J.E.), **230**, 587
Z Cha in superoutburst: periodic variation in the systemic velocity (Honey, W.B., Charles, P.A., Whitehurst, R., Barrett, P.E., Smale, A.P.), **231**, 1
Flare stars of the Orion Nebula – spectra of an outburst (Carter, B.D., O'Mara, B.J., Ross, J.E.), **231**, 49
Observations of three high-state eclipse egresses of Hercules X- (Day, C.S.R., Tennant, A.F., Fabian, A.C.), **231**, 69
EXOSAT observations of variable coronal X-ray emission from the young K dwarf AB Doradus (=HD 36705) (Cameron, A.C., Bedford, D.K., Rucinski, S.M., Vilhu, O., White, N.E.), **231**, 131
Detection of the AM Her type cataclysmic variable V834 Cen at radio wavelengths (Wright, A.E., Cropper, M., Stewart, R.T., Nelson, G.J., Slee, O.B.), **231**, 319
Quasi-periodic oscillations in the bright galactic bulge X-ray source GX 340+0 (van Paradijs, J., Hasinger, G., Lewin, W.H.G., van der Klis, M., Sztajno, M., Schulz, N., Jansen, F.), **231**, 379
EXOSAT X-ray observations of the eclipsing magnetic cataclysmic variable EX Hya (Rosen, S.R., Mason, K.O., Córdova, F.A.), **231**, 549
Erratum: A frequency solution to the light variations in the rapidly oscillating Ap star HD 6532: evidence for an $l = 1$ oblique dipole oscillation (Kurtz, D.W., Cropper, M.S.), **231**, 575
The orientations of the magnetic pole in AM Her systems: implications for synchronous rotation and selection effects (Cropper, M.), **231**, 597
RY Sgr: pulsation period variations

reinterpreted (Lawson, W.A., Cottrell, P.L.), **231**, 609
The orbital variability of XB1636 – 536 (Smale, A.P., Mukai, K.), **231**, 663
Observational evidence for mass loss from classical cepheids (Deasy, H.P.), **231**, 673
Long-period variables in the Small Magellanic Cloud (Evans, T.L., Glass, I.S., Catchpole, R.M.), **231**, 773
GK Per: X-ray observations in quiescence (Norton, A.J., Watson, M.G., King, A.R.), **231**, 783
The quasi-periodic oscillations of GX349+2 (Ponman, T.J., Cooke, B.A., Stella, L.), **231**, 999
The determination of the rotational periods of Rapidly Oscillating Ap stars from their mean light variations – III. HR 3831 (HD 83368) (Kurtz, D.W., Marang, F.), **231**, 1039
Spectroscopic and photometric observations of SN 1987A – III. Days 135 to 260 (Catchpole, R.M., Whitelock, P.A., Feast, M.W., Menzies, J.W., Glass, I.S., Marang, F., Laing, J.D., Spencer Jones, J.H., Roberts, G., Balona, L.A., Carter, B.S., Laney, C.D., Lloyd Evans, T., Sekiguchi, K., Hutchinson, M.G., Maddison, R., Albinson, J., Evans, A., Allen, D.A., Winkler, H., Fairall, A., Corbally, C., Davies, J.K., Parker, Q.A.), **231**, 75P
Numerical simulations of accretion discs – I. Superhumps: a tidal phenomenon of accretion discs (Whitehurst, R.), **232**, 35
A survey for red variables in the LMC – II (Reid, N., Glass, I.S., Catchpole, R.M.), **232**, 53
Relativistic stellar pulsations in the Cowling approximation (Finn, L.S.), **232**, 259
Maxima of V652 Her (BD+13°3224) and a revised cubic ephemeris (Kilkenny, D.), **232**, 377
A model of the symbiotic star RX Puppis (Allen, D.A., Wright, A.E.), **232**, 683
Spin-up and accretion in EX Hydrae during its quiescent state (Bond, I.A., Freeth, R.V.), **232**, 753
The discovery of orbital dips in the soft X-ray emission of U Gem during an outburst (Mason, K.O., Córdova, F.A., Watson, M.G., King, A.R.), **232**, 779
CAL 83: a 1-day period low-mass X-ray binary in the LMC (Smale, A.P., Corbet, R.H.D., Charles, P.A., Ilovaisky, S.A., Mason, K.O., Motch, C., Mukai, K., Naylor, T., Parmai, A.N., van der Klis, M., van Paradijs, J.), **233**, 51
Carbon dust formation in R Coronae Borealis stars (Fadeyev, Yu., A.), **233**, 65
US943: a 19th mag eclipsing cataclysmic variable with a period of $2^h3^m.8$ (Howell, S.B., Mason, K.O., Reichert, G.A., Warnock, A., Kreidl, T.J.), **233**, 79
Discovery of variability in the 'non-variable' hydrogendeficient carbon stars (Kilkenny, D., Marang, F., Menzies, J.W.), **233**, 209
Photometry and polarimetry of AM Herculis in its faint state (Bailey, J., Hough, J.H., Wickramasinghe, D.T.), **233**, 395
The 8190 Å sodium doublet in cataclysmic variables – I. The Quest (Friend, M.T., Martin, J.S., Smith, R.C., Jones, D.H.P.), **233**, 451
A statistical analysis of the emission line ratios in cataclysmic variables (Echevarría, J.), **233**, 513
Numerical simulations of accretion discs – II. Design and implementation of a new numerical method (Whitehurst, R.), **233**, 529
A frequency analysis of new observations of the very low amplitude rapidly oscillating Ap star HD 203932 (Kurtz, D.W.), **233**, 565
Photometric observations and interpretation of the extremely hydrogen-deficient binary Upsilon Sagittarii (Morrison, K.), **233**, 621
Photometry of the intermediate polar TV Columbae (Barrett, P., O'Donoghue, D., Warner, B.), **233**, 759
The 1987 outburst of the recurrent nova U Sco (Sekiguchi, K., Feast, M.W., Whitelock, P.A., Overbeek, M.D., Wargau, W., Spencer Jones, J.), **234**, 281
Spectroscopy of the eclipsing cataclysmic variable NSV 12615 (Mukai, K., Corbet, R.H.D., Smale, A.P.), **234**, 291
Periodic Be stars in NGC 3766 (van Vuren, G.W., Balona, L.A., Marang, F.), **234**, 373
IRAS observations and IR excesses of RS CVn-type binaries (Busso, M., Scaltriti, F., Persi, P., Ferrari-Toniolo, M., Origlia, L.), **234**, 445
Infrared observations of the 1985 outburst of RS Ophiuchi (Evans, A., Callus, C.M., Albinson, J.S., Whitelock, P.A., Glass, I.S., Carter, B., Roberts, G.), **234**, 755
The expected X-ray luminosity of HD 50896 (Stevens, I.R., Willis, A.J.), **234**, 783
A photometric campaign on the Be stars *o* And, KX And, KY And, LQ And and EW Lac (Stagg, C.R., Božić, H., Fullerton, A.W., Gao, W.S., Guo, Z.H., Harmanec, P., Horn, J., Huang, L., Iliev, L.H., Koubský, P., Kovachev, B.Z., Pavlovski, K., Percy, J.R., Schmidt, F., Štefl, S., Tomov, N.A., Žižňovský, J.), **234**, 1021
A search for radio emission from X-ray binaries and related objects (Nelson, R.F., Spencer, R.E.), **234**, 1105
Equilibrium models for luminous helium stars (Saio, H.), **235**, 203
Binary phase correlated X-ray intensity variations and flaring activity in the RS CVn binary HR 1099 (Agrawal, P.C., Vaidya, J.), **235**, 239
Images of accretion discs – II. Doppler tomography (Marsh, T.R., Horne, K.), **235**, 269
The X-ray light curves of AM Herculis systems (Hameury, J.M., King, A.R.), **235**, 433
A search for β Cephei variable stars in the Magellanic Clouds: motivation and first

results for LMC (Sterken, C., Jerzykiewicz, M.), **235**, 565
Flare activity on UV Ceti: visible and *IUE* observations (Phillips, K.J.H., Bromage, G.E., Dufton, P.L., Keenan, F.P., Kingston, A.E.), **235**, 573
Observations of active-chromosphere stars – II. Photometry of AB Dor 1978–1987 (Innis, J.L., Thompson, K., Coates, D.W., Lloyd Evans, T.), **235**, 1411
Stellar disharmony (Christensen-Dalsgaard, J., Gough, D.O., Pérez Hernández, F.), **235**, 875
The nature of the Galactic Bulge (Harmon, R., Gilmore, G.), **235**, 1025
Photometry of variable stars with periods near 1 day (Loomis, C., Schmidt, E.G., Simon, N.R.), **235**, 1059
Infrared photometry of the nova-like system IX Velorum (=CPD – 48°1577) (Haug, K.), **235**, 1385
A possible mechanism for exciting pulsation in cool Ap stars (Matthews, J.M.), **235**, 7P

Stars – velocities of

Kinematics and properties of F stars near the North Galactic Pole – II. The isothermal disc (Adamson, A.J., Hill, G., Fisher, W., Hilditch, R.W., Sinclair, C.D.), **230**, 273
Spectroscopy of the M15 X-ray source: discovery of binary motion and an unusual systemic velocity (Naylor, T., Charles, P.A., Drew, J.E., Hassall, B.J.M.), **233**, 285
Observations of active-chromosphere stars – I (Innis, J.L., Coates, D.W., Thompson, K.), **233**, 887

Sun

Three-halves law in sunspot cycle shape (Bracewell, R.N.), **230**, 535
Collisional broadening of the calcium infrared triplet lines by atomic hydrogen (Smith, G., Drake, J.J.), **231**, 115

Supernovae and supernova observations

G11.2 – 0.3, an evolved Cassiopeia A (Green, D.A., Gull, S.F., Tan, S.M., Simon, A.J.B.), **231**, 735

Supernovae and supernova remnants

The sealing of fragmenting shells – evidence from optical studies of the Vela remnant (Meaburn, J., Hartquist, T.W., Dyson, J.E.), **230**, 243
Distances to the remnants of historical Type I supernovae (Strom, R.G.), **230**, 331
Jets with entrained clouds – II. The synchrotron spectrum and emission structure (Coleman, C.S., Bicknell, G.V.), **230**, 497
Shocked molecular hydrogen in the supernova remnant IC 443 (Burton, M.G., Geballe, T.R., Brand, P.W.J.L., Webster, A.S.), **231**, 617
Spectropolarimetry of SN 1978A: observations up to 1987 July 8 (Cropper, M., Bailey, J., McCowage, J., Cannon, R.D., Couch, W.J., Walsh, J.R., Strade, J.O., Freeman, F.), **231**, 695
10 μm spectral observations of SN 1987A: interpretation of the infrared excess (Aitken, D.K., Smith, C.H., James, S.D., Roche, P.F., Hyland, A.R., McGregor, P.J.), **231**, 7P
Spectroscopic and photometric observations of SN 1987A – III. Days 135 to 260 (Catchpole, R.M., Whitelock, P.A., Feast, M.W., Menzies, J.W., Glass, I.S., Marang, F., Laing, J.D., Spencer Jones, J.H., Roberts, G., Balona, L.A., Carter, B.S., Laney, C.D., Lloyd Evans, T., Sekiguchi, K., Hutchinson, M.G., Maddison, R., Albinson, J., Evans, A., Allen, D.A., Winkler, H., Fairall, A., Corbally, C., Davies, J.K., Parker, Q.A.), **231**, 75P
Delayed gravity wave emission from supernovae: application to SN 1987 A (Wood, K.S., Michelson, P.F.), **232**, 225
Shock acceleration in disordered magnetic fields (Achterberg, A.), **232**, 323
Acceleration of relativistic particles in shocks with oblique magnetic fields (Ostrowski, M.), **233**, 257
Multicolour 'Stokes' polarimetry of SN 1987A in the LMC (Barrett, P.), **234**, 937
G279.0+1.1: a new large-diameter galactic supernova remnant (Woermann, B., Jonas, J.L.), **234**, 971
Spectroscopic and photometric observations of SN 1987A – IV. Days 260–385 (Whitelock, P.A., Catchpole, R.M., Menzies, J.W., Feast, M.W., Winkler, H., Marang, F., Glass, I.S., Balona, L.A., Egan, J., Carter, B.S., Roberts, G., Sekiguchi, K., Laney, C.D., Evans, T.L., Laing, J.D., Jones, J.S., Fernley, J., James, P., Fairall, A.P., Monk, A.S., van Wyk, F.), **234**, 5P
Hα fine-structure in SN 1987A within the first 111 days (Hanuschik, R.W., Thimm, G., Dachs, J.), **234**, 41P
Upper limits to the high-energy gamma-ray and hard X-ray flux from SN 1987A on day 55 (Sood, R.K., Thomas, J.A., Waldron, L., Manchanda, R.K., Ubertini, P., Bazzano, A., La Padula, C., Staubert, R., Kendziorra, E., Rochester, G.K., Sumner, T.J., Frye, G., Jenkins, T., Koga, R., Albats, P.), **234**, 73P
Supernovae in the halo of the 30 Doradus nebula? (Meaburn, J.), **235**, 375
The dynamics of a complex of interlocking giant shells in the Local Group dwarf galaxy IC 1613 (Meaburn, J., Clayton, C.A., Whitehead, M.J.), **235**, 479

IRAS observations of the supernova remnant OA 184 (Leahy, D.A., Marshall, C.R.), **235**, 805
UBV photometry in four southern open clusters with suspected supernova remnants (Peterson, C.J., FitzGerald, M.P.), **235**, 1439
10 μμ spectral observations of SN 1987A: the first year (Aitken, D.K., Smith, C.H., James, S.D., Roche, P.F., Hyland, A.R., McGregor, P.J.), **235**, 19P

Ultraviolet astronomy

Far-ultraviolet absorption lines in active galaxies (Ulrich, M.-H.), **230**, 121
White dwarf heating and the ultraviolet flux in dwarf novae (Pringle, J.E.), **230**, 587
The 1985 May superoutburst of the dwarf nova OY Carinae – II. *IUE* and *EXOSAT* observations (Naylor, T., Bath, G.T., Charles, P.A., Hassall, B.J.M., Sonneborn, G., van der Woerd, H., van Paradijs, J.), **231**, 237
The excitation of S I emission lines in chromospheres of late-type giant stars (Judge, P.G.), **231**, 419
The interstellar 2200 Å feature and charge transfer absorption (Carnochan, D.J.), **231**, 455
Observational evidence for mass loss from classical cepheids (Deasy, H.P.), **231**, 673
A search for SH^+ toward Zeta Ophiuchi (Millar, T.J., Hobbs, L.M.), **231**, 953
Magnesium abundances in planetary nebulae and interstellar absorption of Mg II λ 2800 Å (Middlemass, D.), **231**, 1025
Evidence for rotationally modulated variability in O star winds (Prinja, R.K.), **231**, 21P
A relation between UV excess and the interstellar medium in elliptical galaxies (Sparks, W.B., Collier, A., Cameron, A.C.), **232**, 215
Third spectra of rare earth elements in chemically peculiar stars: *IUE* spectra (Cowley, C.R., Greenberg, M.), **232**, 763
X-ray and ultraviolet observations of Markarian 421 (George, I.M., Warwick, R.S., Bromage, G.E.), **232**, 793
The ultraviolet continuum of quasars – I. The shape of the continuum, continuum reddening and intervening absorption (O'Brien, P.T., Gondhalekar, P.M., Wilson, R.), **233**, 801
The ultraviolet continuum of quasars – II. Continuum variability (O'Brien, P.T., Gondhalekar, P.M., Wilson, R.), **233**, 845
HD 38451: J.R. Hind's star that changed colour (Warner, B., Sneden, C.), **234**, 269
Regular orbital variations in the ultraviolet resonance lines of YZ Cnc (Drew, J.E., Verbunt, F.), **234**, 341
Very extended ionized gas in radio galaxies – IV. PKS 2152–69 (Tadhunter, C.N., Fosbury, R.A.E., Alighieri, S.di S., Bland, J., Danziger, I.J., Goss, W.M., McAdam, W.B., Snijders, M.A.J.), **235**, 405
Flare activity on UV Ceti: visible and *IUE* observations (Phillips, K.J.H., Bromage, G.E., Dufton, P.L., Keenan, F.P., Kingston, A.E.), **235**, 573

X-ray astronomy

Fluctuations in the X-ray background and the large-scale structure of the Universe (Barcons, X., Fabian, A.C.), **230**, 189
Serendipitous discovery of an AGN showing rapid X-ray variability (Barstow, M.A., Stanger, V.J.), **230**, 207
Observations of 1.4-Hz quasi-periodic oscillations in Cir X- (Tennant, A.F.), **230**, 403
Observations of three high-state eclipse egresses of Hercules X- (Day, C.S.R., Tennant, A.F., Fabian, A.C.), **231**, 69
EXOSAT observations of variable coronal X-ray emission from the young K dwarf AB Doradus (=HD 36705) (Cameron, A.C., Bedford, D.K., Rucinski, S.M., Vilhu, O., White, N.E.), **231**, 131
The 1985 May superoutburst of the dwarf nova OY Carinae – II. *IUE* and *EXOSAT* observations (Naylor, T., Bath, G.T., Charles, P.A., Hassall, B.J.M., Sonneborn, G., van der Woerd, H., van Paradijs, J.), **231**, 237
Quasi-periodic oscillations in the bright galactic bulge X-ray source GX 340+0 (van Paradijs, J., Hasinger, G., Lewin, W.H.G., van der Klis, M., Sztajno, M., Schulz, N., Jansen, F.), **231**, 379
EXOSAT X-ray observations of the eclipsing magnetic cataclysmic variable EX Hya (Rosen, S.R., Mason, K.O., Córdova, F.A.), **231**, 549
The orbital variability of XB1636 – 536 (Smale, A.P., Mukai, K.), **231**, 663
GK Per: X-ray observations in quiescence (Norton, A.J., Watson, M.G., King, A.R.), **231**, 783
The quasi-periodic oscillations of GX349+2 (Ponman, T.J., Cooke, B.A., Stella, L.), **231**, 999
Variable low-energy absorption in the X-ray spectrum of ESO 103 – G35 (Warwick, R.S., Pounds, K.A., Turner, T.J.), **231**, 1145
X-ray emission from starburst nuclei (Ward, M.J.), **231**, 1P
An enhanced stellar wind accretion model for binary X-ray transients (Stevens, I.R.), **232**, 199
Variability of the soft excess in the Seyfert I galaxy MKn 335 (Turner, T.J., Pounds, K.A.), **232**, 463
Bimodal accretion in GX5– and a possible constraint on its rotation period (Berman, N.M., Stollman, G.M.), **232**, 487
A survey of the galactic plane with *EXOSAT*

(Warwick, R.S., Norton, A.J., Turner, M.J.L., Watson, M.G., Willingale, R.), **232**, 551
X-ray observations of the 50-min dipping source XB1916 − 053 (Smale, A.P., Mason, K.O., White, N.E., Gottwald, M.), **232**, 647
The discovery of orbital dips in the soft X-ray emission of U Gem during an outburst (Mason, K.O., Córdova, F.A., Watson, M.G., King, A.R.), **232**, 779
X-ray and ultraviolet observations of Markarian 421 (George, I.M., Warwick, R.S., Bromage, G.E.), **232**, 793
Predictions in the condensate model of evolution of structures in the Universe (Daly, R.A.), **232**, 853
The optical/IR counterpart to the newly-discovered X-ray source EXO 2030+375 (Coe, M.J., Longmore, A., Payne, B.J., Hanson, C.G.), **232**, 865
CAL 83: a 1-day period low-mass X-ray binary in the LMC (Smale, A.P., Corbet, R.H.D., Charles, P.A., Ilovaisky, S.A., Mason, K.O., Motch, C., Mukai, K., Naylor, T., Parmai, A.N., van der Klis, M., van Paradijs, J.), **233**, 51
Spectroscopy of the M15 X-ray source: discovery of binary motion and an unusual systemic velocity (Naylor, T., Charles, P.A., Drew, J.E., Hassall, B.J.M.), **233**, 285
Non-linear oscillations of the magnetosphere around neutron stars (Hanami, H.), **233**, 423
On the relation between X-ray burst properties and the persistent X-ray luminosity (van Paradijs, J., Penninx, W., Lewin, W.H.G.), **233**, 437
'Cold' material in non-thermal sources (Guilbert, P.W., Rees, M.J.), **233**, 475
Thermal Comptonization in compact sources and the cosmic X-ray background (Zdziarski, A.A.), **233**, 739
Rapid soft X-ray variability in a newly discovered active galaxy: EXO 1128+691 (Bedford, D.K., Vilhu, O., Petrov, P.), **234**, 319
The expected X-ray luminosity of HD 50896 (Stevens, I.R., Willis, A.J.), **234**, 783
A very long head–tail radio galaxy in the X-ray cluster 2A0335+096 (Patnaik, A.R., Singh, K.P.), **234**, 847
A search for radio emission from X-ray binaries and related objects (Nelson, R.F., Spencer, R.E.), **234**, 1105
EXO 023432−5232.3 – An eclipsing AM Herculis binary (Bailey, J., Wickramasinghe, D.T., Hough, J.H., Cropper, M.), **234**, 19P
Binary phase correlated X-ray intensity variations and flaring activity in the RS CVn binary HR 1099 (Agrawal, P.C., Vaidya, J.), **235**, 239
The X-ray light curves of AM Herculis systems (Hameury, J.M., King, A.R.), **235**, 433
The ultraviolet to X-ray continua of BL Lac objects (George, I.M., Warwick, R.S., McHardy, I.M.), **235**, 773